

iD Inspiration
Glue-down and Click Solid

TECHNICAL DATA	STANDARD	iD Inspiration 30	iD Inspiration 55	iD Inspiration High Traffic 70	iD Inspiration Click Solid 30	iD Inspiration Click Solid 55	iD Inspiration Click High Traffic 70
CLASSIFICATION							
Classification	EN ISO 10582	Heterogeneous Compact Resilient Floorcovering	Heterogeneous Compact Resilient Floorcovering	Heterogeneous Compact Resilient Floorcovering	Heterogeneous Compact Resilient Floorcovering	Heterogeneous Compact Resilient Floorcovering	Heterogeneous Compact Resilient Floorcovering
	EN ISO 10874	23 - 31	23 - 33 - 42	23 - 34 - 43	23 - 31	23 - 33 - 42	23 - 34 - 43
Wear layer binder content	EN ISO 10582	Type I	Type I	Type I	Type I	Type I	Type I
TECHNICAL CHARACTERISTICS							
Total thickness	EN ISO 24346	2.0 mm	2.5 mm	2.5 mm	5.0 mm	5.0 mm	5.0 mm
Total weight	EN ISO 23997	3.40 kg/m ²	3.85 kg/m ²	3.95 kg/m ²	8.90 kg/m ²	8.85 kg/m ²	8.35 kg/m ²
Wear layer thickness	EN ISO 24340	0.30 mm	0.55 mm	0.70 mm	0.30 mm	0.55 mm	0.70 mm
Bevelled edges		No	Yes	Yes	Yes	Yes	Yes
High definition Digitally Printed		Yes (Naturals references)	Yes (Naturals references)	Yes (Naturals references)	No	No	No
Embossing in Register		Yes (Authenticity references)	Yes (Authenticity references)	Yes (Authenticity references)	Yes (Authenticity references)	Yes (Authenticity references)	Yes (Authenticity references)
Surface treatment (PUR)		Yes - Tektanium®	Yes - Tektanium®	Yes - Tektanium®	Yes - Tektanium®	Yes - Tektanium®	Yes - Tektanium®
Form of delivery	EN ISO 24342 Planks	20 x 120 cm 19 planks/box = 4.56 m ² 28.5 x 120 cm 13 planks/box = 4.45 m ² 25 x 150 cm 12 planks/box = 4.50 m ² EN ISO 24342 Tiles	20 x 120 cm 15 planks/box = 3.60 m ² 28.5 x 120 cm 11 planks/box = 3.76 m ² 25 x 150 cm 10 planks/box = 3.75 m ² 50 x 50 cm 15 tiles/box = 3.75 m ² 50 x 100 cm 7 tiles/box = 3.50 m ² 66.66 x 66.66 cm 8 tiles/box = 3.55 m ² 33.33 x 66.66 cm 20 tiles/box = 4.44 m ²	20 x 120 cm 15 planks/box = 3.60 m ² 28.5 x 120 cm 11 planks/box = 3.76 m ² 25 x 150 cm 10 planks/box = 3.75 m ² 50 x 50 cm 15 tiles/box = 3.75 m ² 50 x 100 cm 7 tiles/box = 3.50 m ² 66.66 x 66.66 cm 8 tiles/box = 3.55 m ² 33.33 x 66.66 cm 16 tiles/box = 3.55 m ²	20 x 120 cm 15 planks/box = 3.60 m ² 28.5 x 120 cm 11 planks/box = 3.76 m ² 24.7 x 149.7 cm 5 planks/box = 1.79 m ²	20 x 120 cm 15 planks/box = 3.60 m ² 28.5 x 120 cm 11 planks/box = 3.76 m ² 24.7 x 149.7 cm 5 planks/box = 1.79 m ²	20 x 120 cm 15 planks/box = 3.60 m ² 28.5 x 120 cm 11 planks/box = 3.76 m ² 24.7 x 149.7 cm 5 planks/box = 1.79 m ²
PERFORMANCES FOR CE MARKING REQUIREMENTS (EN 14041)							
Declaration of Performance	EN 14041	0132-0080-DoP-2019-08	0132-0084-DoP-2020-03	0132-0085-DoP-2020-03	0197-0054-DoP-2021-02	0197-0011-DoP-2021-02	0197-0051-DoP-2021-02
Reaction to fire	EN 13501-1	EN 13501-1	EN 13501-1	EN 13501-1	EN 13501-1	EN 13501-1	EN 13501-1
Electrical properties	EN 1815	< 2 kV on concrete	< 2 kV on concrete	< 2 kV on concrete	< 2 kV on concrete	< 2 kV on concrete	< 2 kV on concrete
Thermal resistance	EN ISO 10456	0.02 m ² K/W	0.02 m ² K/W	0.02 m ² K/W	0.05 m ² K/W	0.05 m ² K/W	0.05 m ² K/W
Slip resistance	EN 13893	μ ≥ 0.3	μ ≥ 0.3	μ ≥ 0.3	μ ≥ 0.3	μ ≥ 0.3	μ ≥ 0.3
TECHNICAL PERFORMANCES							
Dimensional stability	EN ISO 23999	≤ 0.15 %	≤ 0.10 %	≤ 0.10 %	≤ 0.10 %	≤ 0.10 %	≤ 0.10 %
Impact sound reduction	EN ISO 717 / 2	ΔL _w 3 dB	ΔL _w 3 dB	ΔL _w 3 dB	ΔL _w 5 dB	ΔL _w 5 dB	ΔL _w 5 dB
Acoustical improvement	EN ISO 31-074	Class C - L _{n,eq} < 85 dB	Class C - L _{n,eq} < 85 dB	Class C - L _{n,eq} < 85 dB	Class C - L _{n,eq} < 85 dB	Class C - L _{n,eq} < 85 dB	Class C - L _{n,eq} < 85 dB
Slip resistance	DIN 51130	R9/R10 depending on embossing	R9/R10 depending on embossing	R9/R10 depending on embossing	R9/R10 depending on embossing	R9/R10 depending on embossing	R9/R10 depending on embossing
Furniture leg	EN 424	No damage	No damage	No damage	No damage	No damage	No damage
Castor chair	ISO 4918 - EN 425	No damage	No damage	No damage	No damage	No damage	No damage
Curly resistant to heat	EN ISO 23999	≤ 2 mm	≤ 2 mm	≤ 2 mm	≤ 1 mm	≤ 1 mm	≤ 1 mm
Light fastness	EN ISO 105-B02 (method 3*)	≥ 6	≥ 6	≥ 6	≥ 6	≥ 6	≥ 6
Residual indentation	EN ISO 24343-1	≤ 0.05 mm	≤ 0.05 mm	≤ 0.05 mm	≤ 0.10 mm	≤ 0.10 mm	≤ 0.10 mm
Chemical resistance	EN ISO 26987	Very good	Very good	Very good	Very good	Very good	Very good
Underfloor heating		Suitable - max. 27°C	Suitable - max. 27°C	Suitable - max. 27°C	Suitable - max. 27°C	Suitable - max. 27°C	Suitable - max. 27°C
Peeling resistance	EN ISO 24345	≥ 50N / 50mm	≥ 50N / 50mm	≥ 50N / 50mm	≥ 50N / 50mm	≥ 50N / 50mm	≥ 50N / 50mm
ENVIRONMENTAL PERFORMANCES							
Total VOC emissions	ISO 16000-9	≤ 10 µg/m ³ (after 28 days)	≤ 10 µg/m ³ (after 28 days)	≤ 10 µg/m ³ (after 28 days)	≤ 10 µg/m ³ (after 28 days)	≤ 10 µg/m ³ (after 28 days)	≤ 10 µg/m ³ (after 28 days)
Recycled content % production waste		38.8 %	34.9 %	34.7 %	Up to 35 %	Up to 35 %	Up to 35 %
Recycled content % post-consumer waste		1.9 %	1.7 %	1.7 %	—	—	—
Recyclable		Yes - Installation waste	Yes - Installation waste	Yes - Installation waste	Yes - Installation and post-consumer waste	Yes - Installation and post-consumer waste	Yes - Installation and post-consumer waste
Plasticizer		Phthalate-free	Phthalate-free	Phthalate-free	Phthalate-free	Phthalate-free	Phthalate-free
COLOURS							
		Woods: 40 / Stones: 10	Woods: 72 / Stones: 28	Woods: 72 / Stones: 28	Woods: 35 / Stones: 7	Woods: 35 / Stones: 7	Woods: 8 / Stones: 2
The above information is subject to modification for the benefit of further improvement. (05/21). According to the European Regulation N° 305/2011 for CE Marking, the Declarations of Performance are available on our website www.tarkett.com Tarkett's instructions regarding installation, cleaning and maintenance should be observed. Please contact Tarkett at the address shown for these instructions.							

■ WESTERN EUROPE: Austria: Tarkett Holding GmbH, Niederlassung Wien – Tel. +43 1 47 88 062 ■ Belgium: Tarkett Belux Sprl – Tel. +32 52 26 24 11 ■ Denmark: Tarkett A/S – Tel. +45 43 90 60 11 ■ Finland: Tarkett Oy – Tel. +358 9 4257 9000 ■ France: Tarkett SAS – Tel. +33 1 41 20 42 49 ■ Germany: Tarkett Holding GmbH – Tel. +49 62 33 810 ■ Greece: Tarkett Monoprosopi Ltd. – Tel. +30 210 6745 340 ■ Italy: Tarkett S.p.A. – Tel. +39 0744 7551 ■ Luxembourg: Tarkett GDL SA – Tel. +352 949 211 8804 ■ Netherlands: Tarkett BV – Tel. +31 416 685 491 ■ Norway: Tarkett AS – Tel. +47 32 20 92 00 ■ Portugal: Tarkett SA – Tel. +351 21 427 54 00 ■ Spain: Tarkett Floors S.L. – Tel. +34 91 382 00 55 ■ Sweden: Tarkett Sverige AB – Tel. +46 771 25 19 00 ■ Switzerland: Tarkett Holding GmbH – Tel. +41 043 233 79 24 ■ Turkey: Tarkett Aspen – Tel. +90 212 213 65 80 ■ United Kingdom: Tarkett Ltd. – Tel. +44 (0) 1622 854 040 ■ EASTERN EUROPE: Baltic Countries: Tarkett Baltics: Tel. +370 37 262 220 ■ Czech Republic: Tarkett org. slovakia – Tel. +420 271 001 600 ■ Hungary: Tarkett Polska SP. Z O.O. magyarországi fióktelepe – Tel. +36 1 437 8150 ■ Poland: Tarkett Polska Sp. z o.o. – Tel. +48 22 16 09 231 ■ Russian Federation: ZAO Tarkett RUS – Tel. +7 495 775 3737 ■ Slovakia: Tarkett Polska, organizacná zložka – Tel. +420 2 48201 317 ■ South East Europe: Tarkett SEE – Tel. +90 21 7557 640 (40 566 12 21) ■ Ukraine: Tarkett UA – Tel. +38 044 55 45 60 ■ ASIA AND OCEANIA: Australia: Tarkett Australia Pty Ltd. – Tel. +61 2 88 53 12 00 ■ China: Tarkett Floor Covering (Shanghai) Co. Ltd. – Tel. +86 (21) 60 95 68 88 ext 841 ■ North East Asia: Tarkett Hong Kong Limited – Tel. +852 2511 9716 ■ India: Tarkett Flooring India Pvt. Ltd. – Bangalore - Tel. +91 80 4130 3793 – New Delhi - Tel. +91 11 4352 4073 – Mumbai - Tel. +91 22 2648 8750 ■ South East Asia: Tarkett Flooring Singapore Pte. Ltd. – Tel. +65 6346 1585 ■ AFRICA: Tarkett International: Tel. +33 1 41 20 41 01 ■ MIDDLE EAST: Tarkett Middle East: Tel. +961 1 51 353/4 ■ Israel: Tarkett International: Tel. +33 1 41 20 41 01 ■ NORTH AMERICA: USA: Tarkett Inc. – Tel. +1 713 669 8811 / Johannesburg – Tel. +1 440 563 8216 ■ Canada: Tarkett Inc. – Tel. +1 452 293 172 ■ LATIN AMERICA: Brazil: Tarkett – Tel. 55 12 2953 7108 ■ Argentina – Chile – Uruguay: Tarkett Latam Mercosur – Tel. +54 11 47 08 07 72 / +54 9 11 44 46 88 82 ■ Bolivia – Colombia – Ecuador – Panama – Paraguay – Peru – Trinidad and Tobago – Venezuela: Tarkett – Tel. +55 11 9 8410 9310 / +55 11 95494 0069 ■ Mexico / Central America: Tarkett Latam Mexico – Tel. +55 11 98410 9310

www.professionals.tarkett.com



forest products ground materials
import export
marketing industry and trade
LIMITED COMPANY

iD Inspiration
Glue-down and Click Solid

LUXURY VINYL TILES


Re-defining
authenticity



TEKTANIUM™
Best matt effect on the market




Unequalled resistance



Good dimensional stability


100
Decors



Naturals
Authentics
Classics

3


Wear layers



0.30 - Class 23/31
0.55 - Class 23/33/42
0.70 - Class 23/34/43

2

Installation methods



Glue-down
Click

CUSTOMISATION SERVICES



• **Select an existing format**

• **Choose a bevel**

• **Select an embossing**

• **Define a custom colour from the library**

• **Pick a design from the library**

• **Request a new design**

NATURALS WOODS

Charred Wood Black



Normal Oak light

Roasted Elm light

American Walnut medium

Forest Oak natural

Chalk Oak large

Swiss Oak smoked

Designing as nature intended



HIGH DEFINITION
PRINTING




HIGH DEFINITION
PRINTING



2X6m
NO REPEAT



2X6m
NO REPEAT



XXL
BIGFOOT
FORMAT

Our Naturals designs are scanned from nature through the meticulous **sourcing of high quality raw materials** such as wood and stone.

Using a **unique patent-protected digital printing technology**, the only single-pass 2m wide printer for jetting water based inks on vinyl in the world, we have reflected the best of nature's diverse features, from characterful wood grains to the subtle textures and nuances of stone.

To convey the true diversity of the natural world in all its glory, our modular vinyl flooring displays a **high definition with non-repeating motifs for up to 12 m² (2x6m)** and an **ultra-matt finish**.

All Naturals decors are available in glue-down and will be available in click by end of 2021 with a selection of decors in permanent stock.

Wagon Board Toasted



No repeat up to 12m²

Normal Oak linen



Pin custom colour / Breckle custom design and colour / Forest Oak patricio plot 24513 020

Board Toasted 24514 081

Cast Concrete cement 24522 050 / Swiss Oak smoked 24515 076

COLLAGE
SUR
VOLET 3

INTER


COLLAGE
SUR
VOLET 1A

INTER

NATURALS
STONES



*For designs available in 120cm x 20cm format





Belgian Stone dune 24522 036



Patina Concrete light grey 24511 032 / Douglas Pine creme 24503 045

Cast Concrete cement 24522 058 / Swiss Oak smoked 24515 076



Liguria Slate black 24507 061 / Creek Oak beige 24502 041



Terrazzo Classical terracotta 24521 080 / Century dawn 24523 059




Moonstone dark blue (custom format)



Breccia grey 24511 052 / Carrara Grande white 24511 044

Patina concrete



light grey

medium grey

dark grey

Century



dawn

Breccia



grey

Glue-down - Available on stock

Click: A selection of decors will be available on stock by end of 2021

ID INSPIRATION - LUXURY VINYL TILES

Belgian Stone



dune

loam

silt

Cast Concrete



cement

Moonstone



dark blue

ID INSPIRATION - LUXURY VINYL TILES

Glue-down - Available on stock

Click: A selection of decors will be available on stock by end of 2021

Liguria Slate



black

Glue-down - Available on stock


Click: A selection of decors will be available on stock by end of 2021

Travertin Grande



sand

Terrazzo Classical



terracotta

nero

Carrara Grande



white

Marquina Grande



black

Glue-down - Available on stock

Click: A selection of decors will be available on stock by end of 2021

ID INSPIRATION - LUXURY VINYL TILES

Emperador




grey

beige

green

Sediment



beige

grey

ID INSPIRATION - LUXURY VINYL TILES

Glue-down - Available on stock

Click: A selection of decors will be available on stock by end of 2021

Tarkett

Naturals Stones

Naturals Stones

Authentic

COLLAGE SUR VOLET 4A

INTER

COLLAGE SUR VOLET 2

INTER

AUTHENTICS WOODS

The embossing in register technology engraves effects onto planks and tiles.
The embossed pores perfectly echo the high definition printed image, resulting in finishes that are ever-more realistic.



Embossing in register technology



14 DIFFERENT
COLOURS



100% EIR



3 NEW
DESIGNS




Delicate Oak almond 24513 092 / Delicate Oak barley 24513 094 / Delicate Oak latte 24513 093

Highland Oak arabica 24513 088




Pearl Oak pekan 24513 098

Pearl Oak EIR



ID INSPIRATION – LUXURY VINYL TILES

Highland Oak EIR



ID INSPIRATION – LUXURY VINYL TILES

Delicate Oak EIR



ID INSPIRATION – LUXURY VINYL TILES



These decors reproduce natural material versatility so colours and patterns may vary from one plank or tile to the other within the same box. The designs and photos used in this sample card are for illustration purposes only. They are not contractual images and do not stand for product recommendation.

Authentics

Authentics

Classics

CLASSICS
STONES

« Vintage Zinc.
Never goes out of style. »

Thorsten Beinke
Decor director



ROTOGRAVURE



4 BEST IN
CLASS DESIGNS



7 COLOURS

COLLAGE
SUR
VOLET 5

INTER

COLLAGE
SUR
VOLET 3

INTER

CLASSICS
WOODS



ROTOGRAVURE



7 BEST IN
CLASS DESIGNS




21 COLOURS

« I've always
been an English
Oak fan. »

Florian Bougault
Art director

Our Classics designs curate our
most acclaimed decors and
colours, passionately designed
and produced in Europe since
2010.



Scandinavian Oak dark grey 24513 015 / Vintage Zinc black 24516 003



Composite cool grey (custom format)



English Oak brown 24513 009 / Rock grey 24516 001



Oxide black steel (custom format) / Brushed Pine grey 24502 005



Palina Ash grey 24513 017 / Rustic Oak light grey 24513 026 / Contemporary Oak grey 24513 021



Scandinavian Oak dark grey 24513 015 / Vintage Zinc 24516 003



Antik Oak dark grey 24513 006



Contemporary Oak grey 24513 021





Osido black steel (custom format) / Brushed Pine grey 24502 005




English Oak brown 24513 009 / Rock grey 24516 001

English Oak



Glue-down - Available on stock Click - Available on stock

Contemporary Oak



Glue-down - Available on stock Click - Available on stock

Scandinavian Oak





Glue-down - Available on stock Click - Available on stock

Brushed Pine




Glue-down - Available on stock Click - Available on stock

Patina Ash





Glue-down - Available on stock Click - Available on stock

Rustic Oak





Glue-down - Available on stock Click - Available on stock

Rock




Glue-down - Available on stock Click - Available on stock

Composite




Glue-down - Available on stock Click - Available on stock

Vintage Zinc




Glue-down - Available on stock Click - Available on stock

Oxide



Glue-down - Available on stock Click - Available on stock



Glue-down - Available on stock Click - Available on stock



These decors reproduce natural materials so colours and patterns may vary from one plank or tile to the other, within the same box. The designs and photos used in this sample are for illustration purposes only. They are not contractual images and do not stand for product recommendation.

Classics

Classics

Product details

ID INSPIRATION - LUXURY VINYL TILES

ID INSPIRATION - LUXURY VINYL TILES

ID INSPIRATION - LUXURY VINYL TILES

ID INSPIRATION - LUXURY VINYL TILES

ID INSPIRATION - LUXURY VINYL TILES

ID INSPIRATION - LUXURY VINYL TILES


ID INSPIRATION - LUXURY VINYL TILES



Patina Concrete light grey 24511 032 / Douglas Pine creme 24503 045

VOLLEY 4A

INTER




White high density polystyrene foam 100% recyclable with a protective varnish.

Size (mm): 2000 length x 22 width x 110 height

1 box of 18 pieces (36lm)

○ White - 1411 301

SEMI-RIGID SKIRTING - KS61 / KS80 / KS100



PVC semi-rigid skirting for decorative use with upper and lower soft lips.

KS61 Size (mm): 2500 length x 15 thickness x 60 height

KS80 Size (mm): 2500 length x 15 thickness x 80 height

KS100 Size (mm): 2500 length x 15 thickness x 100 height

1 box of 20 pieces

Consult the brochure on page 84 for SAP codes.

Structures


GLUE-DOWN CLICK SOLID*




Chastillon Oak beige 24513 035 / Forest Oak natural 24513 030




Delicate Oak almond 24513 092 / Delicate Oak barley 24513 094 / Delicate Oak toffee 24513 093



Chastillon Oak beige 24513 035 / Forest Oak natural 24513 030



Liguria Slate black 24513 067 / Creek Oak beige 24513 041



Forest Oak natural 24513 030



Forest Oak natural 24513 030

*ID Inspiration Click Solid 30/55 construction, ID Inspiration Click High Traffic 70 construction sample available on demand

Product details and skirtings

NATURALS Woods & Stones

All 0.55/0.70 glue-down Naturals decors are available on stock. Naturals decors not available on stock in 0.30 glue-down can be made to order with MOQ of 500m². A selection of Naturals decors, with the click installation, will be available on stock by end of 2021. Naturals decors not available on stock in 0.30/0.55 click can be made to order with MOQ of 600m².

DECOR	COLOUR	SAP CODE	SAP CODE	SAP CODE	FORMAT (cm)	SKIRTING	LRV (%)	BEVELS*
Digital Print		30	55	70	31			
American Walnut	cinnamon	24513 051	24502 051	24502 051	20 x 120	26646 051	17.46	4V
	maroon	24513 050	24502 050	24502 050	20 x 120	26646 050	10.70	4V
Belgian Stone	dune	24533 036	24522 036	24511 036	50 x 100	26646 036	44.01	0V
	loam	24533 035	24522 035	24511 035	50 x 100	26646 035	18.40	0V
	silt	24533 037	24522 037	24511 037	50 x 100	26646 037	27.88	0V
Breccia	grey	24522 052	24511 052	24511 052	50 x 100	26646 052	36.05	0V
Brushed Elm	beige	24526 056	24513 056	24504 056	28.5 x 120	26646 056	46.68	4V
	brown	24526 057	24513 057	24504 057	28.5 x 120	26646 057	36.42	4V
	grege	24526 055	24513 055	24504 055	28.5 x 120	26646 055	38.62	4V
	natural	24526 054	24513 054	24504 054	28.5 x 120	26646 054	37.22	4V
Carrara Grande	white	24533 044	24522 044	24511 044	50 x 100	26646 044	64.25	0V
Cast Concrete	cement	24522 058	24511 058	24511 058	50 x 100	26646 058	37.43	0V
Century	down	24522 059	24511 059	24512 059	66.66 x 66.66	26646 059	40.70	0V
Charred Wood	black	24524 053	24513 053	24502 053	20 x 120	26646 053	9.28	4V
Chastillon Oak	beige	24525 062	24514 062	24503 062	25 x 150	26646 062	29.67	4V
	brown	24525 061	24514 061	24503 061	25 x 150	26646 061	22.91	4V
	natural	24525 060	24514 060	24503 060	25 x 150	26646 060	43.01	4V
Chestnut	original	24525 064	24514 064	24503 064	25 x 150	26646 064	29.73	4V
	smoked	24525 063	24514 063	24503 063	25 x 150	26646 063	11.54	4V
Classic Pine	natural	24524 065	24513 065	24502 065	20 x 120	26646 065	34.53	4V
	sunburned	24524 066	24513 066	24502 066	20 x 120	26646 066	26.38	4V
Creek Oak	beige	24513 041	24502 041	20 x 120	26646 041	22.30	4V	
	brown	24513 043	24502 043	20 x 120	26646 043	13.07	4V	
	natural	24513 042	24502 042	20 x 120	26646 042	26.10	4V	
Douglas Pine	creme	24525 045	24514 045	24503 045	25 x 150	26646 045	40.00	4V
	soaped	24525 046	24514 046	24503 046	25 x 150	26646 046	50.58	4V
Emperador	beige	24522 048	24511 048	50 x 100	26646 048	36.35	0V	
	green	24522 049	24511 049	50 x 100	26646 049	44.47	0V	
	grey	24522 047	24511 047	50 x 100	26646 047	41.30	0V	
Fibra	black	24522 085	24511 085	50 x 100	26646 085	12.35	0V	
	green	24522 086	24511 086	50 x 100	26646 086	27.86	0V	
	natural	24522 083	24511 083	50 x 100	26646 083	39.74	0V	
	terracotta	24522 084	24511 084	50 x 100	26646 084	26.88	0V	
Forest Oak	natural	24524 031	24513 031	24502 031	20 x 120	26646 031	37.83	4V
	nutmeg	24524 029	24513 029	24502 029	20 x 120	26646 029	34.20	4V
	pistaccio shell	24524 030	24513 030	24502 030	20 x 120	26646 030	46.37	4V
Liguria Slate	black	24529 067	24518 067	24507 067	50 x 50	26646 067	6.86	4V
Marquina Grande	black	24522 068	24511 068	50 x 100	26646 068	6.50	0V	
Moonstone	darkblue	24518 078	24507 078	50 x 50	26646 078	8.32	4V	
Nomad Oak	coffee	24526 072	24515 072	24504 072	28.5 x 120	26646 072	11.70	4V
	hazel	24526 071	24515 071	24504 071	28.5 x 120	26646 071	18.07	4V
	linen	24526 069	24515 069	24504 069	28.5 x 120	26646 069	41.58	4V
	oat	24526 070	24515 070	24504 070	28.5 x 120	26646 070	21.04	4V
Patina concrete	dark grey	24522 034	24511 034	50 x 100	26646 034	17.30	0V	
	light grey	24522 032	24511 032	50 x 100	26646 032	32.76	0V	
	medium grey	24522 033	24511 033	50 x 100	26646 033	22.97	0V	
Sediment	beige	24523 073	24512 073	66.66 x 66.66	26646 073	32.25	0V	
	grey	24523 074	24512 074	66.66 x 66.66	26646 074	32.18	0V	
Swiss Oak	natural	24526 075	24515 075	24504 075	28.5 x 120	26646 075	29.93	4V
	smoked	24526 076	24515 076	24504 076	28.5 x 120	26646 076	22.72	4V
	stained	24526 077	24515 077	24504 077	28.5 x 120	26646 077	23.31	4V
Terrazzo Classical	nero	24532 079	24521 079	24510 079	33.33 x 66.66	26646 079	56.87	0V
	terracotta	24521 080	24510 080	33.33 x 66.66	26646 080	63.23	0V	
Travertin Grande	sand	24517 082	24506 082	50 x 100	26646 082	55.90	4V	
Variant Oak	beige	24513 038	24502 038	20 x 120	26646 038	36.73	4V	
	light grey	24513 039	24502 039	20 x 120	26646 039	32.93	4V	
	natural	24513 040	24502 040	20 x 120	26646 040	37.68	4V	
	floated	24514 081	24503 081	25 x 150	26646 081	28.41	4V	

Glue-down Available on stock Click A selection of decors will be available on stock by end of 2021



30 0.30mm 55 0.55mm 70 0.70mm

ID INSPIRATION - LUXURY VINYL TILES

Product details and skirtings

AUTHENTICS Woods

All 0.55/0.70 glue-down and 0.30/0.55 click solid Authentics decors are available on stock. Authentics decors not available on stock in 0.30 glue-down can be made to order with MOQ of 500m².

DECOR	COLOUR	SAP CODE	SAP CODE	SAP CODE	SAP CODE	SAP CODE	SAP CODE	FORMAT (cm)	SKIRTING	LRV (%)	BEVELS*
Rotogravure		30	55	70	30	55	70	31			
Delicate Oak	almond	24502 092	24502 092	24502 092	24502 092	24502 092	24502 092	20 x 120	19.7 x 121.7	26646 092	34.28 4V
	barley	24502 094	24502 094	24502 094	24502 094	24502 094	24502 094	20 x 120	19.7 x 121.7	26646 094	31.04 4V
	clay	24502 095	24502 095	24502 095	24502 095	24502 095	24502 095	20 x 120	19.7 x 121.7	26646 095	25.66 4V
	sugar	24502 096	24502 096	24502 096	24502 096	24502 096	24502 096	20 x 120	19.7 x 121.7	26646 096	51.05 4V
	toffee	24502 093	24502 093	24502 093	24502 093	24502 093	24502 093	20 x 120	19.7 x 121.7	26646 093	20.43 4V
Highland Oak	arabica	24502 088	24502 088	24502 088	24502 088	24502 088	24502 088	20 x 120	19.7 x 121.7	26646 088	10.45 4V
	cream	24502 087	24502 087	24502 087	24502 087	24502 087	24502 087	20 x 120	19.7 x 121.7	26646 087	40.67 4V
	golden	24502 091	24502 091	24502 091	24502 091	24502 091	24502 091	20 x 120	19.7 x 121.7	26646 091	29.38 4V
	noisette	24502 090	24502 090	24502 090	24502 090	24502 090	24502 090	20 x 120	19.7 x 121.7	26646 090	22.86 4V
	smoke	24502 089	24502 089	24502 089	24502 089	24502 089	24502 089	20 x 120	19.7 x 121.7	26646 089	25.98 4V
Pearl Oak	candis	24502 100	24502 100	24502 100	24502 100	24502 100	24502 100	20 x 120	19.7 x 121.7	26646 100	30.57 4V
	dune	24502 097	24502 097	24502 097	24502 097	24502 097	24502 097	20 x 120	19.7 x 121.7	26646 097	42.39 4V
	latte	24502 099	24502 099	24502 099	24502 099	24502 099	24502 099	20 x 120	19.7 x 121.7	26646 099	41.93 4V
	pekan	24502 098	24502 098	24502 098	24502 098	24502 098	24502 098	20 x 120	19.7 x 121.7	26646 098	15.20 4V

Glue-down Available on stock Click A selection of decors will be available on stock by end of 2021

Naturals Woods / Naturals Stones CLASSICS Woods & Stones

All 0.55/0.70 glue-down and 0.30/0.55 click solid Classics decors are available on stock. Classics decors not available on stock in 0.30 glue-down can be made to order with MOQ of 500m².

Decor												
Accessories decors not available on stock in 0.30 glue-down can be made to order with MOQ of 500m ² .												
DECOR	COLOUR	SAP CODE 30	SAP CODE 55	SAP CODE 70	SAP CODE 30	SAP CODE 55	SAP CODE 70	FORMAT (cm)		SKIRTING	LRV (%)	BEVELS*
Rotogravure		30	55	70	30	55	70	31	55			
Antik Oak	beige	24524 007	24513 007	24502 007	24627 007	24616 007	—	20 x 120	19.7 x 121.7	26646 007	32.26	4V
	dark grey	24524 006	24513 006	24502 006	24627 006	24616 006	—	20 x 120	19.7 x 121.7	26646 006	25.48	4V
	natural	—	24513 028	24502 028	24627 028	24616 028	—	20 x 120	19.7 x 121.7	26646 008	28.17	4V
Brushed Pine	brown	—	24513 004	24502 004	24627 004	24616 004	—	20 x 120	19.7 x 121.7	26646 004	22.88	4V
	grey	—	24513 005	24502 005	24627 005	24616 005	—	20 x 120	19.7 x 121.7	26646 005	29.78	4V
	cool grey	24533 013	24522 013	24511 013	24632 013	24625 013	24614 013	50 x 100	49.7 x 99.7	26646 014	29.57	0V
Contemporary Oak	grege	24524 020	24513 020	24502 020	24628 020	24617 020	24606 020	20 x 120	24.7 x 149.7	26646 021	30.47	4V
	grey	24524 021	24513 021	24502 021	24628 021	24617 021	24606 021	20 x 120	24.7 x 149.7	26646 022	29.09	4V
	natural	24524 019	24513 019	24502 019	24628 019	24617 019	24606 019	20 x 120	24.7 x 149.7	26646 020	29.65	4V
English Oak	brown	24524 009	24513 009	24502 009	24627 009	24616 009	—	20 x 120	19.7 x 121.7	26646 010	18.07	4V
	classical	24524 008	24513 008	24502 008	24627 008	24616 008	24605 008	20 x 120	19.7 x 121.7	26646 009	26.43	4V
	grege	24524 012	24513 012	24502 012	24627 012	24616 012	—	20 x 120	19.7 x 121.7	26646 013	33.09	4V
	grey-beige	24524 011	24513 011	24502 011	24627 011	24616 011	—	20 x 120	19.7 x 121.7	26646 012	34.81	4V
Oxide	natural	24524 010	24513 010	24502 010	24627 010	24616 010	24605 010	20 x 120	19.7 x 121.7	26646 011	23.38	4V
	black steel	—	24516 024	24505 024	24630 024	24619 024	—	33.33 x 66.66	33.03 x 60.7	26646 025	14.14	4V
	copper	—	24516 022	24505 022	24630 022	24619 022	—	33.33 x 66.66	33.03 x 60.7	26646 023	13.07	4V
	steel	—	24516 023	24505 023	24630 023	24619 023	24608 023	33.33 x 66.66	33.03 x 60.7	26646 024	18.33	4V
Patina Ash	brown	—	24513 018	24502 018	24627 018	24616 018	—	20 x 120	19.7 x 121.7	26646 019	31.54	4V
	grey	—	24513 017	24502 017	24627 017	24616 017	24605 017	20 x 120	19.7 x 121.7	26646 018	32.2	4V
	grey	24532 001	24516 001	24505 001	24630 001	24619 001	—	33.33 x 66.66	33.03 x 60.7	26646 001	34.9	4V
Rock Rustic Oak	beige	24524 025	24513 025	24502 025	24627 025	24616 025	—	20 x 120	19.7 x 121.7	26646 026	31.64	4V
	light grey	24524 026	24513 026	24502 026	24627 026	24616 026	—	20 x 120	19.7 x 121.7	26646 027	46.56	4V
	warm natural	24524 027	24513 027	24502 027	24627 027	24616 027	—	20 x 120	19.7 x 121.7	26646 028	27.52	4V
	dark grey	24524 015	24513 015	24502 015	24627 015	24616 015	—	20 x 120	19.7 x 121.7	26646 016	24.46	4V
Scandinavian Oak	medium beige	24524 016	24513 016	24502 016	24627 016	24616 016	—	20 x 120	19.7 x 121.7	26646 017	41.36	4V
	medium grey	24524 014	24513 014	24502 014	24627 014	24616 014	—	20 x 120	19.7 x 121.7	26646 015	44.45	4V
Vintage Zinc	black	24532 003	24516 003	24505 003	24630 003	24619 003	—	33.33 x 66.66	33.03 x 60.7	26646 003	8.33	4V
	silver	24532 002	24516 002	24505 002	24630 002	24619 002	—	33.33 x 66.66	33.03 x 60.7	26646 002	19.02	4V