



akdeio®

forest products ground materials
import export
marketing industry and trade
LIMITED COMPANY



LADIX®
MDF PVC PLINTH

MDF PVC PLINTH

MDF PVC SÜPÜRGELİK

akdeio

Forest Products Ground Materials Import Export Marketing Industry and Trade
LIMITED COMPANY

Mobile: +90 532 500 51 52 Mobile Company: +90 532 250 65 29

Phone: +90 212 111 11 11

Address: Atakent Mah. 243. Sk. No:6 Tema İstanbul Sitesi 7/B No:1 Halkalı / K.çekmece İstanbul / TÜRKİYE

Address: Khelvachauri, Akhalshehis Meurneoba Mah. 3-CU Sk. No: 26 Batumi / GEORGIA

Akdeio Orman Ürünleri Zemin Malzemeleri İthalat İhracat Pazarlama San. ve Tic. LTD. ŞTİ.



www.akdeio.com.tr

info@akdeio.com.tr

onder@akdeio.com.tr



akdeio

akdeioorman

LADIX[®]



ENGLISH

ABOUT

First established in 2005, LADIK ORMAN ÜRÜNLERİ İNŞ. PLASTİK. SAN. ve TİC.LTD.ŞTİ. by continuous investments and growing its product range such as mattres, styrofoam and skirt board, has gained a respectable place among other companies in parquet industry.

We're dispatching related materials to all over Turkey beginning from İstanbul. We keep on serving with the attitude of providing perfect service and producing the utmost quality products with our expertised crew without any swerve.

Besides producing and dispatching customised products that can present solutions to any kind of varying demands coming from our customers we also strongly provide after sales and customer satisfaction services, aiming to hold the satisfaction of our customers always atop.

OUR MISSION

- To cover our customers' needs within worldwide standarts by the efforts and expertise of our team.
- Offering competitive and innovative service with dynamic teamwork.
- To contribute Turkey's economy along with the economy of the region that we're located.
- Being a part of the development in our activity regions with innovative and leading approach.
- Beyond commercial intentions, being a reformer company and having the enthusiasm of shaping the future.
- Working human oriented.
- To place customer satisfaction to the center of our total quality approach.
- Working with experts and make this up a principal.
- Along with located region, to become a well known brand in all over Turkey.

OUR VISION

To provide ultimate customer satisfaction by providing continuos quality and being strongly innovative in parquet and accessories market.

TURKISH

KURUMSAL

LADIK ORMAN ÜRÜNLERİ İNŞ.PLASTİK. SAN.ve TİC.LTD.ŞTİ. 2005 yılında kurulmuştur. Kurulduğu tarihten itibaren yatırımlarına devam eden şirketimiz; şilte, strafor ve süpürgelik ürün yelpazesini ve kapasitesini arttırmış olup, parke piyasasında saygın bir yer edinmeyi başarmıştır.

Firmamız İstanbul başta olmak üzere tüm Türkiye geneline malzeme sevkiyatı yapmak tadır. Eğitimli personelimiz ile kaliteden ödün vermeden en iyiyi sunmaya çalışan firmamız; parke sektöründe kaliteli ürün ve mükemmel servis anlayışı ile hizmet vermektedir.

VIZYON

Firmamız; her türlü özel ihtiyaca çözüm üretmek amacıyla kişiye ve alana özel değişik renk ve modeldeki ürünlerini geliştirmektedir. Sunduğumuz mal ve hizmetlerin uzman kadromuzla dağıtımını yapıyor ve satış sonrası verdiğimiz teknik

MİSYONUMUZ

- * Şirketimizin yetenek ve kapasitesi doğrultusunda, müşterilerimizin tüm hizmet beklentilerini dünya standartlarında karşılamak,
- * Dinamik bir ekip çalışması ile hızlı, rekabetçi ve müşterilerimizin beklentilerini karşılayan hizmetler sunmak;
- * Ülke ve bölge ekonomisine katkıda bulunmak,
- * Mevcut ve yeni hizmetlerimiz ile faaliyet bölgelerimizin gelişiminde önemli roller alarak, sürekli girişimci olmak,
- * Yenilikçi bir şirket olarak, geleceği şekillendirme arzusu ve insanlığa faydalı olan yenilikler üretme konusundaki kararlılığının arkasında durmak,
- * İnsana odaklı çalışmayı temel almak,
- * Tüm kalite planlarını müşteri memnuniyetine dayandırmak,
- * Konusunda uzman personel kadrosu ile çalışmayı ilke edinmek,



LADIX®

MDF Skirtings



USTALARIN DEĞİŞMEYEN MARKASI
CONSTANT BRAND OF THE MASTERS



Length

Thickness


Height

2,8-2,4 mt

14 mm

12 cm



Skirtings and Profiles
Functionality and design
in floor finishing
For all types of flooring





| Length | Thickness | Height |
|------------|-----------|--------|
| 2,8-2,4 mt | 14 mm | 10 cm |
| 2,8-2,4 mt | 16 mm | 12 cm |
| 2,8-2,4 mt | 18 mm | 14 cm |
| 2,8-2,4 mt | 18 mm | 15 cm |

Skirtings and Profiles
Functionality and design
in floor finishing
For all types of flooring



Galata



Length

2,8-2,4 mt



Thickness

12mm

Height

10cm



Skirtings and Profiles
Functionality and design
in floor finishing
For all types of flooring





| Length | Thickness | Height |
|------------|-----------|--------|
| 2,8-2,4 mt | 12mm | 10cm |

Skirtings and Profiles
Functionality and design
in floor finishing
For all types of flooring





Length

Thickness

Height

2,8-2,4 mt

12 mm


8 cm

2,8-2,4 mt


14 mm

8 cm

Skirtings and Profiles
Functionality and design
in floor finishing
For all types of flooring



infinity colours



Mavera



Length

Thickness

Height

2,8-2,4 mt

12 mm

8 cm

2,8-2,4 mt

14 mm

10 cm

Skirtings and Profiles
Functionality and design
in floor finishing
For all types of flooring

Adhesive

Uv-varnish

Mdf-Hdf

Solid veneer sanded





Length

Thickness

Height

2,8-2,4 mt

12 mm


8 cm

2,8-2,4 mt


14 mm

10 cm

Skirtings and Profiles
Functionality and design
in floor finishing
For all types of flooring



infinity colours





Topkapi



| Length | Thickness | Height |
|------------|-----------|--------|
| 2,8-2,4 mt | 10-12mm | 8cm |
| 2,8-2,4 mt | 10-12mm | 10cm |

Skirtings and Profiles
Functionality and design
in floor finishing
For all types of flooring





Nişantaşı



| Length | Thickness | Height |
|------------|-----------|--------|
| 2,8-2,4 mt | 10-12mm | 8cm |
| 2,8-2,4 mt | 10-12mm | 10cm |

Skirtings and Profiles
Functionality and design
in floor finishing
For all types of flooring




Gülhane



| Length | Thickness | Height |
|------------|-----------|--------|
| 2,8-2,4 mt | 10-12mm | 8cm |
| 2,8-2,4 mt | 10-12mm | 10cm |

Skirtings and Profiles
Functionality and design
in floor finishing
For all types of flooring



Samatya



Length

Thickness

Height

2,8-2,4 mt

10-12mm


8cm

2,8-2,4 mt

10-12mm

10cm

Skirtings and Profiles
Functionality and design
in floor finishing
For all types of flooring




6 cm



| Length | Thickness | Height |
|------------|-----------|--------|
| 2,8-2,4 mt | 10 mm | 6 cm |
| 2,8-2,4 mt | 12 mm | 6 cm |
| 2,8-2,4 mt | 14 mm | 6 cm |
| 2,8-2,4 mt | 16 mm | 6 cm |

Skirtings and Profiles
Functionality and design
in floor finishing
For all types of flooring




4 cm



| Length | Thickness | Height |
|------------|-----------|--------|
| 2,8-2,4 mt | 10 mm | 4 cm |
| 2,8-2,4 mt | 12 mm | 4 cm |
| 2,8-2,4 mt | 14 mm | 4 cm |
| 2,8-2,4 mt | 16 mm | 4 cm |


Skirtings and Profiles
Functionality and design
in floor finishing
For all types of flooring





Skirtings and Profiles
Functionality and design
in floor finishing
For all types of flooring

| Length | Thickness | Height |
|------------|-----------|--------|
| 2,8-2,4 mt | 16 mm | 8cm |
| 2,8-2,4 mt | 16 mm | 10cm |



T Profile



Height

45 mm

MDF Thickness

12 mm

Lenght

2,80 cm

MDF T Molding For
Laminate Flooring

MDF Reducer



Height

45 mm

MDF Thickness

12 mm

Lenght

2,80 cm

MDF Reducer Molding
For Laminate Flooring

MDF End Cap



Height

35 mm

MDF Thickness

14 mm

Lenght

2,80 cm

MDF End Cap Molding
For Laminate Flooring

Stair Nosing



Height

MDF Thickness

Lenght

55 mm


18 mm

2,80 cm

Stair Nosing

Profile for laminate flooring

Brooklyn



Height

MDF Thickness

Lenght

6 cm

16 mm


2,80 cm

Skirtings and Profiles
Functionality and design
in floor finishing
For all types of flooring




| Length | Thickness | Height |
|------------|-----------|--------|
| 2,8-2,4 mt | 10 mm | 4 cm |
| 2,8-2,4 mt | 12 mm | 4 cm |
| 2,8-2,4 mt | 14 mm | 4 cm |
| 2,8-2,4 mt | 16 mm | 4 cm |


Skirtings and Profiles
Functionality and design
in floor finishing
For all types of flooring



Styrofoam



Zebra platinum



Thickness

5 mm

Pcs/Box

50


Size

80x125cm

Underlay with aluminium foil covered
 Comfort and durability
 Of your floor for many years
 Unbreakable and laid easily



| Description | UoM | 5mm ZEBRA Platinum |
|--------------------------------|--------------------|-----------------------------------|
| Finish | - | Metalized Foil/ Standard Board |
| Dimension | mm | 800x1250 |
| Thickness | mm | 5 |
| Thickness Tolerance | mm | 0.5 |
| Dimensional Tolerance | mm | 2.5 |
| Foam Density | kg/m ³ | 40 |
| Thermal Conductivity | W/(m.K) | 0.026 |
| Compression Strength | t/m ² | 10 |
| Water Absorption | vol.% | <0.1 |
| Impact Sound Reduction | dB | 20 |
| Fire Protection Classification | Euro-Class | E |
| Board Colour | - | Grey |
| Boards per Pack | | 50 boards |
| Thermal Resistance | m ² K/w | 0.192 |
| Tog Rating | Tog | 2.0 |
| Pack Coverage | m ² | |



Thickness

5 mm

Pcs/Box

50


Size

80x125cm

5 mm styrofoam
Comfort and durability
Of your floor for many years
Unbreakable and laid easily



| Description | UoM | 5mm ZEBRA |
|--------------------------------|------------|----------------|
| Finish | - | Standard Board |
| Dimension | mm | 800x1250 |
| Thickness | mm | 5 |
| Thickness Tolerance | mm | 0.5 |
| Dimensional Tolerance | mm | 2.5 |
| Foam Density | kg/m3 | 35 |
| Thermal Conductivity | W/(m.K) | 0.026 |
| Compression Strength | t/m2 | 10 |
| Water Absorption | vol.% | <0.1 |
| Impact Sound Reduction | dB | 20 |
| Fire Protection Classification | Euro-Class | E |
| Board Colour | - | Grey |
| Boards per Pack | | 50 boards |
| Thermal Resistance | m2K/w | 0.192 |
| Tog Rating | Tog | 2.0 |
| Pack Coverage | m2 | 9.76 |



Thickness

Pcs/Box

Size

3 mm

50

80x125cm

Underlays

Comfort and durability


Of your floor for many years

Unbreakable and laid easily



| Description | UoM | 3mm Ladix Terra |
|--------------------------------|------------|-----------------|
| Finish | - | Standard Board |
| Dimension | mm | 800x1250 |
| Thickness | mm | 3 |
| Thickness Tolerance | mm | 0.5 |
| Dimensional Tolerance | mm | 2.5 |
| Foam Density | kg/m3 | 35 |
| Thermal Conductivity | W/(m.K) | 0.015 |
| Compression Strength | t/m2 | 5 |
| Water Absorption | vol.% | <0.1 |
| Impact Sound Reduction | dB | 19 |
| Fire Protection Classification | Euro-Class | E |
| Board Colour | - | Green |
| Boards per Pack | | 50 boards |
| Thermal Resistance | m2K/w | 0.115 |
| Tog Rating | Tog | 1.5 |
| Pack Coverage | m2 | 9.6 |

Thermos air




Thickness mt/Roll

3 mm 25

3 mm 50

**3 mm metalized underlay
Thermos air for heat insulation**



Foam Underlay



Thickness

mt/roll

| | |
|--------|-------|
| 1 mm | 25-50 |
| 1,5 mm | 25-50 |
| 2 mm | 25-50 |
| 3 mm | 25-50 |
| 5 mm | 25-50 |
| 8 mm | 25-50 |
| 10 mm | 25-50 |

Underlays
Comfort and durability
Of your floor for many years
Unbreakable and laid easily



Description

| |
|---|
| 1-2-3-5 mm |
| Closed Cell Structure |
| Active Sound Absorption Capacity |
| Perfect use with ideal flexibility and Assembly |
| Unaffected of Construction Chemicals |
| Does not Smell |
| Environmentally friendly Does not contain HCFC |

Grey Underley



Thickness

mt/roll

3 mm

50

5 mm

50

Flexible
Non-crushable
Laid easily
Close cell structure



| Description | 5mm Grey Mattress |
|--|----------------------------------|
| Thermal conductivity | 0,040 W / mk |
| Density | 25,35 kg/m ³ |
| Water vapor diffusion resistance coefficient | 3500 |
| Sound Absorption Capacity | 20-23 dB |
| Water Absorption | After 28 days %1,6 of the volume |
| Fire Class | B1 (DIN 4102) |
| Standard thickness | 3mm and 5mm |

Metalized underlays



Thickness

Roll/mt

1,5 mm

50

2 mm

25

3 mm

50

5 mm

50

Flexible
Non-crushable
Laid easily
Close cell structure



Cork Underlay



Thickness

mt/roll

1-10 mm



















10





















Sound Absorption
Eco Friendly
Flexible, non-crushable
















Profile



| KAPLAMALI EŐİK PROFİLLERİ | | T PROFİLLERİ | |
|--|--|--|---|
|  |   |  |   |
| TIRNAKLI EŐİK PROFİLLERİ | | GİZLİ VİDALI EŐİK PROFİLLERİ | |
|  |   3022 |  |   3014 |
| DAR KOT FARKI PROFİLİ | | GENİŐ KOT FARKI PROFİLİ | |
|  |   |  |   |

| 38 MM ÇIZGİLİ EŞİK PROFİLİ | | 38 MM EKO DÜZ EŞİK PROFİLLERİ | |
|---|--|--|--|
|  |   |  |   |
| | 3052 | | 3021 |
| 22X40 MERDİVEN BASAMAK PROFİLİ | | LAMİNANT PARKE BURUN PROFİLİ | |
|  |   |  |   |
| ANO MASTAR | | BASKI ÇİTASI (TEKLİ - ÇİFTLİ) | |
|  |   |  |     |

| KARE PARKE BİTİM PROFİLİ | | OVAL PARKE BİTİM PROFİLİ | |
|---|--|--|--|
|  |   |  |   |
| ÇİFT TARAFLI MERDİVEN BASAMAK PROFİLİ | | KLASİK MERDİVEN BASAMAK PROFİLİ | |
|  |   |  |   |
| F PROFİLİ | | Ç PROFİLİ | |
|  |   |  |   |

| KIRIK KÖŞE PROFİLİ | | 25X25 MERDİVEN PROFİLİ | |
|---|--|--|--|
|  |   |  |   3084 |
| PASLANMAZ DESENLİ ÇELİK BORDÜRLERİ | | PASLANMAZ KÖŞE PROFİLLERİ | |
|  |   |  |   |
| 11 MM LASTİKLİ MERDİVEN BASAMAK PROFİLİ | | LÜX LASTİKLİ MERDİVEN BASAMAK PROFİLİ | |
|  |   3064 |  |   3035 |

LADİX®

‘ Everything for parquet ’

Head office

Fatih Sultan Mehmet Mah
Balkan Cad.No 31/6 Çakmak
ÜMRANİYE - İSTANBUL
T : +90 216 612 12 55
T : +90 542 523 49 55
F : +90 216 612 13 55

Factory

Sarımeşe Mh. Eken Sk
No: 8 KARTEPE -
KOCAELİ
T : +90 262 332 14 55
T : +90 545 963 71 11
F : +90 262 371 41 55

Branch

Altınpark Mh Dizboyu Sk
No:11 SİTELER
ANKARA
T : +90 312 348 40 55
M : +90 541 655 17 55

Branch

İkitelli Keresteciler Sit
12. Blok 13. Sk No: 1
İKİTELLİ - İSTANBUL
T : +90 212 670 13 55
T : +90 549 523 40 55



LADİX
Beylerbeyi

LADİX
ŞİLTE

LADİX
EXTRA

LADİX
ANTI - NEM

LADİX
TERRA

LADİX
KROSNİK

LADİX
SÜPÜRCELİK