



INTERIOR COLLECTION

2023/24

Interior
Compact Laminate

İç Cephe
Kompakt Laminat

akdeio Forest Products Ground Materials Import Export Marketing Industry and Trade
LIMITED COMPANY

Mobile: +90 532 500 51 52 Mobile Company: +90 532 250 65 29

Phone: +90 212 111 11 11

Address: Atakent Mah. 243. Sk. No:6 Tema İstanbul Sitesi 7/B No:1 Halkalı / K.Çekmece İstanbul / TÜRKİYE
Address: Khelvachauri, Akhalshehis Meurneoba Mah. 3-CU Sk. No: 26 Batumi / GEORGIA

Akdeio Orman Ürünleri Zemin Matzemeleri İthalat İhracat Pazarlama San. ve Tic. LTD. ŞTİ.




www.akdeio.com.tr

info@akdeio.com.tr
onder@akdeio.com.tr

akdeio
akdeioorm

INTERIOR COLLECTION

2023/24





INTERIOR COLLECTION


With its 5 Impregnating lines, 6 High Pressure Laminate (HPL) lines, 3 Continuous Pressure Laminate (C-HPL) lines and Resin reactors, ASD Laminate has an annual production capacity of 35,000,000 m² and with its comprehensive and wide collection of decor & pattern, product, product class and surface, it is a leading laminate manufacturer in the world, offering sustainable and contemporary architectural solutions to its business partners in more than 70 countries.

ASD Interior Laminate

ASD Laminate sheets are a contemporary decorative solution that offer durability, a wide range of decors & designs, and a large spectrum of various products, grades, and finishes.

Product Description

ASD Laminate sheets are a composite material manufactured at high temperatures and with great pressure with the use of High Pressure Laminate (HPL) and Continuous High Pressure Laminate (CHPL) machines in compliance with EN 438-3. The core part of the material is strong and flexible due to the phenolic resin impregnated wood-based saturated virgin fiber kraft paper layers that it is comprised of. Whereas, its decorative surfaces are highly resistant to wear, impact, heat and staining due to the thermosetting resin impregnated decorative wood-based cellulose paper layers that they are comprised of.



Formats

ASD Interior Laminate sheets can be produced in a wide range of different product types, decors and finishes. Some decors & finishes are specific to certain product or class types.

Thicknesses

0,2 mm - 2,0 mm | 0.0078 in - 0.078 in

Thickness availability depends on the product, grade and/or the finish. Please contact us for further information.

Decors & Designs, Finishes

ASD Interior Laminate sheets can be produced in a wide range of different product types, decors and finishes. Some decors & finishes are specific to certain product or class types.

Please note:

The colors in this document are printed. Hence, they may slightly vary from the original ASD Laminate sheet colors relating to gloss and color shades. Please contact us for requesting original samples.


ASD Interior Compact

ASD Interior Compact is made for all interior applications. Aside from its use as washroom cubicles, locker doors, wall panels and laboratory furniture, it can also be used for any other indoor-application.

ASD Interior Compact panels are available in standard quality ASD Interior Compact and flame and fire-retardant quality ASD Interior Compact-FR.

Product Description

ASD Interior Compact is structurally stable, robust, solid and a composite material manufactured under a high temperature at 150 degrees Celcius | 302 degrees Fahrenheit and with great pressure at 9 Megapascals | 90 Bars with the use of High Pressure Laminate (HPL) press machines in compliance with EN 438-4 and EN 438-7 Part 4, and Part 7. The core part of the material is comprised of phenolic resin impregnated wood-based saturated virgin fiber kraft paper layers. Whereas, its decorative surfaces are made of thermosetting resin impregnated decorative wood-based cellulose paper layers..



Formats

ASD Interior Compact panels are available in a wide range of formats. However, availability depends on the product, grade and/or finish. Not all decors & designs are available in all products, grades and finishes. Please contact us for further information. Thought should be given in terms of specifying the most economical panel size for minimizing the material wastage.

Thicknesses

2 mm - 25 mm | 0.078 in - 0.984 in

Thickness availability depends on the product, grade and/or the finish. Please contact us for further information.

Decors & Designs, Finishes

ASD Interior Compact sheets can be produced in a wide range of different product types, decors and finishes. Some decors & finishes are specific to certain product or class types.

Please note:

The colors in this document are printed. Hence, they may slightly vary from the original ASD Interior Compact panel colors relating to gloss and color shades. Please contact us for requesting original samples..

Product Features & Benefits

- Durable, solid, sturdy and long lasting
- Being of homogeneous construction, dimensionally stable and mechanically strong
- Great pull-out strength
- No painting required
- Superior impact resistance
- Non-corrodible
- Light-weight
- Non-splintering
- Inherently antibacterial with hypoallergenic properties
- Easily machinable, workable and quick to install
- Low static electricity does not attract dust
- Easy to clean
- Low maintenance
- Termite resistant
- Not susceptible to mold, mildew, decay, and rot
- Optimum fire behavior, does not melt, drip or explode
- Adds to the value appreciation of older properties
- Safe in use
- Available in a wide range of decors & designs


Fire Behaviour

ASD Interior Compact has high fire resistance. For detailed information see page 51.

Types

Double Design

Same decor or design on both sides of the panel.



Duo Design

Different decors or designs on the front and the reverse sides of the panel.

Core

ASD Interior Compact can be comprised of black, brown, magnolia or white core while, ASD Interior Compact-FR is solely comprised of brown core.

ASD Interior Compact - FR can only be produced with brown kraft inner layer.

Interior

UNI DECORS



Compact



Plate Laminate



Rolls Laminate



Door



Oyster Gray
1056 B



Vanilla Smoothie
1113 B




Shasta Daisy
1059 B



White Petunia
1073 B



White Carnation
1045 B



Iceberg Rose
1050 B



White Jasper
1058 B



White Camellia
1048 B



Cookies & Cream
1086 B




Sky Gray
1007 B



Silver Brunia
1009 B



Gray Moonstone
1036 B



White Sage
1069 B



Sage Gray
1022 B



Light Truffle
1032 B



Moon Carrot
1064 B




Gray Dolomite
1023 B



Vanilla Cream
1102 B



Moonflower Beige
1012 B



Beige Chalcedony
1016 B



Gray Cineraria
1070 B



Light Gray Pearl
1081 B



Almond Butter
1095 B



Beige Quartz
1053 B



Grey Cashmere
1142 B




NEW



Beige Sapphire
1078 B



Oyster Gray
1056 B




Atacama Mist
1093 B




Walnut Butter
1096 B



Maple Syrup
1079 B



Chocolate Brownie
1041 B



Cream Rose
1011 B



Maple Milkshake
1115 B



Cream Calla Lilly
1039 B




Croissant Beige
1002 B



Peach Gerbera
Daisy **1033 B**



Yellow Amber
1043 B



Yellow Hibiscus
1118 B



Pineapple Pie
1030 B



Orange Marmelade
1098 B



Orange Marigold
1044 B



Orange Begonia
1054 B



Orange Sunstone
1071 B




Carrot Pie
1120 B



Orange Amber
1075 B



Strawberry Cream
1107 B



Pink Mandevilla
1015 B



Strawberry
Smoothie **1108 B**



Raspberry
Smoothie **1114 B**





Red Poppy
1063 B



Red Carnelian
1046 B




Pumpkin Pie
1121 B




Red Calla Lilly
1029 B



Himalayan Blue
Poppy **1019 B**



Lilac Purple
1024 B



Pink Kunzite
1090 B



Himalayan Lavender
1080 B



Pink Zinnia
1109 B



Desert Petunia
1083 B



Chocolate Cosmos
1066 B



Iris Before the
Storm **1052 B**



Purple Petunia
1104 B



Larimar Blue
1028 B



Siberian Squill
1087 B



Blue Sapphire
1010 B



Georgia Blue
1006 B



Reef Blue
1119 B



Night Blue
1125 B



Arctic Blue
1094 B



Green Smithsonian
1065 B



Fijian Blue
1122 B



Aquamarine Blue
1112 B



Blue Zircon
1067 B





Caribbean Blue
1110 B



Oceana Blue
1092 B



Blue Iris
1013 B




Blue Agate
1089 B




Lobelia Blue
1088 B



Midnight Blue
1068 B



Black Jasper
1049 B




Black Rose
1061 B




Light Green Agate
1035 B



Green Daylily
1004 B



Bells of Ireland
1026 B



Spinach Chips
1103 B



Pistachio Cookie
1111 B



Seaweed Chips
1105 B




Green Jade
1042 B




Avocado Smoothie
1123 B



Green Pearl
1055 B




Lemon Quartz
1074 B



Apple Pie
1077 B



Pistachio Butter
1091 B



Dried Coriander
1076 B



Green Sapphire
1017 B




Kale Leaf
1097 B



Anthracite Gray
1008 B





Grey Aluminium
1126 B



Alpine Mist
1117 B



Gray Pearl
1060 B



Dried Olive Leaf
1082 B



Obsidian Gray
1001 B



Gray Agate
1072 B



Truffle Gray
1057 B




Tongass Boulder
1085 B



Black Grey
1141 B




NEW



Obsidian Gray
1001 B



Grey Aluminium
1126 B



Interior

SILVERLY & DECORATIVE DECORS



Compact




Plate Laminate




Rolls Laminate




Door




Alaskan Trout
4019 P







Alaskan Trout
4019 P




Gargano Cliff
4026 P



Antarctic Dawn
4030 P




Montana Dawn
4029 P



Nordfjord Dawn
4027 P




Baja Mist
4041 P



La Guajira Fall
4040 P



Antarctic Fall
4032 P



Nordfjord Dusk
4028 P



Pollino Cliff
4042 P



Square Mesh
4055 P



CUSCO Travertine 2
4044 P






Cusco Travertine 4
4046 P





Adjarian Dusk
4048 P




Cusco Travertine 3
4045 P



Antarctic Night
4034 P



Cusco Travertine 2
4044 P




Antarctic Dawn
4030 P





WOOD DECORS

Interior



Caucasian Walnut
3089 B



Compact



Plate Laminate



Rolls Laminate



Door




Savannah Tree
3099 B




Vancouver Ahorn
3193 B



Montreal Ahorn
3023 B



Mangart Birch
3227 B



Ardara Acacia
3210 B



Moose Pass Oak
3079 B




Tusheti Pear 1
3118 B



Boa Vista Teak
3101 B



Kodiak Walnut
3098 B



Jasper Maple
3104 B



Carlingford Oak
3154 B



Sierra Nevada Oak
3194 B





Galway Oak 1
3155 B



Seal Cove Oak 2
3140 B



Kazbegi Oak
3212 B



Aosta Oak
3178 B



Yukon Oak
3192 B



Red Cliff Oak
3144 B



Galway Oak 2
3156 B



Cloverdale Oak
3187 B



Haines Cherry
3108 B



Vanoise Oak
3159 B



Kerala Sheesham Tree
3203 B



Sierra Oak
3120 B






Eureka Oak
3220 B



Mont Pelvoux Oak
3226 B



Balmore Oak
3229 B



Elafonisi Oak 1
3221 B



Elafonisi Oak 2
3222 B



Rhodes Teak
3204 B



Santorini Olive
3151 B



Oslo Pine 1
3198 B



Pyrenees Oak
3160 B



Isle of Arran Birch
3096 B



Bariloche Oak 1
3092 B



Celtic Oak
3137 B






Cashel Oak
3216 B



Clifden Oak
3214 B



Orleans Oak
3207 B




Clover Pass Oak
3078 B



Whale Pass Oak 1
3149 B



Whale Pass Oak 2
3150 B



Tofino Maple 1
3115 B



Tofino Maple 2
3116 B



Tofino Maple 3
3147 B



Niagara Oak
3107 B



Crieff Oak
3213 B



Ketchikan Oak
3191 B






Lake Constance Beech
3054 B




Sitka Beech
3066 B



Deer Lake Beech
3134 B



Alexandria Teak
3152 B




Carpathian Oak
3081 B




Marblemount Walnut
3211 B



Whistler Oak
3196 B



Mendoza Oak
3205 B



Waterford Oak
3072 B




Tibetan Bamboo
3126 B



Caucasian Walnut
3089 B



Killarney Oak 3
3163 B





Alexandria Teak
3152 B



Carlingford Oak
3154 B





Killarney Oak 1
3161 B




Killarney Oak 2
3162 B



Kinsale Oak 2
3165 B



Kinsale Oak 3
3166 B



Kinsale Oak 1
3164 B



Sitka Walnut
3173 B



Bariloche Oak 2
3093 B



Goose Cove Oak
3145 B



Carpathian Ash Tree
3195 B



Banff Walnut
3122 B



Mestia Oak
3202 B



Alberta Oak
3232 B





Arcata Oak
3175 B



Seal Cove Oak 1
3139 B



Annapurna Teak
3148 B



Whiteadder Pine
3169 B



Quebec Walnut
3032 B



Elk Grove Oak
3095 B



Montreal Walnut
3036 B



Sumatra Teak
3060 B



Kinsale Oak 4
3168 B



Inverness Walnut
3131 B



Ayr Walnut
3172 B



Juneau Mulberry
3094 B





Deer Harbor Walnut
3146 B



Coos Bay Walnut
3142 B



Kilimanjaro Rosewood
3111 B



Halifax Walnut
3052 B



Akita Cherry
3112 B



Vancouver Maple
3053 B



Guadalajara Mahogany
3051 B



Coffee Bay Zebrawood
3069 B



Zambezi Zebrawood
3085 B



Butcher Block
3197 B



Portree Oak
3167 B



Aomori Spring
3171 B





Lefkada Spring 1
3182 B



Light Aspen
3233 B



Menorca Ash Tree
3230 B



Nordic Fjord
3228 B



Akita Oak 2
3218 B



Akita Oak 1
3217 B



Akita Oak 3
3219 B



Assos Spring 2
3201 B



Jeju Spring
3177 B



Bear Creek Chestnut 1
3184 B



Bear Creek Chestnut 2
3185 B



Borjomi Oak
3186 B






Eire Chestnut 1
3179 B




Eire Chestnut 2
3180 B




Eire Chestnut 4
3188 B



Tapaua Mahogany
3206 B



Arusha Wenge
3136 B



Dundee Oak
3124 B



Wrangell Elm
3113 B



Eugene Elm
3121 B



Eyeries Oak
3215 B



Eire Chestnut 3
3181 B



Elk Bay Elm
3123 B



Casablanca Wenge
3087 B





Luangwa Wenge
3039 B



Boise Walnut
3174 B



Fuji Walnut
3080 B



Le Pouce Ebony Tree
3170 B



Watzmann Oak 1
3235 B



Watzmann Oak 2
3236 B



Zugspitze Oak 1
3237 B




Zugspitze Oak 2
3238 B



Sanremo Walnut
3305 B



Verona Elm
3306 B



Ravenna 1
3239 B



Ravenna 2
3240 B





Walnut Chandler
3307 B




Toliara Ebony Tree
3077 B



Oslo Pine 2
3199 B



Aspen Oak
3102 B



Elm Burl
3103 B




Zugspitze Oak 1
3237 B



Zugspitze Oak 2
3238 B





Alesund Marble 1
5054 B



Compact



Plate Laminate



Rolls Laminate



Door

STONES DECORS

Interior



Esperance Beach Marble
5024 B



Gray Carrara Marble
5055 B



Iguazu Marble
5145 B



Bruges Marble
5063 B



Makrana Marble
5140 B



Port Douglas Marble
5023 B



Gaillac Marble
5080 B



Cream Carrara Marble
5090 B



Cranbury Marble
5154 B



Beaufort Marble
5088 B



Burano Marble
5085 B



Beige Carrara Marble
5038 B





Alesund Marble 3
5058 B



Alesund Marble 1
5054 B



Alesund Marble 2
5056 B




Colmar Marble
5044 B




Gulfoss Marble
5144 B



Kiruna Marble
5073 B



Fayetteville Stone
5167 B



Greenport Stone 1
5155 B



Evandale Stone
5093 B



Riga Marble
5072 B



Silver Creek Marble
5139 B



Greenport Stone 2
5156 B





Faroe Marble 3
5164 B



Faroe Marble 1
5162 B



Faroe Marble 2
5163 B



Whitefish Travertine 3
5153 B



Whitefish Travertine 2
5152 B



Whitefish Travertine 1
5151 B



Arles Travertine 1
5064 B



Arles Travertine 2
5065 B



Wengen Marble
5165 B



Port Arthur Marble
5094 B



Tuscany Granite
5071 B



Seal Rocks Stone
5105 B






Sherbrooke Travertine 1
5128 B



Leura Granite
5101 B



Sherbrooke Travertine 2
5146 B



Brasov Granite
5048 B



Val Grande Stone
5078 B



Asama Stone
5142 B



Avoca Beach Stone
5123 B



Isle of Skye Stone
5070 B



Longmont Stone
5124 B



Silverton Stone 1
5107 B



Ferndale Concrete 1
5125 B



Clare Valley Granite
5110 B





Awaroa Sandstone 1
5117 B



Awaroa Sandstone 2
5118 B



Awaroa Sandstone 3
5119 B



Perouges Marble
5067 B



Montreux Stone
5159 B



Sorrento Travertine
5158 B




Pucisca Granite
5083 B



Silverton Stone 2
5108 B



Coles Bay Marble
5096 B



Huascaran Concrete
5122 B



Red Deer Marble 1
5112 B



Red Deer Marble 2
5113 B





Bavarian Marble
5074 B




Lourmarin Travertine
5052 B



Westmount Travertine
5115 B



Rainier Granite 1
5134 B



Rainier Granite 2
5135 B



Rainier Granite 3
5136 B



Bering Marble
5130 B




Arvada Brick 2
5132 B



Arvada Brick 1
5131 B



Whitehorse Marble 2
5150 B




Whitehorse Marble 1
5149 B



Rainier Granite 4
5137 B






Gruyeres Stone
5082 B




Albaron Concrete
5120 B



Airlie Beach Mosaic
5104 B



Hallstatt Mosaic
5075 B



Gaillac Granite
5047 B



Appalachian Granite
5030 B



Mahone Bay Corean
5092 B



Moose Creek Corean
5029 B



Annecy Granite
5042 B



Buffalo Granite
5031 B



Augusta Granite
5018 B




Burgundy Granite
5050 B






Cascade Granite
5036 B




Brevard Granite
5089 B



Corinth Granite
5148 B




Elk Creek Corean
5028 B




Veneto Corean
5079 B




Glenfinnan Corean 1
5068 B




Elk River Corean
5091 B



Glenfinnan Corean 2
5069 B



Arosa Granite
5051 B



Byron Bay Marble
5001 B




Invermere Granite
5041 B



Pinedale Granite
5032 B






Reine Granite
5043 B




Norfolk Travertine
5133 B



Daylesford Marble
5098 B



Kangaroo Valley Marble
5100 B



Victoria Island Marble
5025 B



Portmeirion Marble
5057 B



Mount Ossa Marble
5127 B



Tenby Marble
5053 B



Iroindale Concrete
5170 B



Springdale Travertine
5157 B



Bern Travertine
5166 B



Portmagee Granite
5062 B





Maple Creek Stone
5111 B



Weisshorn Marble 1
5176 B



Weisshorn Marble 2
5177 B



Weisshorn Marble 3
5178 B



Alpamayo Concrete
5121 B



Ferndale Concrete 2
5126 B




Lviv Concrete
5147 B




Portsea Concrete
5099 B



Fairhope Concrete
5169 B



Argos Marble
5141 B




Tour Noir Marble
5175 B




Obsidian Marble
5077 B






Grey Jade
5182 B



Trente Concrete
5180 B



Manarola Stone
5181 B



Fall River Granite
5179 B



Fairhope Concrete
5169 B



Fall River Granite
5179 B





Sapphire
5184 B



Milazza
5185 B



Tour Blanche Marble
5186 B



Ephesus Marble
5187 B



Grey Slate
5188 B



Taurus Black
5189 B



Brazilian Marble
5190 B




Citrine
5191 B



Jadeite
5192 B



Products




CARBON

A distinctive surface treatment on Carbon's decorative layer gives a silky and smooth tactile user experience. Its high resistance to micro-scratches and abrasion helps avoiding surface distortions and gives a lasting impression. In the event of a light scratch, the surface can be cleaned with a soft cloth to get it back to its original form. Carbon is extremely matt and near to zero gloss with intensive light absorbance and homogeneous color dispersion.



ALU CORE

Alu Core is the foremost durable material among our collection. It is manufactured by inserting aluminium sheets in the thicknesses of 0,4 mm | 0.0157 in between the phenolic resin impregnated wood- based saturated virgin fiber kraft paper layers. All of our decors & designs are applicable as a decorative face. Aluminium layers that act as a shield against electromagnetic radiation can be applied upon request.




DIGITAL PRINT

From unique custom designs, printing high quality pictures, printing texts to corporate logos, Digital Print is a way creative ideas can be transformed into contemporary architectural solutions.



LAB TOP

Lab Top is ideal for chemical and stain resistant laboratory environments. The panels have a density of 14.5 kg/m² | 2.97 lbs/ft² and are impressively strong with a high impact and moisture resistance and a remarkable structural ability. The panels meet all requirements of EN 438.4 2005 and ISO 4586. Its surface is tested for 49 different chemicals including acids, bases, biological stains, halogens, salts, organic chemicals and solvents. There is no visible change of color, gloss level, blistering, corrosion or any distortion on its surface when in contact with these chemicals. Lab-grade is certified by SEFA 3-2010 and can be used in chemical, medical, scientific photographic laboratories, clean rooms, salons & SPA, nursing stations, etc.




METALS

A finish with real brushed metal layers as the decorative face with a wide color selection.



UNI CORE

Uni Core is as a single-decor sheet in appearance. Absolutely homogenous and uniform in terms of color from any direction.



MULTI CORE

Multi Core compact boards are composed of different decor layers uniformly assembled and geometrically spaced together.

Products



SUPERFLEX

A finish manufactured with a unique technology including the use of a combination of three different resins. Its production include a two stage impregnation sinking, squeezing and coating the decorative layer under unique temperature conditions with a line speed arranged to precisely arrive at the right resin pickup and moisture in terms of achieving excellent softness and flexibility. Superflex has great scratch resistance up to 3N.



CHALKBOARD

Chalk Board is a product offering a writable and smooth surface that is easy to wipe and clean with a felt or multipurpose board cleaner or a moist soft cloth. Chalk Board is available in Black, Blue and Green.



WHITEBOARD

Whiteboard (also known as Drywipe Board) have a non-porous surface made for non-permanent markings made by dry-marker pens, or felt tipped pens with water-soluble inks that are easily erasable.



MARINE GRADE

Marine Grade is a grade approved by The International Maritime Organization (IMO) agency and certified by TUV Nord Systems. It is made for interior decoration of ships, yachts and boats. Available only in 0.8 mm | 0.0314 in thickness and has very low flame spread and no production of excessive quantities of smoke and toxic products if in contact with fire. ASD Laminat holds both Module B & Module D Certificates.



MAGNETIC BOARD

Magnetic Board has a non-porous surface with an iron foil placed underneath the decorative surface. Its surface is made for non-permanent markings made by dry-marker pens, or felt tipped pens with water-soluble inks that are easily erasable.



MARK FREE

Mark Free has a matt surface with low reflectivity and a soft, silky touch. It is resistant to smears, smudges and streaks. With Mark Free one can say goodbye to finger prints & stains.



DOOR


The Door Collection is produced in more than 50 carefully selected decors and 6 patterns, in 1000 mm and 920 mm size, to satisfy current architectural and design trends.




FLOORING

Raised Access Flooring is a type of floor constructed above the building's original concrete substructure leaving a space between the two layers to be utilized for electrical, optical, telecommunication, heating & ventilation and mechanical wirings. The floor panels are sitted on pedestals. The Raised Access Flooring is used in data centers, computer rooms, call centers, telecom switch cables, offshore drilling platform motor control centers, server rooms, industrial control rooms, etc. Flooring is classified into AC2 to AC5 according to their resistance to abrasion.


Carbon




CARBON White
8102 CRB




CARBON Snow White
8108 CRB




CARBON Platinum Grey
8109 CRB




CARBON Grey Beige
8110 CRB




CARBON Cashmere
8115 CRB




CARBON Grey White
8116 CRB




CARBON Grey
8105 CRB



CARBON Beige
8104 CRB




CARBON Sand
8106 CRB



CARBON Warm Grey
8107 CRB




CARBON Anthracite
8103 CRB




CARBON Pigeon Blue
8113 CRB




Carbon



CARBON Pastel Violet
8118 CRB



CARBON Brown Beige
8121 CRB



CARBON Red Brown
8120 CRB



CARBON Black Red
8119 CRB




CARBON Grey Brown
8117 CRB



CARBON Black Green
8114 CRB



CARBON Black
8101 CRB



CARBON Black Blue
8111 CRB




CARBON Azure Blue
8112 CRB






Lab Top




Lab Top White
8501 LBT



Lab Top Gray
8502 LBT




Lab Top Black
8503 LBT



Metals



Iron Fe
6004 MET



Silver Ag
6005 MET




Gold Au
6007 MET




Bronze
6011 MET



Copper Cu
6008 MET




Chrome Cr
6009 MET




Bronze
6011 MET




Finishes




ALBERO
1001 ALB



BUTE
1001 B




CERAMIC
1001 CRC




CLOUD
1001 CLD




CRYSTAL
1001 CRY




DENIM
1001 DNM



FLORA
1001 FLR



FOREST
1001 FRS




GLINT
1001 GLN



HONEYCOMB
1001 HNY



LEATHER
1001 LTH



MATT
1001 MAT




Finishes




MOON
1001 MOO



NUBUCK
1001 NBK




OPAQUE
1001 OPQ




GLOSSY
1001 PRL




SAWCUT
1001 SCT




SILK
1001 SLK




STONE
1001 STN




STRUCTURE 1
1001 STR-1



STRUCTURE 2
1001 STR-2



STRUCTURE 4
1001 STR-4




SUEDE
1001 SUE




TELA
1001 TLA




Finishes



QUARRY
1001 QRY




WOODGRAIN 1
1001 WGR-1




WOODGRAIN 2
1001 WGR-2




BLIZZARD
1001 P-BLZ



LAPICE
1001 P-LPC



LUSTER
1001 P-LST



SPACE
1001 P-SPC



UNIVERSE
1001 P-UNV



Performance Standards (Laminate)

ASD Laminate sheets are manufactured in compliance with EN 438-2:2005 and ISO 4586 standards. In terms of complying to the specifications of these standards, ASD Laminate sheets are tested for resistance to stains, dimensional stability, resistance to dry heat, reaction to fire, resistance to boiling water, resistance to steam, resistance to impact, resistance to cracking, resistance to scratching, resistance to surface wear, resistance to cigarette burns, resistance to colour change in artificial light, post formability.

Cleaning & Maintenance (Laminate)


The closed and non-porous surface of ASD Laminate virtually withstands dirt accumulation keeping the product smooth and easy to clean. The surface of ASD Laminate does not require a special procedure in terms of cleaning. Any dirt left behind from fabrication or application and regular air pollution deposits can be removed simply with the use of ordinary, non-abrasive, organic solvent free, household cleaning items being applied with a paper towel, sponge or a soft cloth. The sheets should be thoroughly rinsed off of any detergent remainings and then dried properly for avoiding any marks. Please avoid excessive rubbing, pressure or using aids that can cause abrasion marks or scratches. Please make sure to remove any foreign substance that might soil the surface of the panels during storage and application such as machine oils, greases and adhesive residues. These types of foreign substances must be removed immediately without leaving any residue on the sheets. Acid or alkaline-based cleaners and/or compounds such as drain cleaners, coffeepot cleaners, ceramic cooktop cleaners, chlorine bleach, some countertop cleaners, limescale removers, some disinfectants, rust removers, metal cleaners, tub and tile cleaners, oven cleaners, bowl cleaners and furniture polishes may mar, etch, stain, and permanently discolor the decorative surface of the sheets. Any spillage or splashes of these cleaners must be washed off the laminate surface immediately.

Dimensional Stability (Laminate)

Being cellulose-based materials, like any other wood-based material, ASD Laminate sheets may shrink at low humidity levels as they lose moisture and expand at high humidity levels as they absorb moisture. It is therefore fundamental to let the sheets acclimatize at their final destination prior to their fabrication and application to prevent cracking and/or adhesive bond failure for a minimum of 3 days. ASD Laminate sheets along with the substrate materials are to be acclimatized before bonding in terms of reaching an equilibrium. Optimum conditions are best achieved in a dry storage space for preventing both the sheets and the substrate materials being neither too dry nor too damp. In addition, the sheets that will form the reverse faces of a composite board should be acclimatized together being exposed to same conditions as a pair for reaching a moisture equilibrium.

Transportation, Handling and Storage (Laminate)

ASD Laminate sheets should be handled with caution in order not to damage their edges and decorative surfaces. Any form of dirt or dust between the panels must be avoided as the stack weight of the panels itself can be a possible cause of damage albeit the excellent surface hardness and the transportation protection films. During transportation, it is substantial to use pallets of appropriate size to support the whole of the panel area. Pallets must be strong and stable enough to support their load without bending. When transporting stacks of sheets with mechanical handling vehicles, pallets of proper size and rigidity should be used. Abrasion between the decorative faces should be avoided at any given time. Stacked sheets should be secured to the pallet using steel or nylon straps in order to prevent slippage. When loading and unloading, thought should be given not to let the sheets slide over each other to avoid any damage. Individual sheets should be carried with the decorative surface towards the body and larger sheets should always be handled by two men. Baseboards should be placed between the pallets and the bottom sheets. The baseboards of the stacks must be dry and, they should be covered with a material impervious to water to act as a moisture barrier. The top sheet of each stack should be covered with a weighted down cover board with sufficient weight to keep the sheets flat. This cover board should be in contact with the whole surface area of the top sheet. The cover board on top also should be covered with a material impervious to water to act as a moisture barrier. The sheets should be stacked on top of each other on a completely flat surface. If stored incorrectly, sheets may be permanently deformed. ASD Laminate sheets should be stored in enclosed and dry conditions. In addition, the transportation protection films must be kept away from heat and direct sunshine.




Dimensional Stability (Compact)

As ASD Interior Compact panels are robust and non-reactive, and of homogeneous, excellently dense, highly tensile nature, their pull-out strength is absolutely fantastic for fixings and fasteners. Cut edges, drilled holes and engraving the surface of the panels do not require any special treatment afterwards and the panels can be applied as they are.

ASD Interior Compact panels may shrink at low humidity levels as they lose moisture and, expand at high humidity levels as they absorb moisture. Hence, allowing the panels to acclimatize at their final destination both before their fabrication and installation is recommended. Before processing and installing, we recommend the panels to be left in a well-supported, ventilated, horizontal position for a period of 1 day per mm | per 0.0393 in of thickness, consequently, allowing the panels to acclimatize for avoiding any deformation.

Please note,

Thought must be given to this potential dimension change at the design and installation stage.



Cleaning & Maintenance

The closed and non-porous surface of ASD Interior Compact virtually withstands dirt accumulation keeping the product smooth and easy to clean. The surface of ASD Interior Compact does not require a special procedure in terms of cleaning. Any dirt left behind from sawing or assembly and regular air pollution deposits can be removed simply with the use of ordinary, non-abrasive, organic solvent free, household cleaning items being applied with a paper towel, sponge or a soft cloth. The panels should be thoroughly rinsed off of any detergent remainings and then dried properly for avoiding any marks. Please avoid excessive rubbing, pressure or using aids that can cause abrasion marks or scratches. Please make sure to remove any foreign substance that might soil the surface of the panels during storage and installation such as drilling and machine oils, greases and adhesive residues. These types of foreign substances must be removed immediately without leaving any residue on the panels. Acid or alkaline-based cleaners and/or compounds such as drain cleaners, coffeepot cleaners, ceramic cooktop cleaners, chlorine bleach, some countertop cleaners, limescale removers, some disinfectants, rust removers, metal cleaners, tub and tile cleaners, oven cleaners, bowl cleaners and furniture polishes may mar, etch, stain, and permanently discolor the decorative surface of the panels. Any spillage or splashes of these cleaners must be washed off the laminate surface immediately.


Please Note :

The surface and structure of an ASD Interior product can be harmed by chlorine and chlorine-based substances. For an application at or close to a swimming pool, this information must be taken into account.



Transportation, Handling and Storage

ASD Interior Compact panels should be handled with caution in order not to damage their edges and decorative surfaces. Any form of dirt or dust between the panels must be avoided as the stack weight of the panels itself can be a possible cause of damage albeit the excellent surface hardness and the transportation protection films. During transportation, it is substantial to use pallets of appropriate size to support the whole of the panel area. Pallets must be strong and stable enough to support their load without bending. When transporting stacks of panels with mechanical handling vehicles, pallets of proper size and rigidity should be used. Abrasion between the decorative faces should be avoided at any given time. Stacked panels should be secured to the pallet using steel or nylon straps in order to prevent slippage. When loading and unloading, thought should be given not to let the panels slide over each other to avoid any damage. The panels should be lifted by hand or using a lifting system with suction cups. Baseboards should be placed between the pallets and the bottom panels. The baseboards of the stacks must be dry and, they should be covered with a material impervious to water to act as a moisture barrier. The top panel of each stack should be covered with a weighted down cover board with sufficient weight to keep the panels flat. This cover board should be in contact with the whole surface area of the top panel. The cover board on top also should be covered with a material impervious to water to act as a moisture barrier. The panels should be stacked on top of each other on a completely flat surface. The same principles apply to cut-panel stacks as well. If stored incorrectly, panels may be permanently deformed. ASD Interior Compact panels should be stored in enclosed conditions in temperatures about 18-25°C | 65-75°F and 50-60% relative humidity. Temperature and climate differences on the surfaces of the panels should be avoided. In addition, the transportation protection films must be kept away from heat and direct sunshine. When the transportation protection films are to be removed, they must be removed from both sides simultaneously in order to secure the dimensional stability of the panels.



Fabrication (Compact)

Due to the high density of ASD Interior Compact panels, processing them is similar to the processing of hardwood panels. Tools that are designed to process hard materials should be used to process ASD Interior Compact panels. Worn out, improper and poorly maintained tools can result in chipping and/or localized heating and therefore in poor cuts. For a sound result we recommend the use of either a tungsten carbide tipping TCT or Polycrystalline Diamond tooling PCD. It is of great importance to avoid any vibration during processing and to keep the panels completely flat and stable.

The feed speed must be optimized properly for smooth cuts. The larger the saw blades yield, smoother the cuts will be. We recommend the use of circular bench saw with blade diameter of 300 - 400 mm | 11.811 in - 15.748 in and at least with 96 teeth. For deburring the edges, a handheld router or a high-grade sand paper can be used. The decorative surface of the panel is where the tool should engage, the same rule being applicable to all types of machining tools. The higher the saw blade the better the top cut and the worse the bottom cut will be and vice versa. Breakout on the underside of the panels can be reduced by using a base-board of plywood or a hardboard beneath the ASD Interior Compact panels. We recommend the use of either a Trapezoidal flat tooth or an Alternate tooth for a smooth cut. In addition, a saw entry angle of 45° is optimal and recommended.

Please Note :

When processing ASD Interior Compact panels with a CNC machine, it is a must to remove the transportation protection films beforehand as the transportation protection films may decrease the suction power of the CNC bed which can affect the stability of the panels therefore resulting in an unintended outcome. Contact Materials.







Drilling (Compact)

For drilling ASD Interior Compact panels, we recommend the use of drills for plastics. The drills must have a point angle of 60° - 80° instead of the normal 120° that is used for drilling metals.


The feed speed of the drilling head and the pressure being applied must be gently lowered when approaching the point of breakthrough in order to prevent a breakout on the reverse side of the panel. In addition, for preventing breakouts, we recommend the use of a completely flat and stable underlay panel to be used such as plywood or chipboard.

When blind boring, thought must be given to ensure that 1.5 mm | 0.059 in of material remains between the hole and the reverse side of the panel. We do not recommend panels less than 8 mm | 0.314 in for concealed fixing.

Moreover, a high drilling speed is to be used to avoid any chipping. Screws into the edges are to be avoided in general. If a screw is to be positioned near an edge, we recommend that they are placed no closer to an edge than 75 mm | 2.95 in to avoid splintering and breakouts.




Grades



Antibacterial

Antibacterial is a grade tested in accordance to ISO 22196:2011. The surface of Antibacterial is immune to accommodating bacterias up to 99.9%. Antibacterial is also tested and certified in accordance EN 1186 & EN 13130 Food Contact Materials.



MAR (Micro Abrasive Scratch Resistant)

The Micro Abrasive Scratch Resistant finish is ideal for all high gloss finishes. Because of its unique and inherent properties, a MAR Interior panel can retain its color and gloss without any major surface distortion over the time. Our MAR product achieved the MASR-A1 value in the Martindale test. Page: 51



Fire Retardant

Fire-Retardant has been tested according to EN 13501-1 standard and is Class B in Fire Emission. Compact laminate in Fire Retardant class is classified as Bs1d0, and plate laminates are classified as Cs2d0. The letter "s" here represents the Smoke Emission value, rated at a value of 1 (none or weak). The letter "d" defines the Flame Drop/Particle generation value. Products with Fire Retardant class can be produced in thicknesses of 0.8 mm and more.

DECOR / COLOR CODE INDEX

1001	B	9
1002	B	6
1004	B	8
1006	B	7
1007	B	5
1008	B	8
1009	B	5
1010	B	7
1011	B	6
1012	B	5
1013	B	8
1015	B	6
1016	B	5
1017	B	8
1019	B	7
1022	B	5
1023	B	5
1024	B	7
1026	B	8
1028	B	7
1029	B	7
1030	B	6
1032	B	5
1033	B	6
1035	B	8
1036	B	5
1039	B	6
1041	B	6
1042	B	8
1043	B	6
1044	B	6
1045	B	5
1046	B	7
1048	B	5
1049	B	8
1050	B	5
1052	B	7
1053	B	5
1054	B	6
1055	B	8
1056	B	6
1057	B	9
1058	B	5
1059	B	5
1060	B	9
1061	B	8
1063	B	7
1064	B	5
1065	B	7
1066	B	7
1067	B	7
1068	B	8
1069	B	5
1070	B	5
1071	B	6
1072	B	9
1073	B	5
1074	B	8
1075	B	6
1076	B	8
1077	B	8
1078	B	6
1079	B	6
1080	B	7
1081	B	5
1082	B	9
1083	B	7
1085	B	9
1086	B	5
1087	B	7
1088	B	8
1089	B	8
1090	B	7
1091	B	8
1092	B	8
1093	B	6
1094	B	7
1095	B	5
1096	B	6
1097	B	8
1098	B	6
1102	B	5
1103	B	8
1104	B	7
1105	B	8
1107	B	6
1108	B	6
1109	B	7
1110	B	8
1111	B	8
1112	B	7
1113	B	5
1114	B	6
1115	B	6
1117	B	9
1118	B	6
1119	B	7
1120	B	6
1121	B	7
1122	B	7
1123	B	8
1125	B	7
1126	B	9
1141	B	9
1142	B	5
3023	B	14
3032	B	21
3036	B	21
3039	B	27
3051	B	24
3052	B	24
3053	B	24
3054	B	18
3060	B	21
3066	B	18
3069	B	24
3072	B	18
3077	B	26
3078	B	17
3079	B	14
3080	B	25
3081	B	18
3085	B	24
3087	B	26
3089	B	18
3092	B	16
3093	B	20
3094	B	21
3095	B	21
3096	B	16
3098	B	14
3099	B	14
3101	B	14
3102	B	26
3103	B	26
3104	B	14
3107	B	17
3108	B	15
3111	B	22
3112	B	22
3113	B	24
3115	B	17
3116	B	17
3118	B	14
3120	B	15
3121	B	24
3122	B	20
3123	B	24
3124	B	24
3126	B	18
3131	B	21
3134	B	18
3136	B	24
3137	B	16
3139	B	21
3140	B	15
3142	B	22
3144	B	15
3145	B	20
3146	B	22
3147	B	17
3148	B	21
3149	B	17
3150	B	17
3151	B	16
3152	B	18
3154	B	14
3155	B	15
3156	B	15
3159	B	15
3160	B	16
3161	B	20
3162	B	20
3163	B	18
3164	B	20
3165	B	20
3166	B	20
3167	B	22
3168	B	21
3169	B	21
3170	B	25
3171	B	22
3172	B	21
3173	B	20
3174	B	25
3175	B	21
3177	B	23
3178	B	15
3179	B	24
3180	B	24
3181	B	24
3182	B	23
3184	B	23
3185	B	23
3186	B	23
3187	B	15
3188	B	24
3191	B	17
3192	B	15
3193	B	14
3194	B	14
3195	B	20
3196	B	18
3197	B	22
3198	B	16
3199	B	26
3201	B	23
3202	B	20
3203	B	15
3204	B	16
3205	B	18
3206	B	24
3207	B	17
3210	B	14
3211	B	18
3212	B	15
3213	B	17
3214	B	17
3215	B	24
3216	B	17
3217	B	23
3218	B	23
3219	B	23
3220	B	16
3221	B	16
3222	B	16
3226	B	16
3227	B	14
3228	B	23
3229	B	16
3230	B	23
3232	B	20
3233	B	23
3235	B	25
3236	B	25
3237	B	25
3238	B	25
3239	B	25
3240	B	25
3307	B	26
3305	B	25
3306	B	25
4019	P	11
4026	P	11
4027	P	11
4028	P	11
4029	P	11
4030	P	11
4032	P	11
4034	P	12
4040	P	11
4041	P	11
4042	P	11
4044	P	11
4045	P	12
4046	P	12
4048	P	12
4055	P	11
5001	B	35
5018	B	34
5023	B	28
5024	B	28
5025	B	36
5028	B	35
5029	B	34
5030	B	34
5031	B	34
5032	B	35
5036	B	35
5038	B	28
5041	B	35
5042	B	34
5043	B	36
5044	B	29
5047	B	34
5048	B	31
5050	B	34
5051	B	35
5052	B	33
5053	B	36
5054	B	29
5055	B	28
5056	B	29
5057	B	36
5058	B	29
5062	B	36
5063	B	29
5064	B	30
5065	B	30
5067	B	32
5068	B	35
5069	B	35
5070	B	31
5071	B	30
5072	B	29
5073	B	29
5074	B	33
5075	B	34
5077	B	37
5078	B	31
5079	B	35
5080	B	28
5082	B	34
5083	B	32
5085	B	28
5088	B	28
5089	B	35
5090	B	28
5091	B	35
5092	B	34
5093	B	29
5094	B	30
5096	B	32
5098	B	36
5099	B	37
5100	B	36
5101	B	31
5104	B	34
5105	B	30
5107	B	31
5108	B	32
5110	B	31
5111	B	37
5112	B	32
5113	B	32
5115	B	33
5117	B	32
5118	B	32
5119	B	32
5120	B	34
5121	B	37
5122	B	32
5123	B	31
5124	B	31
5125	B	31
5126	B	37
5127	B	36
5128	B	31
5130	B	33
5131	B	33
5132	B	33
5133	B	36
5134	B	33
5135	B	33
5136	B	33
5137	B	33
5139	B	29
5140	B	28
5141	B	37
5142	B	31
5144	B	29
5145	B	28
5146	B	31
5147	B	37
5148	B	35
5149	B	33
5150	B	33
5151	B	30
5152	B	30
5153	B	30
5154	B	28
5155	B	29
5156	B	29
5157	B	36
5158	B	32
5159	B	32
5162	B	30
5163	B	30
5164	B	30
5165	B	30
5166	B	36
5167	B	29
5169	B	37
5170	B	36
5175	B	37
5176	B	37
5177	B	37
5178	B	37
5179	B	38
5180	B	38
5181	B	38
5182	B	38
5184	B	39
5185	B	39
5186	B	39
5187	B	39
5188	B	39
5189	B	39
5190	B	39
5191	B	39
5192	B	39
Carbon		40
Alu Core		40
Digital Print		40
Lap Top		40
Metaller		40
Uni Core		40
Multi Core		40
Superflex		41
Chalkboard		41
Whiteboard		41
Marine Grade		41
Magnetic Board		41
Mark Free		41
Door		41
Flooring		41
8101	CRB	43
8102	CRB	42
8103	CRB	42
8104	CRB	42
8105	CRB	42
8106	CRB	42
8107	CRB	42
8108	CRB	42
8109	CRB	42
8110	CRB	42
8111	CRB	43
8112	CRB	43
8113	CRB	42
8114	CRB	43
8115	CRB	42
8116	CRB	42
8117	CRB	43
8118	CRB	43
8119	CRB	43
8120	CRB	43
8121	CRB	43
8501	LBT	44
8502	LBT	44
8503	LBT	44
6004	MET	45
6005	MET	45
6007	MET	45
6008	MET	45
6009	MET	45
6011	MET	45
1001 ALB		46
1001 B		47
1001 CRC		46
1001 CLD		46
1001 CRY		46
1001 DNM		46
1001 FLR		46
1001 FRS		46
1001 GLN		46
1001 PRL		47
1001 HNY		46
1001 LTH		46
1001 MAT		46
1001 MOO		47
1001 NBK		47
1001 OPQ		47
1001 SCT		47
1001 SLK		47
1001 STN		47
1001 STR-1		47
1001 STR-2		47
1001 STR-4		47
1001 SUE		47
1001 TLA		47
1001 QRY		48
1001 P-BLZ		48
1001 P-LPC		48
1001 P-LST		48
1001 P-SPC		48
1001 P-UNV		48
1001 WGR-1		48
1001 WGR-2		48

DECOR & DESIGN FORMATS

Decor & Design Code	Decor & Design Name	Available Width						Decor & Design Code	Decor & Design Name	Available Width					
		100 cm	122 cm	130 cm	140 cm	154 cm	160 cm			100 cm	122 cm	130 cm	140 cm	154 cm	160 cm
		3.280 ft	4.002 ft	4.265 ft	4.593 ft	5.052 ft	5.249 ft			3.280 ft	4.002 ft	4.265 ft	4.593 ft	5.052 ft	5.249 ft
1001	Obsidian Gray	•			•	•	•	1073	White Petunia				•		
1002	Croissant Beige	•			•			1074	Lemon Quartz				•		
1004	Green Daylily			•				1075	Orange Amber				•		
1006	Georgia Blue				•			1076	Dried Coriander				•		
1007	Sky Gray				•			1077	Apple Pie				•		
1008	Anthracite Gray				•			1078	Beige Sapphire				•		•
1009	Silver Brunia				•		•	1079	Maple Syrup				•		
1010	Blue Sapphire				•		•	1080	Himalayan Lavender				•		
1011	Cream Rose				•			1081	Light Gray Pearl				•		•
1012	Moonflower Beige	•		•	•			1082	Dried Olive Leaf				•		
1013	Blue Iris				•			1083	Desert Petunia				•		
1015	Pink Mandevilla	•			•			1085	Tongass Boulder				•		
1016	Beige Chalcedony				•	•		1086	Cookies & Cream				•		
1017	Green Sapphire	•			•			1087	Siberian Squill				•		
1019	Himalayan Blue Poppy				•		•	1088	Lobelia Blue				•		
1022	Sage Gray				•			1089	Blue Agate				•		
1023	Gray Dolomite				•		•	1090	Pink Kunzite				•		
1024	Lilac Purple				•		•	1091	Pistachio Butter				•		
1026	Bells of Ireland				•			1092	Oceana Blue				•		
1028	Larimar Blue				•		•	1093	Atacama Mist				•		•
1029	Red Calla Lilly	•			•	•	•	1094	Arctic Blue				•		
1030	Pineapple Pie				•			1095	Almond Butter				•		
1032	Light Truffle				•			1096	Walnut Butter				•		
1033	Peach Gerbera Daisy				•			1097	Kale Leaf				•		
1035	Light Green Agate				•		•	1098	Orange Marmelade				•		
1036	Gray Moonstone	•		•	•	•	•	1102	Vanilla Cream				•		•
1039	Cream Calla Lilly	•		•	•	•	•	1103	Spinach Chips				•		
1041	Chocolate Brownie				•			1104	Purple Petunia				•		
1042	Green Jade				•			1105	Seaweed Chips				•		
1043	Yellow Amber				•		•	1107	Strawberry Cream				•		
1044	Orange Marigold				•	•		1108	Strawberry Smoothie				•		
1045	White Carnation			•	•		•	1109	Pink Zinnia				•		
1046	Red Carnelian				•	•		1110	Caribbean Blue				•		
1048	White Camellia	•		•	•	•	•	1111	Pistachio Cookie				•		
1049	Black Jasper	•		•	•	•	•	1112	Aquamarine Blue				•		
1050	Iceberg Rose	•		•	•	•	•	1113	Vanilla Smoothie			•	•		
1052	Iris Before the Storm				•			1114	Raspberry Smoothie				•		
1053	Beige Quartz				•		•	1115	Maple Milkshake				•		
1054	Orange Begonia				•			1117	Alpine Mist				•		
1055	Green Pearl				•			1118	Yellow Hibiscus				•		
1056	Oyster Gray	•			•			1119	Reef Blue				•		
1057	Truffle Gray			•	•	•	•	1120	Carrot Pie				•		
1058	White Jasper			•	•			1121	Pumpkin Pie				•		
1059	Shasta Daisy			•	•			1122	Fijian Blue				•		
1060	Gray Pearl				•		•	1123	Avocado Smoothie				•		
1061	Black Rose				•			1125	Night Blue				•		
1063	Red Poppy				•			1126	Grey Aluminium				•		
1064	Moon Carrot				•			1141	Black Grey			•			
1065	Green Smithsonite				•			1142	Grey Cashmere				•		
1066	Chocolate Cosmos				•			3023	Montreal Ahorn	•		•	•		
1067	Blue Zircon				•			3032	Quebec Walnut	•			•		
1068	Midnight Blue				•			3036	Montreal Walnut				•		
1069	White Sage				•			3039	Luangwa Wenge	•			•		•
1070	Gray Cineraria				•			3051	Guadalajara Mahogany	•			•		
1071	Orange Sunstone	•			•	•		3052	Halifax Walnut	•			•		
1072	Gray Agate			•	•			3053	Vancouver Maple	•			•		

DECOR & DESIGN FORMATS

Decor & Design Code	Decor & Design Name	Available Width					
		100 cm	122 cm	130 cm	140 cm	154 cm	160 cm
		3.280 ft	4.002 ft	4.265 ft	4.593 ft	5.052 ft	5.249 ft
3054	Lake Constance Beech	•			•		
3060	Sumatra Teak	•		•	•	•	
3066	Sitka Beech				•		
3069	Coffee Bay Zebrawood				•	•	
3072	Waterford Oak	•			•		
3077	Toliara Ebony Tree				•		•
3078	Clover Pass Oak				•		
3079	Moose Pass Oak				•		
3080	Fuji Walnut	•			•		
3081	Carpathian Oak				•		
3085	Zambezi Zebrawood				•		
3087	Casablanca Wenge				•		
3089	Caucasian Walnut	•		•	•		
3092	Bariloche Oak 1				•		
3093	Bariloche Oak 2				•		
3094	Juneau Mulberry	•			•		
3095	Elk Grove Oak				•		
3096	Isle of Arran Birch	•		•	•		
3098	Kodiak Walnut				•		
3099	Savannah Tree				•		
3101	Boa Vista Teak	•			•		
3102	Aspen Oak				•		
3103	Elm Burl				•		
3104	Jasper Maple	•			•		•
3107	Niagara Oak	•			•	•	•
3108	Haines Cherry	•		•	•		•
3111	Kilimanjaro Rosewood				•		•
3112	Akita Cherry				•		•
3113	Wrangell Elm				•		
3115	Tofino Maple 1				•		•
3116	Tofino Maple 2	•			•		
3118	Tusheti Pear 1				•		
3120	Sierra Oak			•	•		•
3121	Eugene Elm				•		
3122	Banff Walnut				•		
3123	Elk Bay Elm				•		
3124	Dundee Oak				•		
3126	Tibetan Bamboo	•		•	•		
3131	Inverness Walnut				•		•
3134	Deer Lake Beech				•		
3136	Arusha Wenge				•		
3137	Celtic Oak				•		
3139	Seal Cove Oak 1	•			•		
3140	Seal Cove Oak 2	•			•		
3142	Coos Bay Walnut				•		
3144	Red Cliff Oak				•		
3145	Goose Cove Oak				•		
3146	Deer Harbor Walnut				•		
3147	Tofino Maple 3				•		
3148	Annapurna Teak	•		•	•		
3149	Whale Pass Oak 1	•			•		
3150	Whale Pass Oak 2	•			•		
3151	Santorini Olive				•		
3152	Alexandria Teak	•		•	•		
3154	Carlingford Oak				•		
3155	Galway Oak 1				•		

Decor & Design Code	Decor & Design Name	Available Width					
		100 cm	122 cm	130 cm	140 cm	154 cm	160 cm
		3.280 ft	4.002 ft	4.265 ft	4.593 ft	5.052 ft	5.249 ft
3156	Galway Oak 2			•	•		
3159	Vanoise Oak				•		
3160	Pyrenees Oak	•			•		
3161	Killarney Oak 1				•		
3162	Killarney Oak 2				•		
3163	Killarney Oak 3				•		
3164	Kinsale Oak 1	•		•	•		
3165	Kinsale Oak 2			•	•		•
3166	Kinsale Oak 3				•		
3167	Portree Oak	•		•	•		•
3168	Kinsale Oak 4	•			•		
3169	Whiteadder Pine	•			•		•
3170	Le Pouce Ebony Tree				•		
3171	Aomori Spring				•		
3172	Ayr Walnut				•		
3173	Sitka Walnut				•		
3174	Boise Walnut				•		
3175	Arcata Oak				•		
3177	Jeju Spring				•		•
3178	Aosta Oak				•		
3179	Eire Chestnut 1				•		
3180	Eire Chestnut 2				•		
3181	Eire Chestnut 3				•		
3182	Lefkada Spring 1				•		
3184	Bear Creek Chestnut 1				•		
3185	Bear Creek Chestnut 2				•		
3186	Borjomi Oak				•		
3187	Cloverdale Oak				•		•
3188	Eire Chestnut 4				•		
3191	Ketchikan Oak				•		
3192	Yukon Oak				•		
3193	Vancouver Ahorn				•		
3194	Sierra Nevada Oak				•		
3195	Carpathian Ash Tree			•	•		
3196	Whistler Oak	•			•		
3197	Butcher Block				•		
3198	Oslo Pine 1				•		•
3199	Oslo Pine 2				•		
3201	Assos Spring 2				•		
3202	Mestia Oak				•		
3203	Kerala Sheesham Tree				•		•
3204	Rhodes Teak	•		•	•		
3205	Mendoza Oak				•		
3206	Tapaua Mahogany				•		
3207	Orleans Oak	•			•		
3210	Ardara Acacia				•		
3211	Marblemount Walnut	•			•		
3212	Kazbegi Oak	•			•		
3213	Crieff Oak				•		
3214	Clifden Oak				•		
3215	Eyeries Oak				•		
3216	Cashel Oak				•		
3217	Akita Oak 1				•		
3218	Akita Oak 2				•		
3219	Akita Oak 3				•		
3220	Eureka Oak				•		

DECOR & DESIGN FORMATS

Decor & Design Code	Decor & Design Name	Available Width						Decor & Design Code	Decor & Design Name	Available Width					
		100 cm	122 cm	130 cm	140 cm	154 cm	160 cm			100 cm	122 cm	130 cm	140 cm	154 cm	160 cm
		3.280 ft	4.002 ft	4.265 ft	4.593 ft	5.052 ft	5.249 ft			3.280 ft	4.002 ft	4.265 ft	4.593 ft	5.052 ft	5.249 ft
3221	Elafonisi Oak 1				•			5054	Alesund Marble 1				•		
3222	Elafonisi Oak 2				•			5055	Gray Carrara Marble			•	•		
3226	Mont Pelvoux Oak				•			5056	Alesund Marble 2				•		•
3227	Mangart Birch				•			5057	Portmeirion Marble			•	•		
3228	Nordic Fjord				•			5058	Alesund Marble 3				•		
3229	Baltimore Oak				•			5062	Portmagee Granite				•		
3230	Menorca Ash Tree	•			•			5063	Bruges Marble				•		
3232	Alberta Oak	•			•			5064	Arls Travertine 1				•		
3233	Light Aspen				•			5065	Arls Travertine 2				•		
3235	Watzmann Oak 1				•		•	5067	Perouges Marble				•		
3236	Watzmann Oak 2				•		•	5068	Glenfinnan Corean 1				•		
3237	Zugspitze Oak 1				•		•	5069	Glenfinnan Corean 2				•		•
3238	Zugspitze Oak 2				•		•	5070	Isle of Skye Stone				•		
3239	Ravenna 1	•			•			5071	Tuscany Granite			•	•		
3240	Ravenna 2	•			•			5072	Riga Marble			•	•		
3305	Sanremo Walnut				•			5073	Kiruna Marble				•		
3306	Verona Elm				•			5074	Bavarian Marble				•		
3307	Walnut Chandler	•			•		•	5075	Hallstatt Mosaic				•		
4019	Alaskan Trout			•	•			5077	Obsidian Marble				•		
4026	Gargano Cliff				•			5078	Val Grande Stone				•		
4027	Nordfjord Dawn			•	•			5079	Veneto Corean				•		
4028	Nordfjord Dusk				•			5080	Gaillac Marble				•		
4029	Montana Dawn				•			5082	Gruyeres Stone			•	•		
4030	Antarctic Dawn				•			5083	Pucisca Granite				•		
4032	Antarctic Fall				•			5085	Burano Marble				•		
4034	Antarctic Night				•			5088	Beaufort Marble				•		
4040	La Guajira Fall				•			5089	Brevard Granite				•		
4041	Baja Mist				•			5090	Cream Carrara Marble				•		
4042	Pollino Cliff				•			5091	Elk River Corean				•		
4044	Cusco Travertine 2				•			5092	Mahone Bay Corean				•		
4045	Cusco Travertine 3				•		•	5093	Evandale Stone				•		
4046	Cusco Travertine 4				•			5094	Port Arthur Marble				•		
4048	Adjarian Dusk				•			5096	Coles Bay Marble				•		
4055	Square Mesh				•			5098	Daylesford Marble				•		•
5001	Byron Bay Marble				•			5099	Portsea Concrete			•	•		
5018	Augusta Granite			•	•			5100	Kangaroo Valley Marble				•		
5023	Port Douglas Marble				•			5101	Leura Granite				•		•
5024	Esperance Beach Marble			•	•			5104	Airlie Beach Mosaic				•		
5025	Victoria Island Marble				•			5105	Seal Rocks Stone				•		
5028	Elk Creek Corean				•			5107	Silverton Stone 1			•	•		
5029	Moose Creek Corean				•			5108	Silverton Stone 2				•		
5030	Appalachian Granite				•			5110	Clare Valley Granite				•		
5031	Buffalo Granite				•			5111	Maple Creek Stone			•	•		
5032	Pinedale Granite			•	•			5112	Red Deer Marble 1				•		
5036	Cascade Granite				•			5113	Red Deer Marble 2				•		
5038	Beige Carrara Marble				•			5115	Westmount Travertine				•		
5041	Invermere Granite			•	•			5117	Awaroa Sandstone 1				•		
5042	Annecy Granite				•			5118	Awaroa Sandstone 2				•		
5043	Reine Granite				•			5119	Awaroa Sandstone 3				•		
5044	Colmar Marble			•	•			5120	Albaron Concrete				•		
5047	Gaillac Granite				•			5121	Alpamayo Concrete			•	•		
5048	Brasov Granite				•	•		5122	Huascaran Concrete				•		
5050	Burgundy Granite				•			5123	Avoca Beach Stone				•		
5051	Arosa Granite			•	•			5124	Longmont Stone				•		
5052	Lourmarin Travertine			•	•			5125	Ferndale Concrete 1				•		
5053	Tenby Marble				•			5126	Ferndale Concrete 2				•		



DECOR & DESIGN FORMATS

Decor & Design Code	Decor & Design Name	Available Width					
		100 cm	122 cm	130 cm	140 cm	154 cm	160 cm
		3.280 ft	4.002 ft	4.265 ft	4.593 ft	5.052 ft	5.249 ft
5127	Mount Ossa Marble				•		
5128	Sherbrooke Travertine 1				•		
5130	Bering Marble				•		
5131	Arvada Brick 1				•		
5132	Arvada Brick 2				•		
5133	Norfolk Travertine				•		
5134	Rainier Granite 1				•		
5135	Rainier Granite 2				•		
5136	Rainier Granite 3				•		
5137	Rainier Granite 4				•		
5139	Silver Creek Marble				•		
5140	Makrana Marble			•	•		
5141	Argos Marble				•		
5142	Asama Stone			•	•		
5144	Gulfoss Marble				•		
5145	Iguazu Marble			•	•		
5146	Sherbrooke Travertine 2				•		
5147	Lviv Concrete				•		
5148	Corinth Granite				•		
5149	Whitehorse Marble 1				•		
5150	Whitehorse Marble 2			•	•		
5151	Whitefish Travertine 1				•		
5152	Whitefish Travertine 2				•		
5153	Whitefish Travertine 3				•		
5154	Cranbury Marble			•	•		•
5155	Greenport Stone 1				•		
5156	Greenport Stone 2				•		•
5157	Springdale Travertine				•		
5158	Sorrento Travertine				•		
5159	Montreux Stone				•		
5162	Faroe Marble 1				•		
5163	Faroe Marble 2				•		
5164	Faroe Marble 3				•		
5165	Wengen Marble				•		
5166	Bern Travertine				•		
5167	Fayetteville Stone				•		
5169	Fairhope Concrete				•		
5170	Irondale Concrete				•		
5175	Tour Noir Marble				•		
5176	Weisshorn Marble 1				•		
5177	Weisshorn Marble 2				•		
5178	Weisshorn Marble 3				•		
5179	Fall River Granite				•		
5180	Trente Concrete				•		
5181	Manarola Stone				•		
5182	Grey Jade				•		
5184	Sapphire				•		•
5185	Milazzo				•		
5186	Tour Blanche Marble				•		
5187	Ephesus Marble				•		•
5188	Grey Slate				•		
5189	Taurus Black				•		•
5190	Brazilian Marble				•		•
5191	Citrine				•		
5192	Jadeite				•		•

METALS

Decor & Design Code	Decor & Design Name	Available Width					
		100 cm	122 cm	130 cm	140 cm	154 cm	160 cm
		3.280 ft	4.002 ft	4.265 ft	4.593 ft	5.052 ft	5.249 ft
6004	Iron Fe			•			
6005	Silver Ag			•			
6007	Gold Au			•			
6008	Copper Cu			•			
6009	Chrome Cr			•			
6011	Bronze			•			

CARBON

8101	CARBON Black		•	•	•		
8102	CARBON White		•	•	•		
8103	CARBON Anthracite		•	•	•		
8104	CARBON Beige		•	•	•		
8105	CARBON Gray		•	•	•		
8106	CARBON Sand		•	•			
8107	CARBON Warm Gray		•	•			
8108	CARBON Snow White		•	•			
8109	CARBON Platinum Gray		•	•			
8110	CARBON Gray Beige		•	•			
8111	CARBON Black Blue		•	•			
8112	CARBON Azure Blue		•	•			
8113	CARBON Pigeon Blue		•	•			
8114	CARBON Black Green		•	•			
8115	CARBON Cashmere		•	•			
8116	CARBON Grey White		•	•			
8117	CARBON Grey Brown			•			
8118	CARBON Pastel Violet			•			
8119	CARBON Black Red			•			
8120	CARBON Red Brown			•			
8121	CARBON Brown Beige			•			

LAB TOP

8501	Lab Top White					•	
8502	Lab Top Gray					•	
8503	Lab top Black					•	

Finishes & Formats ASD Interior Compact/Laminate

	1000x2150 mm 3.28 x 7.05 ft	1220x2440 mm 4 x 8 ft	1300x3050 mm 4.27 x 10 ft	1300x3660 mm 4.27 x 12 ft	1400x3660 mm 4.60 x 12 ft	1400x4200 mm 4.60 x 13.78 ft	1540x3660 mm 5 x 12 ft	1600x3200 mm 5.25 x 10.5 ft	1600x4200mm 5.25 x 13.78 ft	920 mmxAny 3.02 ft x Any	1300 mmxAny 4.27 ft x Any	1400 mmxAny 4.60 ft x Any
Albero		◆◆				◆◆						
Blizzard	◆◆	◆◆	◆◆	◆◆	◆◆	◆◆						
Bute					◆					◆◆	◆◆	◆◆
Carbon		◆◆	◆◆			◆◆						
Ceramic											◆◆	◆◆
Crystal											◆◆	◆◆
Cloud		◆◆	◆◆			◆◆						
Denim											◆◆	◆◆
Flora			◆◆									
Forest	◆◆											
Glint					◆◆							
Glossy	◆◆	◆◆	◆◆	◆◆	◆◆	◆◆	◆◆		◆◆			
Honeycomb		◆◆										
Lapice	◆◆	◆◆	◆◆	◆◆	◆◆	◆◆	◆		◆◆		◆◆	◆◆
Leather											◆◆	◆◆
Luster	◆◆	◆◆	◆◆	◆◆	◆◆	◆◆	◆	◆			◆◆	◆◆
Matt	◆◆	◆	◆		◆	◆	◆◆	◆◆	◆◆		◆◆	◆◆
Moon		◆◆	◆◆			◆◆						
Nubuck		◆◆									◆◆	◆◆
Opaque											◆◆	◆◆
Quarry											◆◆	◆◆
Saw Cut											◆◆	◆◆
Silk											◆◆	◆◆
Space	◆◆	◆◆	◆◆	◆◆	◆◆	◆◆	◆		◆◆		◆◆	◆◆
Stone											◆◆	◆◆
Structure 1											◆◆	◆◆
Structure 2											◆◆	◆◆
Structure 4	◆◆											
Suede	◆◆	◆◆	◆◆									
Tela						◆◆						
Universe	◆◆	◆◆	◆◆	◆◆	◆◆	◆◆						
Woodgrain 1				◆◆								
Woodgrain 2											◆◆	◆◆

Products & Formats ASD Interior Compact/Laminate

	1000x2150 mm 3.28 x 7.05 ft	1220x2440 mm 4 x 8 ft	1300x3050 mm 4.27 x 10 ft	1300x3660 mm 4.27 x 12 ft	1400x3660 mm 4.60 x 12 ft	1400x4200 mm 4.60 x 13.78 ft	1540x3660 mm 5 x 12 ft	1600x3200 mm 5.25 x 10.5 ft	1600x4200mm 5.25 x 13.78 ft	920 mmxAny 3.02 ft x Any	1300 mmxAny 4.27 ft x Any	1400 mmxAny 4.60 ft x Any
Carbon		◆	◆			◆					◆◆	◆◆
Mark-Free											◆◆	◆◆
Door	◆									◆◆		
Flooring											◆◆	◆◆
Whiteboard	◆	◆	◆	◆	◆	◆	◆		◆			
Magnetic Board		◆	◆									
Chalkboard			◆	◆							◆◆	
Uni-Core	◆◆	◆◆	◆◆	◆◆	◆◆	◆◆	◆◆	◆◆	◆◆	◆◆	◆◆	◆◆
Metal			◆	◆							◆◆	
Digital Print	◆◆	◆◆	◆◆	◆◆	◆◆	◆◆	◆◆	◆◆	◆◆			
Superflex											◆◆	◆◆
Alu-core			◆									
Multi-core	◆	◆	◆	◆	◆	◆	◆	◆	◆			
Lab Top							◆					
Marine Grade											◆◆	◆◆

◆ ASD Interior Compact available width

◆ ASD Interior Plaka Laminate available width

◆ ASD Interior Rulo Laminate available width

◆ ASD Interior CPL Plaka Laminate available width



Finishes & Grades ASD Interior Compact Laminate

	Anti-Bacterial	Fire-Retardant	MAR	Marine-Grade	Postforming	Non-Postforming
Albero	•	•		•	•	•
Blizzard	•	•	•	•	•	
Bute	•	•		•	•	•
Ceramic	•	•		•	•	•
Cloud	•	•	•	•	•	•
Crystal	•	•		•	•	•
Denim	•	•		•	•	•
Flora	•	•		•	•	•
Forest	•	•		•	•	•
Glint	•	•		•	•	•
Glossy	•	•	•	•		•
Honeycomb	•	•		•	•	•
Lapice	•	•	•	•	•	•
Leather	•	•		•	•	•
Luster	•	•	•	•	•	•
Matt	•	•		•	•	•
Moon	•	•		•	•	•
Nubuck	•	•		•	•	•
Opaque	•	•		•	•	•
Quarry	•	•		•	•	•
Saw Cut	•	•		•	•	•
Silk	•	•		•	•	•
Suede	•	•		•		•
Space	•	•	•	•	•	•
Stone	•	•		•	•	•
Structure 1	•	•		•	•	•
Structure 2	•	•		•	•	•
Structure 4	•	•		•	•	•
Tela	•	•		•	•	•
Universe	•	•	•	•	•	•
Woodgrain 1	•	•		•	•	•
Woodgrain 2	•	•		•	•	•

Products & Grades ASD Interior Compact/Laminate

	Anti-Bacterial	Fire-Retardant	MAR	Marine-Grade	Postforming	Non-Postforming
Carbon	•					•
Mark-Free	•	•		•	•	•
Door	•	•		•	•	•
Flooring	•	•		•		•
Whiteboard	•	•	•	•		•
Magnetic Board	•	•	•	•		•
Chalkboard		•		•		•
Uni-Core	•	•	•	•		•
Metal	•	•		•	•	•
Digital Print	•	•	•	•	•	•
Superflex	•				•	•
Alu-core	•		•			•
Multi-core	•		•			•
Lab Top	•		•			•
Exterior	•	•				•



Sustainability

We believe in being the change ourselves that we would like to see in the world. Therefore, we believe in living in harmony with our planet, not off of it. Over the many years, sustainability has become an essential part of who we are, we strive to take good care of our planet. We believe in absolute minimum waste and complete, controlled and sustainable protection of our beautiful nature. ASD Interior Compact panels do not contain biocides, heavy metals, organic halogen, chlorine, fluorine, bromine, asbestos, wood protection agents such as fungicides, pesticides and are free of sulfur, mercury, and cadmium. Neither do ASD Interior Compact panels release any gases, vapors, solvents or fluids.

Roughly 70% of ASD Interior Compact consists of natural wood. We source raw materials from FSC™ certified establishments. The FSC™ standards ensure that the wood is produced in compliance with internationally applicable regulations for sustainable forestry.



www.asdlaminat.com