




Niagara 05



akdele
forest products ground materials
import export
marketing industry and trade
LIMITED COMPANY

NIAGARA
CARPET TILE

NIAGARA CARPET TILE



Niagara 09

beranet
beranet.com.tr

akdele

Forest Products Ground Materials Import Export Marketing Industry and Trade
LIMITED COMPANY

Mobile Company: +90 532 250 65 29

Phone: +90 212 111 11 11

Address: Atakent Mah. 243. Sk. No:6 Tema İstanbul Sitesi 7/B No:1 Halkalı / K.çekmece İstanbul / TÜRKİYE



akdele
forest products ground materials
import export
marketing industry and trade
LIMITED COMPANY


www.akdele.com.tr
info@akdele.com.tr

akdele
akdeleormann


RENK SEÇENEKLERİ / COLORS



Niagara 01




Niagara 02



Niagara 05



Niagara 07



Niagara 09

TEKNİK BİLGİLER / SPECIFICATIONS

Technical Specifications

Style Name	Niagara
Construction	Multi Level-loop
Fiber	100% V-torn™
Gauge	1/12"
Stitches	10 per inch
Pile Weight	20 oz / yd ²
Average Pile Height	4 mm±0.5 mm
Backing	PVC with fiberglass
Tile Size	50cm*50cm

Installation Method



Brick



Monolithic



Quarterturn

Performance Specifications

	Test Code	Standard	Test Results	
Flammability Tests				
Radiant Panel	ASTM E 648	Class II	Class II	Pass
Methenamine Pill	ASTM D2859	7 out of 8	8	Pass
Smoke Density	ASTM E 662	Density ≤ 450	≤ 450	Pass

Stability

Delamination	ASTM D3936	≥3.0 lbc/in		
Dimensional Stability	AACHEN	≤0.2%	≤0.2%	Pass
Tuft Bind	ASTM D1335	≥8.0 lbs	≥8.0 lbs	

Anti-Static

Static Propensity	AATCC 134	≤3.5 kV	≤3.5 kV	Pass
-------------------	-----------	---------	---------	------

Colour Fastness

Light	AATCC 16 E	≥4-5	4-5	Pass
Rubbing/Crocking	AATCC 165	≥4-5	4-5	Pass

Generic Tests

Green Carpet(VOC)	GLP 6331 [®] /6330 [®]	Accredited
-------------------	--	------------