



akdeio[®]
forest products ground materials
import export
marketing industry and trade
LIMITED COMPANY

Tarkett
Elegance Rigid 55 SPC

Elegance Rigid 55

LUXURY VINLY TILES

Beauty meets
sustainability
in our click
rigid floor

SPC

akdeio

Forest Products Ground Materials Import Export Marketing Industry and Trade
LIMITED COMPANY

Mobile Company: +90 532 250 65 29

Phone: +90 212 111 11 11

Address: Atakent Mah. 243. Sk. No 6 Tema İstanbul Sitesi 7/B No:1 Halkalı / Kâğıthane İstanbul / TÜRKİYE



akdeio[®]
forest products ground materials
import export
marketing industry and trade
LIMITED COMPANY

www.akdeio.com.tr
info@akdeio.com.tr

akdeio
akdeioorm

beranet
Tasarım ve İnşaat Ltd. Şti.

Elegance Rigid 55

LUXURY VINYL TILES

Beauty meets
sustainability
in our click
rigid floor

About **Tarkett**

With a history of more than 140 years, Tarkett is a worldwide leader in innovative and sustainable flooring and sports surface solutions, generating net sales of € 3.4 billion in 2022. The Group has 12,000 employees, 25 R&D centers, 8 recycling centers and 34 production sites. Tarkett designs and manufactures solutions for hospitals, schools, housing, hotels, offices, stores and sports fields, serving customers in over 100 countries. To build “The Way to Better Floors,” the Group is committed to circular economy and sustainability, in line with its Tarkett Human Conscious Design® approach. To align with our strategy and cater to the demands of our discerning customers, we are delighted to present our latest collection in the Luxury Vinyl Tiles category: Elegance Rigid 55.



SEASON OAK - Natural



Elegance Rigid 55

The beauty of ultra-matt finish décors and sustainability in the heart of this new click rigid floor made in Europe



Discover **Elegance Rigid 55**, our new modular tile collection designed for customers searching for durable and resistant flooring.

The range has been exclusively designed and produced in Europe, leveraging Tarkett's renowned expertise and craftsmanship. With a selection of **20 beautiful designs** available in both tile and plank formats, the range offers a wide range of options. Tektanium® surface treatment ensures a uniform, **ultra-matt finish** that reflects less light. Some designs feature **Embossed-in-Register** technology for a realistic look and feel. From wood to stone effects, our designs will add sophistication to housing areas and light traffic areas like student rooms and hotels rooms.

Our commitment to sustainability ensures **better indoor air quality** and a reduced carbon footprint, for a better future. The Elegance Rigid 55 is **recyclable** and **fully circular** through ReStart® programme and it's been third-party verified in the Environmental Product Declaration (with recycling scenario) and Material Health Statement.

Featuring high-density made in Europe **SPC technology** enhanced with the perfect combination of advanced polymers and marble powder, the hardest form of calcium carbonate, **Tektanium®** surface treatment for protection against scratches and stains, and the new **GenClick®** system for an easier, faster and watertight installation.

Overall, Elegance Rigid 55 is a **low-maintenance** and **durable** flooring option that can withstand temperature fluctuations, perfect for renovation projects.

Building new ground

The pursuit of ‘always more’ is threatening our planet. The game must change. We need to find a way to deliver more with less. As part of our Tarkett Human-Conscious Design® initiative, we aim to create a sustainability legacy, where we create a better world for present and future generations.


This is why we offer a complete choice of stylish, comfortable, and long-lasting solutions that contribute to a healthier indoor air quality and are good for the planet. We design, produce and sell our flooring solutions, while fully committed to tangible reduction and maintaining product performance.

Together with our employees and partners, we are able to achieve a whole lot more, with less. This has been our commitment, mission and mindset for over 100 years. At Tarkett, we have constantly pioneered sustainable change. Our new collection **Elegance Rigid 55** is the proof of this commitment.

The way to better floors.

LOWER EMISSIONS

We want to preserve the planet for the next generation, so we limit our carbon emissions by reducing our transportation footprint. The collection is 100% insourced in our plant in Europe.



*According to EPD registration number S-P-05601 from the International EPD system

LESS WASTE

We transform vinyl floorings through our ReStart® take-back and recycling programme.




Contact your local Tarkett sales offices to find out how to register for ReStart® in your country.



*On average

GREATER WELL-BEING

Lowering our environmental footprint will never mean compromising on comfort, health or overall well-being.



MORE PROOF

We commit to only using good materials in total transparency throughout production. (Details are listed in our MHS).



MATERIALS ASSESSED



MHS (Material Health Statement): Telling you every last detail about our materials and their impact on health

EPD (Environmental Product Declaration): Telling you every last detail about our products and their impact on the environment with recycling scenario, the ultimate proof

Beautiful designs

Elegance Rigid 55: our new click modular vinyl flooring solution, perfect for adding sophistication to your space.

The range has been exclusively designed in our Luxembourg Design Center.



20 great designs

The entire range of designs, from stone to wood effects, creates a timeless and natural interior. All décors can be mixed and matched to create flexible and modular spaces. Tailored for private, multifamily housing and hotel accommodation, the range has been carefully designed to add character to any space.

TEKTANIUM®

Natural and sleek ultra-matt finish uniformly visible under all angles of view thanks to Tektanium® surface treatment



Embossed-In-Register technology (EIR) on 5 SKUs. A technology which engraves effects onto planks, intensifying the depth, texture and grain of wood, for a more natural and authentic look and feel.

2 formats



20,05 x 120,00 cm



32,00 x 64,00 cm

The new vinyl modular flooring generation: a concentrate of technology



1

TEKTANIUM® PU coating: ultra-matt finish protected by unequalled resistance.

4

Acoustic backing featuring Soundblock technology absorbs 19dB of impact noise.

2

High definition decorative print film layer protected by an embossed wear layer. Many design possibilities, from wood to stone designs, with embossing options.

5

When combined with the water-resistant properties of SPC, our GenClick® makes for a watertight product.

3

High-density SPC Rigid core layer made in Europe enhanced with the perfect combination of advanced polymers and marble powder: high stiffness, good dimensional stability and high resistance.

Advanced performances



High resistance

Unequalled resistance to scratches, stains wear and abrasions. Compatible with pets, high heels and suitcases wheels. Better durability and impact resistant, enhanced with the perfect combination of advanced polymers and marble powder, the hardest form of calcium carbonate.

GenClick®
TEKTANIUM®




Best performance

Combined with our new and patented GenClick® locking system and TEKTANIUM® PU coating we provide the best performance resistance and durability. TEKTANIUM® also provides a **superior cleanability** feature, making the range hassle-free when it comes to maintenance. Good dimensional stability (can withstand high temperature variations, from 10 to 50°C).



Noise-proof

Reduce in-room and impact noise. **19dB** impact sound reduction thanks to Soundblock technology. Save money with Elegance Rigid 55 integrated acoustic backing: no need for additional acoustic underlay.



Suitable for bathrooms and kitchens

SPC is a waterproof technology and GenClick® is our watertight locking system. Elegance Rigid 55 withstands water without any leakage and has a high slip resistance (R10).



Suitable for underfloor heating & cooling systems


TEKTANIUM®

Best ultra-matt finish
Unequalled resistance
Superior cleanability

The **Elegance Rigid 55** collection features our new TEKTANIUM® PU coating which uses a proprietary polymer system-forming a naturally clear, verifiably stronger layer of protection that delivers **unequalled resistance** to scratches, abrasions, wear, stains and is easier to clean, compared to key competitors. Moreover, it offers a pure **ultra-matt finish**, which is consistently visible from all angles. By mixing ultra matt effect with **excellent resistance and durability** properties, the surface of your flooring appears more realistic and lasts longer. TEKTANIUM® is the only PU coating to combine all these features, so there's no need for compromise.




● Tarkett Elegance Rigid 55 ● Key European competitor A ● Key European competitor B




Gloss measurement at an 85° angle (in compliance with ISO 2813).

≤ 6 = ultra matt
≥ 10 = satin



Stain resistance measurement (in compliance with ISO 26987).

0 = not affected (best-in-class)
30 = very affected



Wear resistance measurement (based on EN ISO 16094).

5000 = best-in-class




Source: internal tests

GenClick®

The next generation locking system

GRAPH 1: LOCKING STRENGTH (ISO 10582)
HIGHER LOCKING STRENGTH SCORE = STRONGER CONNECTION




Easy installation

With the Angling and Push Down locking combination you can easily position the long side of the product with an angling motion and tap into place the short side.

Market leading locking strength

GenClick® locking strength is the best-in-class according to ISO 10582 (Graph 1).

GRAPH 2: IMPACT RESISTANCE (INTERNAL TEST)
LOWEST SCORE = HIGHEST RESISTANCE TO IMPACT



Resistance to shocks

Elegance Rigid 55 is strong and resistant to shocks as verified by Impact resistance internal test (Graph 2).


Watertight Click

The click geometry does not allow water to leak through the joints. This makes the product suitable for installation in bathrooms.

Source: internal tests

Easy and fast installation

GenClick® is our patented locking system, co-developed with our SPC technology to offer easy installation without sacrificing locking strength and mechanical properties for **best performance, resistance** and **durability**. For a home project renovation, no professional help is required, simply click the tiles or planks with only a few tools required. For light commercial traffic areas , such as hotel rooms and student rooms housing, it allows faster flooring facelift, thus limiting the duration of room vacancy.




Renovation-proof

Install directly over ceramic tiles and most existing subfloors. Quick and easy installation thanks to GenClick® locking system. Minimize downtime and use immediately. Also suitable for underfloor heating and cooling.



Click it quick and easy

With the Angling and Push Down locking combination you can easily position the long side of the product with an angling motion and tap into place the short side.



Install and walk

Everything about Elegance Rigid 55 makes it fast to install and ready for immediate use. No glue and no drying time. Rooms with an uninterrupted area of maximum 15 x 15m may benefit from an installation without expansion profile.

Elegance Rigid 55 collection

DELICATE OAK

20,05 x 120,00 cm



Sugar
280007015

Natural
280007014

Brown
280007016

HIGHLAND OAK

20,05 x 120,00 cm



Natural
280007012

Taupe
280007013

SEASON OAK

20,05 x 120,00 cm



Natural
280006001

Light Brown
280006002

Beige
280006003

RUSTIC OAK

20,05 x 120,00 cm



Beige
280006004

MODERN OAK

20,05 x 120,00 cm



Classical
280006007

Light Natural
280006008

CONTEMPORARY OAK

20,05 x 120,00 cm



Natural
280006009

ENGLISH OAK

20,05 x 120,00 cm



Beige
280006011

Natural
280006010

LIMOUSIN OAK

20,05 x 120,00 cm



Natural
280006005

Grege
280006006

PATCHWORK

32,00 x 64,00 cm



White
280008017

MEDINA

32,00 x 64,00 cm



Grey
280008018

POLISHED CONCRETE

32,00 x 64,00 cm



Indium
280008019



Steel
280008020



Modern Oak

This classic pattern is as continuous as its colour range. The natural surface structure provides an organic feel and touch, creating a peaceful interior that perfectly matches any lifestyle.

TEKTANIUM®



4-sided mini bevel

Dimensions:
20,05 x 120,00 cm
5,5 mm




CLASSICAL
280006007, Skirting: 26646131



LIGHT NATURAL
280006008, Skirting: 26646101





Rustic Oak

The natural décor provides a delicate balance of all the nuances that nature has to present.

TEKTANIUM®



4-sided
mini bevel

Dimensions:
20,05 x 120,00 cm

5,5 mm

BEIGE
280006004, Skirting: 26646026



RUSTIC OAK
Beige

Contemporary Oak

Beautiful and balanced, this flooring is perfect for timeless interiors. With subtle gradients ranging from light to dark, this design creates lovely, soft, wave-like patterns. Small and subtle details complete this state-of-the-art design.

TEKTANIUM®



4-sided
mini bevel

Dimensions:
20,05 x 120,00 cm
5,5 mm

NATURAL
280006009, Skirting: 26646020



English Oak

A noble oak pattern with a rustic touch, this flooring works very well with design codes around country living and the simplicity of raw ambiances.

TEKTANIUM®



Dimensions:
20,05 x 120,00 cm



4-sided
mini bevel



BEIGE
280006011, Skirting: 26646127



NATURAL
280006010, Skirting: 26646011





Limousin Oak

This wood shows us that nature is the ultimate designer. It is a modern and classic flooring that is refined and elegant, with distinctive patterns known as cathedrals.

TEKTANIUM®



4-sided
mini bevel

Dimensions:
20,05 x 120,00 cm
5,5 mm



NATURAL
280006005, Skirting: 26646193




GREGE
280006006, Skirting: 26646137





LIMOUSIN OAK
Grege



Highland Oak

This is an elegant and contemporary wood, available in different, natural colours and hues that highlight its distinctive pattern, known as cathedrals. Its refined, delicate and timeless design makes it easy to pair with a concrete or stone flooring.

TEKTANIUM®



Dimensions:
20,05 x 120,00 cm
5,5 mm



4-sided
mini bevel



NATURAL
280007012, Skirting: 26646136



TAUPE
280007013, Skirting: 26646137





Season Oak

A soft and balanced wood that creates a warm atmosphere, creating a traditional and timeless look.

TEKTANIUM®



4-sided
mini bevel

Dimensions:
20,05 x 120,00 cm
5,5 mm 



NATURAL
280006001, Skirting: 26646136



LIGHT BROWN
280006002, Skirting: 35949039 (L2020 x H80 mm /5)



BEIGE
280006003, Skirting: 26646069






SEASON OAK
Light Brown



SEASON OAK
NATURAL
280006001

Scale 1:6

Scale 1:2



SEASON OAK
LIGHT BROWN
280006002

Scale 1:6

Scale 1:2

SEASON OAK
BEIGE
280006003

Scale 1:6

Scale 1:2



SEASON OAK
Natural



SEASON OAK
Beige

Delicate Oak

A chic country wood, this flooring was chosen for its rustic and authentic traits. Its wood brings out your bohemian spirit that sometimes enjoys a touch of modernity. Its comfortable and cozy feel creates a cocoon-like atmosphere, where you can take a break and breathe.

TEKTANIUM®



Dimensions:
20,05 x 120,00 cm
5,5 mm



4-sided
mini bevel



SUGAR
280007015, Skirting: 26646096



NATURAL
280007014, Skirting: 26646138



BROWN
280007016, Skirting: 26646140



DELICATE OAK
Brown



DELICATE OAK
Natural



DELICATE OAK
SUGAR
280007015

Scale 1:6

Scale 1:2



DELICATE OAK
Sugar



DELICATE OAK
Brown

Patchwork

As a perfect example of a soothing, linear wood structure this design comes without any knots, creating a very subtle and calm ambiance for all living spaces. It can be paired with any other design, because of its sleek and smooth appearance.

TEKTANIUM®



4-sided
mini bevel

Dimensions:
32,00 x 64,00 cm

5,5 mm

GREY
280008018, Skirting: 26646198



PATCHWORK
WHITE
280008017

Scale 1:6

Scale 1:2

PATCHWORK
White

ELEGANCE RIGID 55 — 28



Medina

Inspired by classic cement tiles, the Bohemian style of this flooring adds creativity and fun to any room.


TEKTANIUM®



Dimensions:
32,00 x 64,00 cm

5,5 mm

GREY
280008018, Skirting: 26646198



Polished Concrete

Inspired by Oslos´ avant-garde architecture: modern and multifaceted.
This lean design creates space for exploring new shapes and textures.

TEKTANIUM®



4-sided
mini bevel

Dimensions:
32,00 x 64,00 cm
5,5 mm




INDIUM
280008019, Skirting: 26646175



STEEL
280008020, Skirting: 26646176






Accessories

SKIRTINGS




PVC DECORATIVE SKIRTING

- Compact skirting with decorative film and reinforced Polyurethane Treatment Layer.
- Perfectly matches all Elegance Rigid 55
- **Size:** 1950 length x 10 thickness x 60 mm
- **Packaging:** 1 box of 5 pieces (9,75 linear meters)
- **Exception:** 35949039 (dimension 202x8x1 cm /5)



STAIRS




HIGH TRAFFIC ALUMINIUM STAIRNOSE

- To be screwed
- Very resistant to wear and traffic

L2500 x W40 x H5 mm /10 

- Silver 1434 021
- Stainless steel 1434 022



VERY HIGH TRAFFIC

- Ribbed surface, slip-resistant
- Elegant finish

- Silver 1434 021
- Stainless steel 1434 022


STAIRNOSE VERY HIGH

Aluminium stairnose used in high-traffic areas.

- To be screwed. Very resistant to very high traffic.
- Ribbed surface for slip-resistance.

- **Size:** 30 mm height x 38 mm width x 5/5.5 mm thickness x 2500 mm length
- **Packaging:** - full kit including stairnose profiles, screws and dowls.
- 5 units of 2.5 lm per box = 12.5 lm

- Silver 26626 011
- Stainless steel (NCS:S 6005-Y20R) 26626 012



TRANSITION PROFILES




LUXURY VINYL TILES TRANSITION STRIP GENERAL TRAFFIC

Aluminium transition strip for LUXURY VINYL TILES Click & Loose-Lay used in general traffic areas.

- To be screwed.
- Elegant finish with smooth surface and no visual screws.
- Bendable with radius 60 cm.

- **Size:** 24 mm wide x 6 mm high x 2700 mm long
- **Packaging:** - full kit including top profiles and dowls.
- 2,7lm - 10 units of 27 lm

- Silver 1451 021
- Stainless steel (NCS:S 6005-Y20R) 1451 022




LUXURY VINYL TILES RAMP PROFILE HEAVY TRAFFIC

Aluminium ramp profile used in very heavy traffic areas for LUXURY VINYL TILES Click & Loose-Lay.

- To be screwed.
- **Size:** 38 mm wide x 5 or 7 mm high x 2700 mm long
- **Packaging:** - full kit including: Ramp profiles + Screws / Dowls diameter 5 mm.
- 2,7lm - 10 units of 27 lm

- Silver 1454 011
- Stainless steel (NCS:S 6005-Y20R) 1454 012




LUXURY VINYL TILES STOP PROFILE

- Aluminium profile to secure and offer a net finish at the end of a floor covering.
- To be screwed

- **Size:** 2700 mm long X 23 mm wide (bottom) / 13 mm wide (top) x 6-7mm inside thickness / 10 mm outer thickness
- **Packaging:** 2,7lm / 10 units of 27lm

- Stainless steel (NCS:S 6005-Y20R) 1456 013



Technical datasheet

Classification*	Norm	Tarkett value
Domestic classification	EN ISO 10874	23 Heavy
Commercial classification	EN ISO 10874	33 Heavy
Technical Characteristics	Norm	Tarkett value
Total thickness	EN ISO 24346	5.5 mm
Wear layer thickness	EN ISO 24340	0.55 mm
Total weight	EN ISO 23997	8.80 kg/m²
Binder content	EN ISO 10582	Type I
Surface treatment		Tektanium®
Bevelled edges		4 sides micro bevels
Installation method		Click
Performances for CE Marking Requirements (EN 14041)	Norm	Tarkett value
Declaration of Performance	EN 14041	0197-0059-DoP-2023-01
Technical Performances	Norm	Tarkett value
Dimensional stability	EN ISO 23999	Average measured value: ≤ 0.15 %
Curl resultant to heat	EN ISO 23999	≤ I mm
Reaction to fire	EN 13501-1	B _n -s1
Residual indentation	EN ISO 24343-1	Required value: ≤ 0.10 mm
Furniture leg	EN ISO 16581	No damage
Impact sound reduction - ΔL _w	EN ISO 717-2	19 dB
Reduction of in-room impact noise	NF S31-074	Class C (L _{n,e,w} < 85 dB)
Thermal resistance	EN ISO 10456	0.05 m² ·K/W
Colour fastness to light	EN ISO 105-B02	≥ 6
Chemical resistance	EN ISO 26987	Good resistance
Slip resistance	DIN 51130 EN 13893	R10 Class DS (μ ≥ 0.30)
Peeling resistance	EN ISO 24345	≥ 50 N / 50 mm
Underfloor heating		Suitable (maximum 27°C)
Sustainability Performances	Norm	Tarkett value
Total VOC emissions	EN 16516	Platinum (≤10 µg/m³)
Recyclability through ReStart®		Recyclable
Recycled content on average	ISO 14021	20 %
Carbon Footprint (Cradle-to- Gate, EPD Modules A1-A3)		9.62 kg CO ₂ eq / m²
Total Carbon Footprint (EPD Modules A-D)		5.63 kg CO ₂ eq / m² /year
Material Health Statement		Yes
Phthalate-free		Yes
Dimensions and designs	Norm	Tarkett value
Plank (installed size)		1200 x 200.5 mm - 9 planks/box = 2.17 m² - 44 boxes/pallet
Tile (installed size)		640 x 320 mm - 11 tiles/box = 2.25 m² - 40 boxes/pallet
Number of designs available		20

The above information is subject to modification for the benefit of further improvement. (04/23).
*Industrial classification available without backing (minimum order quantity: 600 m²).
According to the European Regulation N° 305/2011 for CE Marking, the Declarations of Performance are available on our website www.tarkett.com
Tarkett's instructions regarding installation, cleaning and maintenance should be observed. Please contact Tarkett at the address shown for these instructions.


RECYCLABLE


PHTHALATE FREE


OPTIMAL INDOOR AIR QUALITY


ReStart


RENEWABLE ENERGY


Potential contribution to GREEN BUILDING HQE DOHS


MHS MATERIAL HEALTH STATEMENT


EPD


Compatible with underfloor heating


GenClick


MADE IN EUROPE


20 years GUARANTEE COMMERCIAL USE


20 years GUARANTEE RESIDENTIAL USE


PLANK TILE





■ WESTERNEUROPE: Austria: Tarkett Holding GmbH - Tel. +43 1 716 440 • Belgium: Tarkett Belux Sprl - Tel. +32 52 26 24 11 • Denmark: Tarkett A/S - Tel. +45 43 90 60 11 • Finland: Tarkett Oy - Tel. +358 9 4257 9000 • France: Tarkett SAS - Tel. +33 1 41 20 42 49
 • Germany: Tarkett Holding GmbH - Tel. +49 62 33 81 0 • Greece: Tarkett Monoprosopi Ltd - Tel. +30 210 6745 340 • Italy: Tarkett S.p.A. - Tel. +39 0744 7551 • Luxembourg: Tarkett GDL SA - Tel. +352 949 211 8804 • Netherlands: Tarkett BV - Tel. +31 416 685 491 •
 Norway: Tarkett AS - Tel. +47 32 20 92 00 • Portugal: Tarkett SA - Tel. +351 21 427 64 20 • Spain: Tarkett Floors S.L. - Tel. +34 914 951 400 • Sweden: Tarkett Sverige AB - Tel. +46 771 25 19 00 • Switzerland: Tarkett Holding GmbH - Tel. +41 043 233 79 24
 • Turkey: Tarkett Turkey - Tel. +90 212 213 65 80 • United Kingdom: Tarkett Ltd - Tel. +44 (0) 1622 854 040 ■ **EASTERN EUROPE:** Baltic Countries: Estonia: Tel. +372 65 515 880 • Latvia: Tel. +371 26 112 014 • Lithuania: Tel. +370 37 262 220
 • Czech Republic: Tarkett org. s.r.o. - Tel. +420 271 001 600 • Hungary: Tarkett Polska Sp. z o.o. magyarországi fióktelepe - Tel. +36 1 437 8150 • Kazakhstan: Tarkett Kazakhstan - Tel. +7 7172 79 00 99 • Poland: Tarkett Polska Sp. z o.o.
 - Tel. +48 22 16 09 231 • Russian Federation: ZAO Tarkett RUS - Tel. +7 495 775 3737 • Slovakia: Tarkett Polska Sp. z o.o., organizačná zložka - Tel. +421 2 48291 317 • South East Europe: Tarkett SEE - Tel. +381 21 7557 649 (44) 569 12 21
 • Ukraine: Tarkett UA - Tel. +38 (0) 44 35 45 621 ■ **ASIA AND OCEANIA:** Australia: Tarkett Australia Pty Ltd - Tel. +61 2 88 53 12 00 • China: Tarkett Floor Covering (Shanghai) Co. Ltd. - Tel. +86 (21) 60 95 68 38 ext 841 • North East Asia:
 Tarkett Hong Kong Limited - Tel. +852 2511 8716 • India: Tarkett Flooring India Pvt. Ltd. - Bangalore - Tel. +91 80 4130 3793 - New Delhi - Tel. +91 11 4352 4073 - Mumbai - Tel. +91 22 2648 8750 • South East Asia: Tarkett Flooring
 Singapore Pte. Ltd. - Tel. +65 6346 1585 ■ **AFRICA:** Tarkett International: Tel. +33 1 41 20 41 01 ■ **MIDDLE EAST:** Tarkett Middle East: Tel. +961 1 51 3363/4 • Israel: Tarkett International: +33 1 41 20 41 01 ■ **NORTH AMERICA: USA:**
 Tarkett Inc. - Tel. +1 713 869 5811 / Johnsonite - Tel. +1 440 543 8916 • Canada: Tarkett Inc. - Tel. +1 450 293 173 ■ **LATIN AMERICA:** Brazil: Tarkett Brasil: Tel. +55 12 3954 7108 • Argentina - Chile - Uruguay: Tarkett Mercosur
 - Tel. +54 11 47 08 07 72 / +54 9 11 44 46 88 82 • Bolivia - Colombia - Ecuador - Panama - Paraguay - Peru - Trinidad and Tobago - Venezuela: Tarkett Latam - Tel. +55 11 9 8410 9310 / +55 11 95494 0069 • Mexico / Central America: Tarkett
 Mexico - Tel. +55 11 98410 9310

06-2023

The designs and photos used in this brochure are for illustration purposes only.
 They are not contractual images and do not stand for product recommendation.
 Due to evolution of standards, characteristics indicated in the text and images
 in this document are not binding only after confirmation by our departments.
 Design: Agence Gecko / Photos & 3D: EVO - Getty images - @bfstudio

