



akdeio[®]
Türkiye

forest products ground materials
import export
marketing industry and trade
LIMITED COMPANY

DECODECK
COMPOSITE DECK

COMPOSITE DECK

akdeio

Forest Products Ground Materials Import Export Marketing Industry and Trade
LIMITED COMPANY

Mobile Company: +90 532 250 65 29

Phone: +90 212 111 11 11

Address: Atakent Mah. 243. Sk. No:6 Tema İstanbul Sitesi 7/B No:1 Halkalı / Kçekmece İstanbul / TÜRKİYE



akdeio[®]
forest products ground materials
import export
marketing industry and trade
LIMITED COMPANY

www.akdeio.com.tr

info@akdeio.com.tr

[akdeio](#)

[akdeioorman](#)

PRODUCT
CATALOGUE



DECODECK

OUR STRENGTH IS OUR NATURAL

WHY CHOOSE US?

We continue our partnership with our customers, starting from product sales, by providing project, technical and architectural consultancy, as well as identifying problems and needs, and then supporting the solution with services.

- Our company's quality and research and development able to respond to customer requests as soon as possible.
- All of our products are produced by considering customer needs.

ABOUT OUR COMPANY

Our company was established in 1996 and started to manufacture composite wood in 2013. Our company, which has adopted a customer satisfaction-oriented production approach without sacrificing quality since its establishment, has been expanding its product range day by day by closely following technological and sectoral developments. With its quality and research and development studies, it has reached the level that can respond to customer requests as soon as possible.

Contact

+974 4444 5518

+974 4442 5520

Email : export@decodeck.com.tr

Web : www.decodeck.com.tr

Address : 90912 Salwa Road, Near DHL Doha /

QATAR





MISSION

To contribute to the increase of quality and useful products by producing solutions that will add value to human life in all geographies where we operate with our talents and energy. and to be a leading industrial organization that increases this product range day by day.

To follow all the innovations in the sector, to apply these innovations to the fields of activity and to ensure that they reach the society.

As an exemplary organization that creates value, contributes to customer satisfaction and society, in the Turkish production sector; To be a leading company in fields such as industry, construction, architecture and decoration and to maintain this position. To be among the leading companies of the world industry and production sector with an understanding of production open to the world.

VISION

To grow 4 times in 4 continents in our 26th year (2022) by adding value to every life we touch in every field we operate, with our reliable teams powered by our innovation-oriented entrepreneurial spirit.

To be a leading industrial organization that adopts quality as a way of life, strengthens its place in the sector with accurate, high quality and up-to-date products, develops products that are universal and suitable for needs, and increases this product range day by day.

To follow all the innovations in the sector, to apply these innovations to the fields of activity and to ensure that they reach the society.

Contact

+974 4444 5518

+974 4442 5520

Email : export@decodeck.com.tr

Web : www.decodeck.com.tr

Address : 90912 Salwa Road, Near DHL Doha /

QATAR





COMPOSITE DECK



— WHAT IS DECK ?

Deck; They are environmentally friendly products obtained by combining 55% Wood Sawdust, 45% PVC and a certain amount of protective and binding materials. It is a composite wooden coating that is mostly preferred as a floor covering outdoors. It is a human and environment friendly floor covering that can be used in every place. It is very useful and long lasting. Deck product it self allows the water to drain quickly and effectively under the laid grid. Galvanized stainless apparatus should be used for mounting the deck material to the grill.

— COLOUR OPTIONS

LIGHT BROWN



DARK BROWN



ANTRASIT



— OTHER ELEMENTS

HALF FILLED DECK



STAIR CLADDING PROFILE





COMPOSITE DECK

--	--	--

— WHY DECK ?

Deck is a non-slip material whether it is wood composite or made of real wood. It always stays dry as it absorbs water quickly. Being both non-slip and resistant to water and humidity, this coating makes it an excellent alternative for areas that will come into contact with water. It is also resistant to hard impacts and is not easily damaged. Moreover, it has a more modern and decorative appearance than other alternatives. By giving a tree appearance to composite decks, it can be made to look aesthetically and elegantly. Composite decking, which adds a luxurious atmosphere to every place it is used, is a timeless material that can be used easily in outdoor designs.

— OTHER ELEMENTS

L DECK CLADDING



SIMPLE CLOSING



L DECK CLADDING



CARCASE



KLIPS



SCREW



COMPOSITE DECK

	DATA SHEET	
--	-------------------	--

— TECHNICAL SPECIFICATIONS

Moisture resistant.
 Resistant to sun rays.
 Maintenance-Free.
 The water absorption rate is near zero.
 Not affected by pests.
 No paint or polish required.
 Doesn't Corrode.
 No splinter, no splitting.


Not affected by climate and environmental conditions.
 100% Recyclable.
 10 years conditional guarantee.
 Antibacterial.
 non-flammable
 Ease of installation.
 Does not slip.

— TECHNICAL DETAILS

COMPOSITE DECK

DECODECK

DETAIL
 WIDTH : 140 mm
 LENGTH : 3000 mm
 HEIGHT : 24 mm



FILLED DECK

DECODECK

DETAIL
 WIDTH : 140 mm
 LENGTH : 3000 mm
 HEIGHT : 24 mm



SIMPLE CLOSING

DECODECK


DETAIL
 WIDTH : 71 mm
 LENGTH : 3000 mm
 HEIGHT : 12 mm



HALF FILLED DECK

DECODECK


DETAIL
 WIDTH : 140 mm
 LENGTH : 3000 mm
 HEIGHT : 24 mm



DECK CLADDING

DECODECK

DETAIL
 WIDTH : 60 mm
 LENGTH : 3000 mm
 HEIGHT : 40 mm



STAIR CLADDING PROFILE

DECODECK

DETAIL
 WIDTH : 100 mm
 LENGTH : 3000 mm
 HEIGHT : 56 mm





COMPOSITE DECK



DECK APPLICATION





COMPOSITE DECK



— DECK APPLICATION AREAS

Terraces
Balconies
Pool sides
Sunbathing areas around the pool
The beaches
Piers
Saunas
Children's playgrounds

Gardens
Gazebos
Cafes
Restaurants
Hiking trails
Decks of marine vehicles
Areas that will be in constant contact with water (such as bathroom and



POOLSIDE DECK APPLICATION





GARDEN DECK APPLICATION



DECK APPLICATION



— DECK APPLICATION AREAS





WALL PANEL SYSTEMS



— WHAT IS WALL PANEL ?

Composite wall panel; It is a new high-performance internal structure compartment produced by industrialization and consisting of various building materials instead of traditional methods. It has many obvious advantages of environmental protection, energy saving and pollution-free, light weight, seismic resistance, fire / heat preservation, sound insulation, fast construction, is an ideal energy-saving wall material for modern architecture.

The fact that the variety of colors and textures is quite high is one of the primary preferences of the users.


— COMBINED SINGLE PANEL



NO03H NATURAL DARK



DWZ2H DARK WALNUT



AG34H ANTHRACITE GREY1

— SINGLE PANEL



GOH2H GOLDEN OAK



LMD726 PALACE WALNUT



LM724 ASOS

--	--	--

TRIPLE PANEL

— WHERE TO USE

Composite panel is a material that is used quite frequently in outdoor, building cladding. It has an important position in billboards and decoration, it is frequently preferred. It is used in banks, hotels, shopping malls or subway stations. Composite panels are one of the most preferred materials by architects both in our country and all over the world. This building material is used to provide a particularly decorative appearance in newly constructed buildings. Buildings look more elegant, aesthetic and modern with composite panels.

— COMBINED TRIPLE PANEL



NATURAL



LMD726 PALACE WALNUT



NATURAL

— TRIPLE PANEL



NATURAL



LMD726 PALACE WALNUT



NATURAL



WALL PANEL SYSTEMS

	DATA SHEET	
--	-------------------	--

— TECHNICAL SPECIFICATIONS

Moisture resistant.
Resistant to sun rays.
Maintenance-Free.
The water absorption rate is near zero.
Not affected by pests.
No paint or polish required.
Doesn't Corrode.
No splinter, no splitting.


Not affected by climate and environmental conditions.
100% Recyclable.
10 years conditional guarantee.
Antibacterial.
non-flammable
Ease of installation.
Does not slip.

— TECHNICAL DETAILS

SINGLE PANEL



TRIPLE PANEL








SINGLE PANEL APPLICATIONS



— SINGLE PANEL APPLICATION AREAS



INDOOR APPLICATIONS





SINGLE PANEL APPLICATIONS



— SINGLE PANEL APPLICATION AREAS



EXTERIOR WALL PANELAPPLICATIONS







TRIPLE PANEL APPLICATIONS



— TRIPLE PANEL APPLICATION AREAS



— INTERIOR WALL PANEL APPLICATION






TRIPLE PANEL APPLICATIONS



— EXTERIOR WALL PANEL APPLICATION





SIDING SYSTEMS

— WHAT IS SIDING

Siding Panel;Doğal ağaç dokusuna sahip ahşap kompozit cephe kaplama profilleri, evlerin, villaların, ofislerin, otellerin ve ticari binaların dış görünümünü güzelleştirmek için ideal bir çözümdür. Değişik renk alternatifleri ile yeni veya revize edeceğiniz binanıza yepyeni bir görünüm kazandırabilirsiniz.

Ahşap kompozit cephe kaplama profilleri mükemmel yalıtım özelliğinin yanı sıra yağmura, rüzgara, güneşe ve kara karşı yüksek koruma sağlar.

— COMBINED SIDING PANEL



DWZ2H DARK WALNUT



LMD 217 OAK



GOH2H GOLDEN OAK

— SIDING PANEL



LMD 199 SPECIAL BAMBOO



LMD724 ASOS



LMD248 MAKASSAR

--	--	--

— WHY SIDING?

Composite Siding; It is the only production in Turkey with its special lock system and produced different molds, and it is designed to be evaluated in your exterior projects. Composite siding is a very important alternative to wood. Composite siding shows high resistance against abrasion, rot, and infestations such as pier worms.

— MOUNTING ACCESSORIES

SERGEANT
PROFILE



— AUXILIARY ELEMENTS

CARCASE



SCREW





SIDING SYSTEMS

	DATA SHEET	
--	------------	--

— TECHNICAL SPECIFICATIONS

Moisture resistant.
 Resistant to sun rays.
 Maintenance-Free.
 The water absorption rate is near zero.
 Not affected by pests.
 No paint or polish required.
 Doesn't Corrode.
 No splinter, no splitting.


Not affected by climate and environmental conditions.
 100% Recyclable.
 10 years conditional guarantee.
 Antibacterial.
 non-flammable
 Ease of installation.
 Does not slip.

— TECHNICAL DETAILS

— SIDING

DECODECK


DETAIL	
WIDTH	: 140 mm
LENGTH	: 3000 mm
HEIGHT	: 18 mm



— SERGEANT PROFILE

DECODECK


DETAIL	
WIDTH	: 59 mm
LENGTH	: 3000 mm
HEIGHT	: 59 mm



— CARCASE

DECODECK

DETAIL	
WIDTH	: 40 mm
LENGTH	: 3000 mm
HEIGHT	: 30 mm






SIDING APPLICATION



— EXTERIOR SIDING APPLICATION






SIDING APPLICATION



— EXTERIOR SIDING APPLICATION





FENCE SYSTEMS



— WHAT IS FENCE?

Composite Fence; It is a practical and ideal solution to surround your desired area in your outdoor spaces and turn it into a safe and stylish living space.

Without fear of moisture, wood composite profiles offer you the advantages of long-lasting, durable fences that do not rot, with low maintenance costs.

— FENCE PANEL SYSTEM



— COMBINED FENCE PANEL SYSTEM





FENCE SYSTEMS



— WHY FENCE ?

The fences and balustrades we produce as Decodeck are suitable for use for many years, with decorative fences produced entirely from wood composite material, compatible with nature with different designs in places such as terraces, parks and gardens. They are combined with high quality composite profiles and aluminum poles to provide an aesthetic and mobile appearance. Composite profiles have fully closed and semi-closed model options and dozens of color options. It allows you to create the design you want in your garden with its solid anchor system. With no fear of moisture, wood composite profiles offer you a durable, durable and durable alternative with low maintenance costs.



FENCE COLUMN

DIGNAL SCREW



FLANGE



FENCE COLUMN COVER



U PROFILE





FENCE APPLICATION



— FENCE INSTALLATION





FENCE SYSTEMS




— TECHNICAL DETAILS


Moisture resistant.
Resistant to sun rays.
Maintenance-Free.
The water absorption rate is near zero.
Not affected by pests.
No paint or polish required.
Doesn't Corrode.
No splinter, no splitting.

Not affected by climate and environmental conditions.
100% Recyclable.
10 years conditional guarantee.
Antibacterial.
non-flammable
Ease of installation.
Does not slip.


— FENCE PROFILE



— FENCE COLUMN



— FLANCE





FENCE APPLICATION



— FENCE SYSTEMS





FENCE APPLICATION

--	--	--





— WHAT IS PERGOLA

Pergola systems are made of composite products to create shade in gardens. With this appearance, pergola systems add an organic look to the environment, so the spaces look more elegant. Pergola systems are frequently used in your living spaces, cafes, restaurants, poolsides. Pergola is a system that must be installed very carefully. Pergola systems can be made in different colors besides wood color. Pergola systems, which are indispensable for open spaces, are also applied to walking paths, therefore they are preferred as city furniture on walking paths.



FENCE

— PERGOLA SYSTEMS BEAM




RACK

— AUXILIARY ELEMENTS

U PROFILE



RAFTER COVER



POST COVER



FLANGE



BEAM COVER






— TECHNICAL DETAILS


Moisture resistant.
Resistant to sun rays.
Maintenance-Free.
The water absorption rate is near zero.
Not affected by pests.
No paint or polish required.
Doesn't Corrode.
No splinter, no splitting.

Not affected by climate and environmental conditions.
100% Recyclable.
10 years conditional guarantee.
Antibacterial.
non-flammable
Ease of installation.
Does not slip.


— FENCE




— RACK



— FLANGE



— BEAM





PERGOLA APPLICATION



— PERGOLA APPLICATION



--	--	--

— PANEL DOOR SYSTEMS

Composite door is at the forefront in terms of durability when compared to other wooden doors. Those who prefer composite doors prefer these doors on wet floors, in all areas such as toilets and bathrooms that receive water. Composite door installation is easier than wooden doors. The color chart of the models in these doors is quite wide. These doors are the most preferred models today. They are water resistant, impact resistant, moisture and humidity resistant soundproof doors.

— DOOR MODELS



DKM001



DKM002



DKM003



DKM004



DKM005



DKM006



PVC INTERNAL DOOR




— PANEL DOOR

Panel door system is frequently preferred due to its ease of installation. Panel doors are suitable for use in all living spaces. Our Interior Panel Doors are non-fading, dirt-proof, water-proof and non-flammable.

— CASE AND SIDE PROFILES

OVAL CASE



FLAT CASE



SIDE PROFILE



WOODEN SEREN





— TECHNICAL SPECIFICATIONS

Moisture resistant.
Resistant to sun rays.
Maintenance-Free.

The water absorption rate is near zero.
Not affected by pests.
No paint or polish required.
Doesn't Corrode.
No splinter, no splitting.

Not affected by climate and
environmental conditions.

100% Recyclable.

10 years conditional guarantee.

Antibacterial.


non-flammable

Ease of installation.

Does not slip.

— TECHNICAL DETAILS

OVAL LARGE DOOR CASE - SIZE 200




FLAT DOOR CASE - SIZE 60



FLAT DOOR FRAME SIZE 200



LARGE FLAT DOOR CASE – SIZE 240



OVAL DOOR CASE – SIZE 150



FLAT DOOR FRAME SIZE 140





PANEL DOOR SYSTEMS



— TECHNICAL SPECIFICATIONS

Moisture resistant.
 Resistant to sun rays.
 Maintenance-Free.
 The water absorption rate is near zero.
 Not affected by pests.
 No paint or polish required.
 Doesn't Corrode.
 No splinter, no splitting.

Not affected by climate and environmental conditions.
 100% Recyclable.
 10 years conditional guarantee.
 Antibacterial.
 non-flammable
 Ease of installation.
 Does not slip.

— TECHNICAL DETAILS

100MM STRAIGHT DOOR FRAME

DECODECK

DETAIL	
WIDTH	: 100 mm
LENGTH	: 3000 mm
HEIGHT	: 36 mm



100MM OVAL DOOR FRAME

DECODECK

DETAIL	
WIDTH	: 100 mm
LENGTH	: 3000 mm
HEIGHT	: 36 mm



18MM WING PANEL

DECODECK


DETAIL	
WIDTH	: 64 mm
LENGTH	: 3000 mm
HEIGHT	: 18 mm



WING WIDE PANEL

DECODECK


DETAIL	
WIDTH	: 220 mm
LENGTH	: 3000 mm
HEIGHT	: 18 mm



WING EDGE PROFILE

DECODECK

DETAIL	
WIDTH	: 111 mm
LENGTH	: 3000 mm
HEIGHT	: 40 mm





PANEL DOOR SYSTEMS

--	--	--

— TECHNICAL SPECIFICATIONS

Moisture resistant.
 Resistant to sun rays.
 Maintenance-Free.
 The water absorption rate is near zero.
 Not affected by pests.
 No paint or polish required.
 Doesn't Corrode.
 No splinter, no splitting.


Not affected by climate and environmental conditions.
 100% Recyclable.
 10 years conditional guarantee.
 Antibacterial.
 non-flammable
 Ease of installation.
 Does not slip.

— TECHNICAL DETAILS


DOOR FRAME



DOOR FRAME



DOOR FRAME




--	--	--

— WHAT IS SOILLESS AGRICULTURAL?

Soilless agriculture, also known as "hydroponic cultivation", has reached a commercial volume of 100 billion dollars in the world and these techniques are used in around 2000 greenhouses in Turkey. The yield in soilless farming methods is five times higher than in traditional farming practices. With the soilless agriculture practices made with active water culture, 16 thousand tomatoes are obtained from one seed and 80 tons of product is obtained from approximately one decare. Since there is no use of hormones and drugs in soilless agriculture, and as a result, there is no residue on the fruit, it is demanded by the consumer and directs the producer to soilless cultivation.

— SOILLESS AGRICULTURAL PROFILE




— INSTALLATION PROCESS





— SOILLESS AGRICULTURE APPLICATIONS





SOILLESS AGRICULTURE PROFILE




— TECHNICAL SPECIFICATIONS

Moisture resistant.
Resistant to sun rays.
Maintenance-Free.
The water absorption rate is near zero.
Not affected by pests.
No paint or polish required.
Doesn't Corrode.
No splinter, no splitting.

Not affected by climate and environmental conditions.
100% Recyclable.
10 years conditional guarantee.
Antibacterial.
non-flammable
Ease of installation.
Does not slip.

— TECHNICAL DETAIL

SOILLESS AGRICULTURE PROFILE





ZERAY KIRSAL SAPANCA VILLA PROJECT

HANDOVER PROJECTS WITH OUR SOLUTION PARTNERS





ZERAY KIRSAL SAPANCA VILLA PROJECT

HANDOVER PROJECTS WITH OUR SOLUTION PARTNERS





ZERAY KIRSAL SAPANCA VILLA PROJECT

HANDOVER PROJECTS WITH OUR SOLUTION PARTNERS





ZERAY KIRSAL SAPANCA VILLA PROJECT



HANDOVER PROJECTS WITH OUR SOLUTION PARTNERS





ZERAY KIRSAL SAPANCA VILLA PROJECT

HANDOVER PROJECTS WITH OUR SOLUTION PARTNERS





ZERAY KIRSAL SAPANCA VILLA PROJECT

HANDOVER PROJECTS WITH OUR SOLUTION PARTNERS





COMMUNICATION

DECODECK KOMPOZİT SAN. VE TİC. A.Ş

HEAD OFFICE

TÜRKİYE



+90 212 886 58 26

ADDRESS

TÜRKİYE



HALKALI MERKEZ MAH
BASIN EXPRESS
CAD. NO: 15/A KÜÇÜKÇEKMECE
TURKEY / ISTANBUL

WPC STEEL & ALUMINIUM WORKSHOP

HEAD OFFICE

QATAR



+974 4444 5518

ADDRESS

QATAR



SALWA ROAD, NEAR
DHL DOHA / QATAR
90912

EMAIL ADDRESS



SATIS@DECODECK.COM.TR



EXPO@DECODECK.COM.TR



WWW.DECODECK.COM.TR