



akdeio[®]
forest products ground materials
import export
marketing industry and trade
LIMITED COMPANY



akdeio

Forest Products Ground Materials Import Export Marketing Industry and Trade
LIMITED COMPANY

Mobile Company: +90 532 250 65 29

Phone: +90 212 111 11 11


Address: Atakent Mah. 243. Sk. No:6 Tema İstanbul Sitesi 7/B No:1 Halkalı / Kçekmece İstanbul / TÜRKİYE



akdeio[®]
forest products ground materials
import export
marketing industry and trade
LIMITED COMPANY

www.akdeio.com.tr
info@akdeio.com.tr

akdeio
akdeioormen



Grading of wood

A tree is like a secret package. You have some ideas of the content, but you don't know for sure what will show up. Each and single wood piece is unique.

In our manufacturing the wood is sorted and graded in different families to get specific image of the flooring. At Tarkett, we offer different wood grading:

Supreme – very uniform color with calm look / very small knots / no sapwood

Elegant – uniform color, moderately calm structure / small knots

Nature – medium color variations, natural look / medium knots / traditional look

Original – medium color variations, lively structure / medium knots / colorful look

Robust – large color variations, lively structure / medium knots / vivid look

Vivid – very lively color and structure / large knots / vintage look. Some of the brushed products in vivid grade are presented with additional photos of knots, illustrating specific characteristics of this grade.

Thermo / Cognac – hardwood becomes darker throughout the whole thickness

Premium – uniform color with calm structure / small knots / no sapwood

Uni Nature – medium color variations, natural look / medium knots / moderately visible sapwood

Uni Rustic – large color variations, very lively structure / large knots / visible sapwood / vintage look

Uni Robust – large color variations, very lively structure / medium knots / very visible sapwood / vivid look

Our experience of more than a century long, commitment to excellence and care for customers guide us in eliminating natural wood imperfections.

Селекция древесины

Каждое дерево похоже на подарок с секретом. Вы догадываетесь, что может быть внутри, но никогда не знаете наверняка, чем на самом деле оно обернется. Каждая планка природной древесины – уникальна.

В процессе производства мы тщательно отбираем и сортируем натуральную древесину по различным типам селекции, чтобы получить особые дизайны напольного покрытия. В компании Tarkett мы используем следующие селекции:

Supreme | Суприм – максимально однородный цвет и структура/ очень мало сучков / нет заболоней

Elegant | Элегант – однородный цвет, умеренная спокойная структура / небольшие сучки

Nature | Натур – средняя вариация по цвету / средний размер сучков / традиционный, естественный вид

Original | Ориджнл – средняя вариация по цвету, разнообразная структура / средний размер сучков / яркий, «живой» вид

Robust | Робуст – широкое разнообразие цвета, «живая» структура / средний размер сучков / яркий, «активный» дизайн

Vivid | Вивид – яркое разнообразие в оттенках и структуре / большие сучки / «винтажный» вид дизайнов. Мы добавили дополнительные фото сучков для некоторых брашированных дизайнов в селекции Вивид, чтобы продемонстрировать характеристику этой селекции.

Термо / Коньяк – термообработанная древесина, которая приобрела более темный, по сравнению с натуральным, цвет на всю свою глубину.

Premium | Премиум – однородный цвет и структура/ очень мало сучков / нет заболоней

Uni Nature | Уни Натур – средняя вариация по цвету / средний размер сучков / умеренные, «естественные» заболони

Uni Rustic | Уни Рустик – широкое разнообразие цвета, очень «живая» структура / крупные сучки / заметные заболони / «винтажный» вид

Uni Robust | Уни Робуст – широкое разнообразие цвета, очень «живая» структура / средние сучки / заметные заболони / яркий, «активный» дизайн


Благодаря нашему почти полуторавековому опыту, помноженном на стремлению к совершенству и заботе о покупателях, в производстве нашего паркета мы исключаем любые несовершенства природной древесины.

Wood pictograms explanations / Расшифровка пиктограм паркета


Pictograms | Пиктограммы | Піктограми | Piktogrami | Pictogramme | Пиктограми | Пиктограми | Piktogrami | Piktogrami | Piktogramme




Color variation scale | Шкала изменений цвета | Variații de culoare | Scala variației de culoare | Скала на вариации на бои | Цветова вариация | Scala varijacije boje drveta | Lestvica sprememb barve | Shkalla e ndryshimit të ngjyrave



Knots | Наличие сучков | Наявність сучків | Pristupstvo čvorova | Prezența nodurilor | Pristutnost čvorova | Присуство на чворови | Наличие на чепове | Pristotnost čvorov | Prezenca e nyjeve



Sapwood | Светлые участки древесины | Світлі ділянки деревини | Pristupstvo beljiki | Prezența alburnului | Pristutnost bjeljike | Присуство на беловина | Наличие на беловини | Pristotnost beljike | Prezenca e masës së bardhë të drurit




1 strip look on 3 strip pattern

Digital print 1 strip on 3 strip | Цифровая печать имитация 1-полос | Цифровий друк імітація 1-смуг | Digitalna štampa jedne lamele na trolamelnoj osnovi | Print Digital Scandura pe 3 lamele | Digitalni print jedan strip na tri strip | Дигитален принт еден стрип на три стрип | Дигитален принт планка върху 3 стрип | Digital print 1 strip na 3 strip | Printim digjital 1 strip në 3 strip



2 strip look on 3 strip pattern

Digital print 2 strip on 3 strip | Цифровая печать имитация 2-полос | Цифровий друк імітація 2-смуг | Digitalna štampa dve lamele na trolamelnoj osnovi | Print Digital Scandura pe 3 lamele | Digitalni print dva strip na tri strip | Дигитален принт 2 стрип на 3 стрип дезен | Дигитален принт 2 стрип върху 3 стрип | Digital print 2 strip na 3 strip | Printim digjital 2 strip në 3 strip



Hardness scale | Шкала твердости | Твердість деревини | Skala tvrdoće drveta | Scala de duritate a lemnului | Скала на твърдост на дървото | Скала за твърдост на дървото | Skala tvrdoće drveta | Lestvica trdote lesa | Shkalla e ngurtësisë së drurit



Aqua Guard | Аква Гард | Аква Гард | Aqua Guard | Aqua Guard | Aqua Guard | Aqua Guard | Aqua Guard | Aqua Guard | Aqua Guard




Colored

Colored | Тонирован | Colored | Bojen | Vopsit | Боен | Боядисан | Bojani | Farbani | Ngjyrosur




T-lock


T-lock locking system | Замковая система T-lock | Замкове з'єднання Т-лок | T-lock sistem | Sistem de închidere T-lock | T-lock sistem | T-lock заключваща система | T-lock sustav spajanja | Sistem spajanja T-lock | Sistem mbyllës T-lock




Color variation over time | Изменение цвета со временем | Зміни кольору з часом | Variații de culoare în timp | Вариации на бои со текот на времето | Промяна на цвета на дървото във времето | Variații de culoare în timp | Varijacije boje drveta tijekom vremena | Sprememba barve skozi čas | Ndryshime të ngjyrave gjatë kohës




1-strip | Однополосный | 1-смуговий | 1 lamela | 1 lamelă | 1-ламе́ла | Цяла дъска | 1 lamela | enolamelni | 1 shirit



3-strip | Трехполосный | 3-смуговий | 3 lamele | 3 lamele | 3-ламе́ли | 3-редов | 3 lamele | trilamelni | 3 shirita



Special Surface effects | Специальные эффекты | Специални види обработки поверхности | Efect special al suprafeței | Специјални површински ефекти | Специјални повърхностни ефекти | Posebni površinski učinak | Posebni površinski učinki | Efekt i veçantë i sipërfaqes



Bevel | Фаска | Фаска | Zakošene ivice | Sapete oblice | Коси рабови | Скосени краища | Kose ivice | Poševni robovi | Buza të pjerrëta



Brushed

Brushing | Браширование | Браширування | Četkan | Periere | Четканье | Четкан | Četkan | Krtačen | Fshirje



Type of lacquer | Тип лака | Тип лаку | Vrsta laka | Tip de lac | Вид на лак | Вид лак | Vrsta laka | Vrsta laka | Lloj llaku



Oil type | Тип масла | Тип Масловичу | Vrsta ulja | Tipul de ulei | Видови на масла | Вид масло | Vrsta ulja | Vrsta olja | Lloji i vajit



Heat treated

Heat treatment | Термообработка | Термообработка | Termički tretiran | Tratament termic | Термичка обработка | Термично обработен | Termička obrada | Toplotno obdelan | Trajtim termik



Steamed

Steaming | Парообработка | Пропарювання | Paren | Aburire | Обработен со пара | Обработен с пара | Paren | Parjen | Avullim

The ultimate surface protection

Aqua Guard – liquid resistance

What if you spill some water based liquids on your wood flooring? No problem, Tarkett has developed special hydrophobic liquid and state of art applying equipment to protect the most sensitive part of installed wood flooring – short connection between boards.

- Protects installed wood flooring from most common water based liquid spills
- Extends liquid resistance at the short side of boards connection
- Provides better wood flooring overall appearance for long-lasting period of time



Object impact – lacquer elasticity

What if you drop some round heavy object on your wood flooring? Just relax, Tarkett Protoco Strong lacquer elasticity and stability prevents lacquer cracking on impacted areas.

- Superior lacquer elasticity and stability
- Prevents lacquer from damaging and cracking
- Preclude dirt and water to penetrate impact area and darken the finish



Taber abrasion – lacquer durability

What if you plan to use wood flooring for many years? Be sure that Tarkett Protoco Strong lacquer exceptional abrasion resistance and outstanding durability will ensure that your expectations are fulfilled.

- The strongest wear and tear resistance
- Ensures product long life expectations
- Makes the surface look new and fresh for a very long time



Micro scratch – gloss stability

What if you use some areas of wood flooring more frequently? Tarkett Protoco Strong advanced micro scratch resistance minimizes lacquer gloss variation over time and preserves wood flooring original appearance.

- Advanced lacquer micro scratch resistance
- Minimizes gloss variation during years of usage
- Preserves wood flooring original appearance over time



Healthy floors – prevents bacteria reproduction

What if there are some bacteria on your wood flooring? Don't worry, Protoco Strong lacquer bacteria stop properties prevent bacteria reproduction and keep you and your family safe and healthy.

- Bacteria stop lacquer properties
- Prevents bacteria reproduction
- Keeps you and your family safe and healthy for long-lasting period of time



Совершенная защита пола

Aqua Guard* – защита от влаги

Что делать, если Вы случайно пролили воду на паркет? Не проблема! Tarkett разработал специальную гидрофобную пропитку, которая защищает самые чувствительные элементы на уложенном полу – стыки паркетных досок по короткой стороне.

- Защищает уложенный пол от большинства пролитых бытовых жидкостей
- Защищает от быстрого проникновения влаги в самых уязвимых участках уложенного пола – по короткой стороне
- Обеспечивает лучший вид пола на более длительный период

*Аква Гард

Эластичность лака – стойкость к ударам

Что произойдет, если на пол случайно упал тяжелый предмет? Без паники! Лак Protoco Strong благодаря своей эластичности и прочности защищает от появления трещин, сколов и расслоений лака.

- Улучшенная эластичность и прочность лака
- Предотвращает повреждения и растрескивания
- Не допускает проникновения пыли и воды на поврежденном участке

Устойчивость к истиранию – долговечность покрытия

Вы хотите, чтобы Ваш пол сохранял безупречный вид долгие годы? Будьте уверены, лак Protoco Strong от Tarkett, благодаря необыкновенной устойчивости к возникновению царапин и других следов времени, оправдает Ваши ожидания.

- Прочное покрытие и устойчивость на разрыв
- Повышенные эксплуатационные характеристики
- Пол выглядит как новый на протяжении долгого времени

Устойчивость к микроцарапинам – стабильность блеска

Что если некоторые участки пола используются чаще, чем другие? Улучшенные характеристики по устойчивости к микроцарапинам лака Protoco Strong гарантируют свежий блеск паркета надолго. А это значит, что пол сохранит свой первоначальный вид и будет Вас радовать каждый день.

- Улучшенные характеристики лака к появлению микроцарапин
- Снижает риск потери блеска лака со временем
- Сохраняет первоначальный вид паркета надолго

Безопасный пол – Bacteria stop*

Беспокойтесь о безопасности Вашего пола? Не волнуйтесь! Свойство нашего лака Bacteria Stop предотвратит размножение бактерий. А это значит – безопасная и здоровая среда для всей Вашей семьи.

- Свойство лака Bacteria Stop
- Предотвращает размножение бактерий
- Здоровая среда дома даже для самых маленьких членов семьи

*Бактерия Стоп

Essential Pure

Sense of Beauty

Product line Essential Pure includes light parquet, in white and grey tones. Light floor opens the space and makes it bright and fresh.

In two collections from this line, White and Antique White/Grey, you can choose among large number of 1-strip and 3-strip parquets, with different finishes - lacquer or oil, with matte or high gloss appearance.

Чувство Красоты

Линия продуктов Essential Pure состоит из паркета светлых оттенков, в белых и сероватых тонах. Светлый пол визуально «раскрывает» пространство интерьера, делает его ярким и свежим.


В двух коллекциях этой линии, White и Antique White/Grey, представлен широкий выбор одно- и трехполосных дизайнов с различными вариантами покрытия: лак или масло-воск, в матовом или супер-глянцевом исполнении.



Essential
Pure

Tango Oak White Moscow
Дуб Белая Москва

550058075 / 2215x164x14 mm



Colored




Brushed



Hand bevel



least more most
Color variation



least more most
Knots

Sapwood

not applicable
due to surface
treatment and/or
staining

UNI Rustic

White

Essential
Pure

Rumba Oak Snow HG Дуб Снежный Блестящий

550048035 / 1200x120x14 mm



Colored



Brushed



Midi bevel



Color variation



Knots

Sapwood

not applicable
due to surface
treatment and/or
staining

UNI Rustic

White

Essential
Pure

Salsa Oak Iceberg
Дуб Айсберг

550049124 / 2283x194x14 mm



Colored



Brushed



Original

Antique
White/
Grey

Angle view

Essential
Pure

Salsa Oak Cotton Дуб Коттон

550049140 / 2283x194x14 mm



Colored



Brushed



Rustic

White



Angle view

Essential
Pure

Salsa Ash Silky White
Ясень Белый Шелк

550049139 / 2283x194x14 mm



Colored



Brushed



Nature

Essential
Pure

Step Oak Royal Antique White Дуб Роял Антик Белый

550184005 / 1200x164x14 mm
550184006 / 1200x140x14 mm
550184007 / 1000x164x14 mm
550184008 / 1000x140x14 mm



Colored



Brushed



Midi bevel



Color variation



Knots

Sapwood


not applicable
due to surface
treatment and/or
staining

UNI Robust

Essential
Pure

Tango Oak Antique White
Дуб Антик Белый

550058064 / 2215x164x14 mm




Colored



Brushed



Midi bevel



Color variation



Knots

Sapwood

not applicable
due to surface
treatment and/or
staining

UNI Rustic

Essential
Pure

Tango Classic Oak Bright Дуб Светлый

550182002 / 1200x164x14 mm



Brushed



4 Side bevel




Colored



Color variation



Knots



Sapwood

UNI Nature + UNI Rustic

Antique
White/
Grey



Angle view

Essential
Pure


Step Oak Royal Grey Дуб Роял Серый

550184054 / 1200x164x14 mm

550184056 / 1200x140x14 mm

550184055 / 1000x164x14 mm

550184057 / 1000x140x14 mm




Colored



Brushed



Midi bevel



Color variation



Knots



Sapwood

UNI Robust + UNI Rustic

Essential
Pure

Salsa Oak Nordic Elegant
Дуб Нордик Элегант

550049132 / 2283x194x14 mm



Colored



Elegant

Essential
Pure

Salsa Oak White Gold Дуб Белое Золото

550050034 / 2283x194x14 mm



Colored



Brushed



Elegant

Essential
Pure

Samba Oak Cream Elegant
Дуб Кремовый Элегант

550051075 / 1123x194x14 mm



Colored



Elegant

Essential
Pure

Salsa Premium Oak Moonstone Дуб Лунный Камень

550170016 / 2283x194x14 mm



Brushed



Colored



Elegant



Angle view

[illegible]