





Flooring assortment

2025





Welcome to our world!

FEATURES GUIDE	04		
PRODUCT OVERVIEW	06		
MO.RE!	08		
Ørganic VENEER PARQUET	12		
-			
mo.re! Laminate Flooring			
HERRINGBONE 8	22	FORMAT OVERVIEW	72
ALTITUDE	30	ACCESSORIES	73
ATLANTIC 12	36	SKIRTING BOARDS	80
ATLANTIC 10	42	DECOR OVERVIEW	82
ATLANTIC 8	56	PACKAGING INFORMATION	83



www.krono-original.com

www.facebook.com/KronoOriginal



















Made by Kronospan

Features guide Your benefits at a glance



Residential guarantee

All floors are put through a series of rigorous tests in order to comply with international quality standards, which is why we grant an extensive residential warranty with every product.



resistant

The flooring is light-resistant: Even on days when the sun is shining for hours, your flooring remains nonfading according to rating 6 of the Blue Wool Scale.



Real groove

Bevelled edges on all four sides of the plank ensure an authentic floorboard look.



Anti-slip class

Safety is something we put great emphasis on. Classification in anti-slip classes has been achieved through specially developed surface structures, which address the requirements for floor coverings in the workplace and commercial areas where a high risk of slipping is present.



Inspired by traditional craftsmanship, the true-edgebevels provide a harmonious room appearance.

Classification:

R9 and R10 according to DIN 51130 and DIN EN 16165



Soft bevel

Antibacterial

A.B.C. Anti Bacterial Comfort inhibits the growth of bacteria on your flooring and provides you with the peace of mind that comes from a healthy home environment. Tested germs: Staphylococcus aureus



Design diversity

Up to 60 different panels on digitally printed design are possible. This lends your flooring an authentic appearance that is virtually free of repetition.



Authentic embossed

The synchronous pores follow the grain of the decor, meaning they flawlessly mimic the character of natural wood.



Real wood

This floor is made from real wood. The high-quality brushed oak surface gives every room natural elegance.



Microscratch protect

The robust surface protects your flooring against microscratches that can be caused by strong mechanical stresses or the claws of house pets.



Anti-static

The flooring provides complete protection against unpleasant shocks. The Anti-static is built-in and guaranteed for the life of the floor.



Thanks to the robust surface, which is also undaunted by small mishaps, the flooring is exceptionally

well-suited for life with house-pets.





Product overview

	Collection Name	Durability (Wear Resistance)	Coreboard (Water Protection)	Thickness
Veneer Parquet	Ørganic⁺¹ VENEER PARQUET 1383 x 244 mm 54.45" x 9.61"	Titanium Ultra	moisture resistance technology	8.5 mm
mo.re! Laminate Flooring	HERRINGBONE 8 630 x 126 mm 24.80" x 4.96"	AC5	moisture resistance technology	8 mm
	ALTITUDE 2003 x 245 mm 78.86" x 9.65"	AC5	moisture resistant moisture resistance technology	12 mm
	ATLANTIC 12 1288 x 195 mm 50.71" x 7.68"	AC5	moisture resistant moisture resistance technology	12 mm
	ATLANTIC 10 1288 x 195 mm 50.71" x 7.68"	AC5	moisture resistant moisture resistance technology	10 mm
	ATLANTIC 8 638 x 330 mm 25.12" x 12.99" 1288 x 195 mm 50.71" x 7.68"	AC4	moisture resistance technology	8 mm

^{* 1} Consists of natural wood and an organic chemical binder

^{*2} Tested according to NALFA Laminate Surface Swell Test and according to ISO 4760 (Topical moisture resistance — Assembled joint)

^{*3 24} h surface water protection as stipulated by NALFA and 48 h splash-water protection according to works standard KRONOSPAN WN-103, www.floor-with-more.com

^{*4} According to warranty terms

^{*5} Selected decors

Pet- proof	Utilization Class	Residential Guarantee⁴	Bevel	Joint	Authentic Embossed	SKUs
*	32	20 years	Soft Bevel	Tap Loc	-	6
*	32	20 years	V4	Fold Down	Yes	8
*	33	30 years	V4	1clic 2go pure+	Yes	6
*	33	30 years	V4	1clic 2go pure+	Yes	6
*	33	30 years	V4	1clic 2go pure+	Yes	15
*	32	20 years	V4	1clic 2go pure+	Yes*5	21

∑ 62





Laminate Flooring Take more. Endure more. Withstand more.

mo.re! from KRONOSPAN is a moisture-resistant laminate flooring product that makes laminate even more practical for everyday life.



mo.re! makes laminate flooring even more moisture-resistant. And that's a good thing. After all, small everyday mishaps can happen to anyone.

How mo.re! technology works

mo.re! is based on a specially developed substrate formula.

Its new binding agent makes the flooring more durable and decreases swelling – improving resistance to moisture penetration.



Scan the QR code and check out the mo.re! features!

^{* 24} h surface water protection as stipulated by NALFA and 48 h splash-water protection according to works standard KRONOSPAN WN-103, www.floor-with-more.com-











It is **much more moisture-resistant** than traditional laminate flooring


It is $\textbf{A.B.C. surface}^{\star}$ inhibits bacteria growth on floors to protect your family

It is **light-resistant**: Even on days when the sun is shining for hours, your flooring remains nonfading according to rating 6 of the Blue Wool Scale.

It is **perfect for life with house pets** – the robust and hard-wearing surface masters the everyday challenges of households with pets

It is great for installation in private bathrooms**

It is available in **utilization classes 32 and 33** according to DIN EN 13329





mo.re! for the environment

mo.re! offers more, even for the environment

It is made using only wood from sustainably managed forests. And KRONOSPAN does not use any PVC in flooring with the mo.re! technology. This demonstrates our commitment to environmental stewardship. mo.re! substrate is CO_2 -negative: Processing a tree to make this product emits less CO_2 than the tree has stored in its life.





^{*} May contain traces of PVC, e.g. from packaging



The sustainable alternative to parquet

These wooden floorings are luxurious, cosy and natural. The high-quality brushed oak surface lends homely flair to any room. With the Veneer Parquet series, KRONOSPAN offers authentic wood floors with a real wood veneer as the top layer.



The special thing about it: KRONOSPAN combines the natural properties of the raw material wood with the technical refinements of a multi-layer construction. The top layer consists of a 0.6 millimeter wood veneer – the wood comes exclusively from sustainable forestry. The middle layer consists of a high-density fibreboard (HDF). This makes the flooring particularly stable and durable. Thanks to these properties, Veneer Parquet is a resource-saving and sustainable alternative to conventional parquet flooring.



The innovative feature, mo.re! technology, is the intelligent moisture protection. This means the real wooden surface of the floor is also protected for just in case.



Real wood



Feel the nature









Residential guarantee



Utilization class



Soft bevel

Ultramatt surface

Real wood flair

Eco-friendly

Wood from sustainably managed forests

Moisture resistant*

thanks to mo.re! technology

Soft bevel

True-Edge-Bevel for a harmonious room appearance

Easy installation

Ideal for renovations thanks to low profile height

Modern wide planks: 1383 x 244 mm

Amazing designs

^{*} Tested according to NALFA Laminate Surface Swell Test and according to ISO 4760 (Topical moisture resistance — Assembled joint)





7 rganic **VENEER PARQUET**





8.5 mm

1383 x 244 mm | 54.45" x 9.61"

Tap Loc















































HERRINGBONE 8





Thickness:

8 mm

Format:

630 x 126 mm | 24.80" x 4.96"

Lock:

Fold Down









EN 13329






















































ALTITUDE





Thickness: 12 mm

Format:

2003 x 245 mm | 78.86" x 9.65"

Lock:

1clic 2go pure+









EN 13329









































ATLANTIC 12





Thickness: 12 mm

Format:

1288 x 195 mm | 50.71" x 7.68"

Lock:

1clic 2go pure+









EN 13329







































ATLANTIC 10





Thickness: 10 mm

Format:

1288 x 195 mm | 50.71" x 7.68"

Lock:

1clic 2go pure+









EN 13329

























































































ATLANTIC 8





Thickness: 8 mm

Formats:

638 x 330 mm | 25.12" x 12.99" **1288 x 195 mm** | 50.71" x 7.68"

Lock:

1clic 2go pure+












EN 13329



























































































Format overview





Accessories that match your floor perfectly

Selected range of products

Every floor needs proper accessories. We can supply you with the ideal equipment for all types of flooring. One contact, one supplier – which makes everything so much simpler for you.

Underlays

Depending on the situation in the room, attention must be paid to the correct underlay material when installing the flooring. For this we offer multiple solutions.

Skirting boards

Choose from a range of skirtings in various decors that match all KronoOriginal® floors. Our advanced fixing system makes it quick and simple to achieve a perfect installation.

Additional accessories

If you still look for the proper skirting board, corner pieces, aluminium adhesive tape for sealing or you are done and wish to mop the floor, take a look at the following pages and discover the wide range of accessories.

Get more out of your mo.re! products

With suitable accessories, you leave nothing to chance –

whether you are looking for the right underlay, skirting boards, end pieces, corners and profiles for a harmonious finish, practical tools or the right cleaning agent.



Discover the full range!





Accessories

Article	Illustration	Item No. [Customer Code]	Description	Packing Unit
Underlay PUR 2.0		98571 [EX KO98571N]	Material: Polyurethan and mineral fillers	1 x 7.5 m = 7.5 m ²
Underlay WOOD 5.0		90171 [EX 90171.]	Material: Wood fibres	0.79 x 0.59 m x 15 = 7 m ²
Underlay XPS 5.0		98536 [EX XPS5.0]	Material: Extruded polystyrene	1.18 x 4.7 m = 5.5 m ²
Underlay XPS 2.2 ALU		98515 [EX XPS2.2ALU]	Material: HFPS-foam & moisture protection foil	1.2 x 12.5 m = 15 m ²
PE foil		98111 [EX FOLIE2.0]	Material: Polyethylene	2 x 7.5 m = 15 m ²
Aluminium tape	0	98191 [EX ALUBAND]	Thickness: 0.048 mm Width: 50 mm	1 roll (50 m)
Transition profile, 2-part, screw-in		91231 91221	900 mm or 2700 mm	1 pcs.
Ramp profile, 2-part, screw-in		91251 91241	900 mm or 2700 mm	1 pcs.

Article	Illustration	Item No. [Customer Code]	Description	Packing Unit
End profile, 2-part, screw-in		91211 91201	900 mm or 2700 mm	1 pcs.
Transition click profile		98391 98381	900 mm or 2700 mm	1 pcs.
Ramp click profile		98411 98401	900 mm or 2700 mm	1 pcs.
End click profile		98371 98361	900 mm or 2700 mm	1 pcs.
K40C	E.	94531 [EX xxxxK40C]	2600 x 40 x 19 mm	10 pcs.
K58C	R	91061 [EX xxxxSLH]	2600 x 58 x 18 mm	10 pcs.
K70	E	91311 [EX xxxxK70]	2600 x 70 x 21 mm	10 pcs.
K80.16	1000	96031 [EX xxxxK80_16]	2600 x 80 x 16 mm	10 pcs.



Accessories

Article	Illustration	Item No. [Customer Code]	Description	Packing Unit
K14/22		91001 [EX xxxxK14] 91051 [EX xxxxK22]	2600 x 12 x 12 mm (K14) 2600 x 22 x 22 mm (K22)	30 pcs.
K50	K	91065 [EX xxxxK50]	2600 x 50 x 18 mm	10 pcs.
K58D Trend skirting board in aluminium	2	95971 [EX DxxxxK58D]	2600 x 58 x 19 mm	10 pcs.
Square cut skirting board		95951 [EX 9002DS19_100]	2600 x 100 x 17 mm	5 pcs.
Square cut skirting board	E.	95481 [EX 9002DS19_70]	2600 x 70 x 17 mm	10 pcs.
Square cut skirting board	R. C.	95491 [EX 9002DS19_58]	2600 x 58 x 17 mm	10 pcs.
Shaped skirting board		95981 [EX 9002DS17_100]	2600 x 100 x 17 mm	5 pcs.
Shaped skirting board		95991 [EX 9002DS17_70]	2600 x 70 x 17 mm	10 pcs.

Article	Illustration	Item No. [Customer Code]	Description	Packing Unit
Shaped skirting board	R.	95471 EX 9002DS17_58]	2600 x 58 x 17 mm	10 pcs.
Rounded skirting board		96001 [EX 9002DS15_100]	2600 x 100 x 15 mm	5 pcs.
Rounded skirting board		96021 [EX 9002DS16_90]	2600 x 90 x 16 mm	5 pcs.
Rounded skirting board	E.	96011 [EX 9002DS15_70]		
K58C skirting board moisture resistant		97345 [EX SK58C-xxxx]	2400 x 58 x 18 mm	10 pcs.
KKSL Plastic skirting	E	97342 [EX 97342-xxxx]	2500 x 50 x 22.5 mm	20 pcs.
Accessories for K40C skirting board		93432	External corners Internal corners End caps	Set: 2 external corners, 90°; 2 internal corners, 90°; 2 end caps
Accessories for K58C skirting board		98011 98001 98021	External corners Internal corners End caps	90° in packs of 2 90° in packs of 2 in packs of 4, 2 left and 2 right



Accessories

Article	Illustration	Item No. [Customer Code]	Description	Packing Unit
Mounting clips	RHAM	91501 [EX 50510]	-	Box of 30 pieces, complete with screws and rawl plugs
Tap-block		90274 [EX SCHLAGKLOTZ]	168/90 x 70 x 20 mm	20 pcs.
Spacer		90292 [EX ABSTANDSKEIL]	-	30 spacer per bag
Clickguard™ joint sealant		90431 [EX 94270]	-	125 ml ≘ca. 10 m²
Wax-repair set, mixable	Man and a second	90511 [EX F996]	-	7 wax blocks, 1 melting tool, 1 cleaning combed scraper, 1 green/white pad, 1 grey abrasive pad
Laminate cleaner		90411 [EX 92011]	-	1000 ml





Skirting boards

Decor matching overview

	Collection Name	Decor	Skirting board	Decor	Skirting board	Decor	Skirting board
Veneer Parquet		0272	9002-white	0274	9002-white	O352	9002-white
Ven Parc	VENEER PARQUET	0273	9002-white	O350	9002-white	O462	9002-white
		5953	L003	K326	8836	K476	8573
	HERRINGBONE 8	5947	8285	K411	5539	K488	L128
		8573	8573	K450	8816		
	ALTITUDE	K326	8836	K658	L120	K662	L125
	ALTITUDE _	K657	8836	K659	8220	K664	L125
	ATLANTIC 12	5542	5542	K287	8096	K450	8816
		K285	4274	K336	L003	K476	8573
6 u		5537	8573	K412	8573	K479	L132
mo.rel Laminate Flooring	ATLANTIC 10	5947	8285	K413	L064	K665	L118
mo.re! nate Flo		8155	8155	K475	5570	K667	9701
nin a		8156	8156	K476	8573	K668	8206
Ľa		K411	5539	K478	5542	K669	L121
		4375	4375	K389	8475	K471	L123
		K035	4375	K392	L071	K627	8836
		K326	8836	K451	8461	K634	8575
	ATLANTIC 8	K327	8092	K453	9807	K640	9701
		K385	8282	K461	L122	K649	5550
		K387	L061	K463	8467	K650	Z149
		K388	L062	K469	8220	K653	L143





Decor overview

Flooring Type	Collection Name	Decors										
Veneer Parquet	Ørganic VENEER PARQUET	O273 (O462	O274	O350	O272	O352					
	HERRINGBONE 8	5953 ■ I	K326	5947	K476 ■	8573	K488	K450 ■	K411			
	ALTITUDE	K659 I	K658	K657	K326	K662	K664					
50	ATLANTIC 12	K336	5542	K285	K450	K476	K287					
mo.re! Laminate Flooring	ATLANTIC 10	1/4	K668 8155	K669	K667	K478	K665	K476	5537	5947	K412	K413
	ATLANTIC 8		K451	K392	K463	K469	K453	K653	K326	K327	K471	K627

decor editions

Packaging information

Plank Size	Thickness	Planks/ Pack.	m² sq ft/Pack.	Weight/Pack. [kg lbs]	Pack./Pallet = m² sq ft
1383 x 244 mm 54.45" x 9.61"	8.5 mm	7	2.36 25.42	16 36	45 = 106 1144
630 x 126 mm 24.80" x 4.96"	8 mm	11	0.87 9.40	6 13	96 = 84 902
2003 x 245 mm 78.86" x 9.65"	12 mm	4	1.96 21.12	20 44	36 = 71 760
1288 x 195 mm 50.71" x 7.68"	12 mm	6	1.51 16.21	15 34	52 = 78 843
1288 x 195 mm 50.71" x 7.68"	10 mm	7	1.76 18.92	15 33	52 = 91 984
638 x 330 mm 25.12" x 12.99" 1288 x 195 mm 50.71" x 7.68"	8 mm	11 9	2.32 24.92 2.26 24.32	15 34 15 34	32 = 74 797 52 = 118 1265



Made by Kronospan













* Information sur le niveau d'émission de substances volatiles dans l'air intérieur, présentant un risque de toxicité par inhalation, sur une échelle de classe allant de A+ (très faibles émissions) à C (fortes émissions). Statement on level of emission of volatile substances in indoor air posing a toxic threat during inhaling – on a scale from A+ (very low-emission) to C (high-emission).

www.eco-institut.de/e/portfolio/emissions-dans-lair-interieur



www.krono-original.com www.facebook.com/KronoOriginal



www.kronospan.com info@krono-original.com