


Flexible Flooring Solutions From Entry To Exit






Tessera Cloudscape, as the name suggests, is an all over organic carpet tile design that takes inspiration from the ever-changing vista of cloud formations and tonal colour progressions in the sky above us.

Cloudscape's 16 tonal colourways, bearing evocative names such as cumulus blue, dawn chorus and summer storm, range from very dark to very pale and cover a wide range of LRV requirements. Tiles can be laid in monolithic or non-directional fashion and their long term appearance retention is assured as they are manufactured using 100% solution dyed polyamide 6 yarns for class 33 durability and colourfastness.



3404 | cumulus blue LRV 11

Description	Tufted multi-height loop pile carpet tile	
Dimensions	50cm x 50cm	
Total thickness	7.2mm ± 10%	
Pile height	4.4mm ± 0.5mm	
Pile weight	665gsm ± 10%	
Yarn	100% polyamide 6	
Collection size	16 (4m ² per box)	
Application	EN 1307	Class 33
Impact sound reduction	ISO 140-8	ΔL _w = 26 dB
Recycled content	61%	
CE	EN 14041	
Reaction to fire	EN 13501-1	B _f -s1



3411 | cirrus sky LRV 10



3403 | thunderbolt LRV 6



3400 | nimbus grey LRV 15



3408 | grey dawn LRV 13



3409 | dawn chorus LRV 18



Cloudscape 3406 | sirocco blue + 3404 | cumulus blue



3414 | mistral gale LRV 8



3407 | april shower LRV 12



3405 | sunset sky LRV 17



3401 | light airs LRV 19



3415 | gulf stream LRV 15



3402 | ocean winds LRV 17



3406 | sirocco blue LRV 7



3412 | summer storm LRV 15



3413 | monsoon cloud LRV 13



3410 | stormy weather LRV 8

Tessera Cloudscape Merge creates an interesting transition from one area to another. Reinforcing the organic structure of Tessera Cloudscape and the tonal progression of colours creating an environment helping us to reconnect.

Cloudscape Merge is available on all of the 16 Cloudscape colours and as the 'Merge' tiles are manufactured from products in the order for your interior flooring, the 'Merge' is batch matched to the main flooring.

The minimum order quantity is only 2 boxes and the lead time is approximately 3 weeks.

To order Cloudscape Merge speak to your local Business Area Manager and quote the colourway numbers of the Cloudscape products you'd like to combine.



Cloudscape 3413 | monsoon green + 3401 | light airs



For samples, please contact our sample department on 0800 731 2369 or email samples.uk@forbo.com with details of the colours you want to 'merge'.





BREEAM ratings
Tessera Cloudscape – Carpet Tiles (EN1307)

Commercial	Education	Health	Domestic	Retail (Durability)	Retail (Fashion)	Meets Ska criteria
A	A	A	B	A	A+	✓




Chroma is the quality by which we communicate colour. It is how we define a colour's purity, its intensity or saturation. In this way it provides a measure by which we can create a relationship between colours, allowing them to bring balance and harmony to a space.



3600 | castle LRV 19




Chroma 3606 | tuxedo + 3621 | camisole + 3623 | tangerine




3602 | chanterelle LRV 22 3609 | coconut LRV 30




3605 | pathway LRV 13 3610 | thatch LRV 17




3608 | quinoa LRV 9 3611 | treacle LRV 8



3612 | estuary LRV 19 3613 | pasture LRV 13




3615 | nautical LRV 10 3616 | eucalyptus LRV 16



3618 | torrent LRV 7 3619 | jungle LRV 7


Description	Tufted textured loop pile carpet tile	
Dimensions	50cm x 50cm	
Total thickness	6.4mm ± 10%	
Pile height	3.5mm ± 0.5mm	
Pile weight	750gsm ± 10%	
Yarn	100% polyamide 6	
Collection size	27 (4m ² per box)	
Application	EN 1307	Class 33
Impact sound reduction	ISO 140-3	ΔL _w = 26 dB
Recycled content	62%	
CE	EN 14041	
Reaction to fire	EN 13501-1	B _s -s1



Our recommended adhesive is 542 Eurofix Tack Plus. Full technical specifications are available at www.forbo-flooring.co.uk/downloads. Please note: Digital representations may vary from the actual product. Please order a sample to see the full effect. Contact 0800 731 2369.



3614 | submarine LRV 26 3621 | camisole LRV 29




3622 | wisteria LRV 19 3623 | tangerine LRV 20



3624 | blossom LRV 17 3626 | cardinal LRV 10



Chroma 3603 | asphalt + 3623 | tangerine




Seeing things from above creates freedom bringing new and unexpected perspectives. As the distance from the ground level increases, patterns and textures in the landscape emerge and areas of colour reveal themselves upon the canvas of the earth.



3251 | moraine LRV 19

3252 | umber LRV 18

3259 | fjord LRV 18



3250 | iceberg LRV 27

3255 | desert LRV 17



3260 | savanna LRV 17



3258 | terrain LRV 13



3253 | quake LRV 15




3261 | oasis LRV 9



3256 | meteor LRV 10



3257 | strata LRV 10




3261 | oasis LRV 9



3254 | basalt LRV 14

Description	Tufted multi-pile height loop pile carpet tile	
Dimensions	50cm x 50cm	
Total thickness	7.1mm ± 10%	
Pile height	4.0mm ± 0.5mm	
Pile weight	978gsm ± 10%	
Yarn	100% Antron® Lumena polyamide 6.6	
Collection size	12 (4m ² per box)	
Application	EN 1307	Class 33
Impact sound reduction	ISO 140-3	ΔL _w = 26 dB
Recycled content	57%	
CE	EN 14041	
Reaction to fire	EN 13501-1	B _{fl} -s1



tessera® layout & outline



Featuring a contemporary palette of 32 colours with eight co-ordinated striped designs, the Layout and Outline ranges offer a multitude of creative and inspiring combinations in any flooring scheme.

The dynamic colour palette of Layout is hugely versatile featuring a comprehensive choice of modern neutrals in combination with diverse and directional brighter shades. Colours can be used independently or in combination to achieve a myriad of interior styles.

Outline is a subtly textured striped loop pile carpet tile and each colourway is perfectly matched to two Layout colours. Combinations of Outline and Layout allow complete freedom of expression, creating connections, highlights and transitions to enhance any style of scheme.

***Available in plank format – see page 36.**






Tessera Layout & Outline 2117 | surf + 2125 | tonic + 2105 | aniseed



Tile and plank formats



Description	Tufted low loop pile carpet tile
Dimensions	50cm x 50cm
Total thickness	5.8mm ± 10%
Pile height	2.9mm ± 0.5mm
Pile weight	580gsm ± 10%
Yarn	100% polyamide 6
Dye method	100% solution dyed
Collection size	Layout 32 Outline 8 5m ² per box
Application	EN 1307 Class 33
Impact sound reduction	ISO 10140-3 ΔL _w = 27 dB
Recycled content	62%
CE	EN 14041
Reaction to fire	EN 13501-1 B _{f1} -s1




BREEAM ratings
Tessera Layout & Outline – Carpet Tiles (EN1307)


Commercial	Education	Health	Domestic	Retail (Durability)	Retail (Fashion)	Meets Ska criteria
A	A	A	A	A	A+	✓



Tessera Outline 3100 | plasmatron + Tessera Layout 2120 | apple + 2127 | flambe + 2130 | icepop




Layout 2100 | mono* LRV 4




Layout 2101 | graphine LRV 5




Outline 3100 | plasmatron* LRV 6




Layout 2112 | frosting* LRV 28



Layout 2113 | nougat LRV 22




Layout 2109 | shard LRV 17




Layout 2108 | calcium* LRV 13



Layout 2105 | aniseed LRV 9



Layout 2104 | alloy* LRV 9



Layout 2127 | flambe LRV 13




Layout 2116 | kryptonite LRV 9



Layout 2120 | apple* LRV 20




Layout 2119 | maraschino* LRV 7



Layout 2131 | mango* LRV 18




Outline 3106 | fruitsalad LRV 14



Layout 2130 | icepop* LRV 12




Layout 2125 | tonic LRV 15



Outline 3102 | soda* LRV 21




Layout 2117 | surf LRV 7



Layout 2122 | drench* LRV 7



Outline 3103 | ripple LRV 10



Layout 2118 | oceanis* LRV 5



Outline 3107 | bubblegum* LRV 6



Layout 2103 | balsamic* LRV 13



Outline 3101 | colabottle* LRV 9




Layout 2107 | brulee* LRV 7



Tessera Outline 2105 | aniseed + 2101 | graphine + 2117 | surf

Description	Tufted low loop pile carpet tile	
Dimensions	50cm x 50cm	
Total thickness	5.8mm ± 10%	
Pile height	2.9mm ± 0.5mm	
Pile weight	580gsm ± 10%	
Yarn	100% polyamide 6	
Dye method	100% solution dyed	
Collection size	Layout 21 Outline 5 5m ² per box	
Application	EN 1307	Class 33
Impact sound reduction	ISO 10140-3	ΔL _w = 27 dB
Recycled content	62%	
CE	EN 14041	
Reaction to fire	EN 13501-1	B ₁ -s1



Featuring a contemporary yet concise palette of 10 useable colourways, Inline combines soft geometric structure with intermittent linearity. The strong use of differential texture creates a natural, randomised appearance enabling monolithic installation. Tessera Inline can also be co-ordinated with Allura Flex loose lay LVTs or other Forbo products to add elements of colour, interest and value to a variety of interior schemes.



Tessera Inline 878 | steam (foreground) + Layout 2125 | tonic + 2112 | frosting



871 | syllabus LRV 25



878 | steam LRV 23




875 | banoffee LRV 20




877 | mallard LRV 23




879 | mellow LRV 25




873 | tungsten LRV 15



874 | tiramisu LRV 16



872 | onyx LRV 8




870 | molasses LRV 8



876 | celestial LRV 8

Description	Tufted multi-height loop pile carpet tile
Dimensions	50cm x 50cm
Total thickness	6.5mm ± 10%
Pile height	3.9mm ± 0.5mm
Pile weight	605gsm ± 10%
Yarn	100% polyamide 6
Dye method	100% solution dyed
Collection size	10 (4m ² per box)
Application	EN 1307 Class 33
Impact sound reduction	ISO 10140-3 ΔL _W = 25 dB
Recycled content	63%
CE	EN 14041
Reaction to fire	EN 13501-1 B ₁ -s1



Our recommended adhesive is 542 Eurofix Tack Plus. Full technical specifications are available at www.forbo-flooring.co.uk/downloads
Please note: Digital representations may vary from the actual product. Please order a sample to see the full effect. Contact 0800 731 2369.



BREEAM ratings
Tessera Inline – Carpet Tiles (EN1307)


Commercial	Education	Health	Domestic	Retail (Durability)	Retail (Fashion)	Meets Ska criteria
A	A	A	A	A	A+	✓




The rich tapestry of landscape that forms the unique Scottish island of Arran has influenced artists for generations. The quality of light and the huge variety of natural colours create a complex palette that changes with each season. From the muted hues of autumn bracken to the vibrant tones of the summer heather, Arran has a beauty that inspires.




Tessera Arran 1521 | golden sand + 1519 | stone wall



1521 | golden sand LRV 21



1523 | dusty green LRV 13




1518 | foggy day LRV 20




1519 | stone wall LRV 19



1522 | shallow water LRV 11



1512 | dove LRV 11



1520 | driftwood LRV 15




1525 | mountain mist LRV 13



1509 | noir LRV 2



1515 | latte LRV 10




1502 | Danube LRV 5



1524 | moss tone LRV 14


Description	Tufted multi-height loop pile carpet tile
Dimensions	50cm x 50cm
Total thickness	7.0 mm ± 10%
Pile height	4.0mm ± 0.5mm
Pile weight	950gsm ± 10%
Yarn	100% Invista Antron® Lumena polyamide 6.6
Dye method	100% solution dyed
Collection size	12 (4m ² per box)
Application	EN 1307 Class 33
Impact sound reduction	ISO 10140-3 ΔL _W = 25 dB
Recycled content	57%
CE	EN 14041
Reaction to fire	EN 13501-1 B ₁ -s1




BREEAM ratings
Tessera Arran – Carpet Tiles (EN1307)

Commercial	Education	Health	Domestic	Retail (Durability)	Retail (Fashion)	Meets Ska criteria
B	B	A	B	B	A+	✓


tessera® create space 1




An exceptionally flexible range of 18 commercial colourways, Create Space 1 is suitable for any commercial space, large or small. Styled for today's interiors, Create Space 1 lends itself to single colourway installations, feature area designs and bespoke creative schemes.



1813 | nickel LRV 19




1812 | iolite LRV 9



1802 | ashen LRV 11




1804 | opal LRV 20




1803 | celeste LRV 13




1811 | cerulean LRV 7




1801 | feldspar LRV 7



1810 | ultramarine LRV 4



1808 | bistre LRV 4



1800 | ebonite LRV 3



1805 | peridot LRV 10



Tessera Create Space 1 1800 | ebonite + 1813 | nickel + 1809 | persimmon + 1805 | peridot + 1811 | cerulean



1809 | persimmon LRV 10




1806 | goldstone LRV 20



1816 | lithium LRV 10




1817 | violette LRV 5



1814 | byzantine LRV 6



1815 | hematite LRV 5



1807 | tawny LRV 13




1818 | heliotrope LRV 5



1819 | quartz LRV 7




1820 | sandstone LRV 16




1821 | alder LRV 10



1822 | greige LRV 10



1823 | purbeck LRV 7



1824 | celadon LRV 12

Description	Tufted low level loop pile carpet tile
Dimensions	50cm x 50cm
Total thickness	5.5mm ± 10%
Pile height	2.7mm ± 0.5mm
Pile weight	500gsm ± 10%
Yarn	100% ECONYL®/Altochroma regenerated polyamide 6
Dye method	100% solution dyed
Collection size	18 (5m ² per box)
Application	EN 1307 Class 33
Impact sound reduction	ISO 140-8 ΔL _w = 21 dB
Recycled content	70%
CE	EN 14041
Reaction to fire	EN 13501-1 B _{fl} -s1



1815 | hematite LRV 5

tessera® create space 2




Featuring a versatile geometric striped design and a contemporary palette of 15 colourways, Create Space 2 adds stylish and creative interest to any size flooring scheme. Create Space 2 carpet tiles are designed to provide the maximum flexibility in any installation as they can be fitted in a variety of styles including monolithic, tessellated, half-drop or non-directional, which reduces installation waste to less than 2%.



2806 | sandstone LRV 16

Description	Tufted level loop pile carpet tile
Dimensions	50cm x 50cm
Total thickness	5.7mm ± 10%
Pile height	3.0mm ± 0.5mm
Pile weight	570gsm ± 10%
Yarn	100% ECONYL®/Altochroma regenerated polyamide 6
Dye method	100% solution dyed
Collection size	15 (5m ² per box)
Application	EN 1307 Class 33
Impact sound reduction	ISO 140-8 ΔL _w = 23 dB
Recycled content	63%
CE	EN 14041
Reaction to fire	EN 13501-1 B _{fl} -s1



2802 | taverine LRV 10



2809 | cinnabar LRV 3




2814 | heliotrope LRV 5




2808 | burnet LRV 6




2807 | alder LRV 10



2801 | argent LRV 6




2800 | licorice LRV 4




2811 | quartz LRV 7



2810 | indigo LRV 4



2803 | purbeck LRV 7



2805 | olivaceous LRV 8




2812 | celadon LRV 12



2804 | greige LRV 10



2808 | burnet LRV 6



2813 | periwinkle LRV 8




2805 | olivaceous LRV 8



2812 | celadon LRV 12



2806 | sandstone LRV 16



2807 | alder LRV 10




2804 | greige LRV 10



Tessera Create Space 2 2805 | olivaceous + Create Space 1 1805 | peridot



2809 | cinnabar LRV 3



2805 | olivaceous LRV 8

DID YOU KNOW
that Create Space 1 & 2
are produced using
up to
**100%
ECONYL**
regenerated yarn

BREEAM ratings
Tessera Create Space 1 – Carpet Tiles (EN1307)

Commercial	Education	Health	Domestic	Retail (Durability)	Retail (Fashion)	Meets Ska criteria
A	A+	A+	A	A	A+	✓

BREEAM ratings
Tessera Create Space 2 – Carpet Tiles (EN1307)


Commercial	Education	Health	Domestic	Retail (Durability)	Retail (Fashion)	Meets Ska criteria
A	A+	A+	A	A	A+	✓

tessera® barcode

Barcode challenges the uniformity and rigidity of conventional linear low level loop pile tiles and, with its confident bands of contrasting colours in varying widths, delivers a more eclectic and exuberant look that is right on trend for today's commercial environments.





Tessera Barcode 304 | main line



BREEAM ratings
Tessera Barcode – Carpet Tiles (EN1307)

Commercial	Education	Health	Domestic	Retail (Durability)	Retail (Fashion)	Meets Ska criteria
A	A	A+	A	A	A+	✓



Description Tufted low level loop pile carpet tile

Dimensions 50cm x 50cm

Total thickness 6.0mm ± 10%

Pile height 3.0mm ± 0.5mm

Pile weight 580gsm ± 10%

Yarn 100% Aquafil polyamide 6

Dye method 100% solution dyed

Collection size 18 (4m² per box)


Application EN 1307 Class 33

Impact sound reduction ISO 140-8 ΔL_w = 22 dB

Recycled content 64%

CE EN 14041



Reaction to fire EN 13501-1 B_{fl}-s1



307 | colour line LRV 7

tessera® diffusion

Diffusion reflects an evolution towards softer more organic geometry observed in nature. Inspired by crystalline structures, the fractal shapes fade in and out creating appealing contemporary floor spaces.



Tessera Diffusion 2002 | paradigm shift

Description Tufted multi-height loop pile carpet tile

Dimensions 50cm x 50cm

Total thickness 6.5mm ± 10%

Pile height 3.7mm ± 0.5mm

Pile weight 570gsm ± 10%

Yarn Refresh™ by Universal Fibers™ 100% polyamide 6.6

Dye method 100% solution dyed

Collection size 10 (4m² per box)


Application EN 1307 Class 33

Impact sound reduction ISO 10140-3 ΔL_w = 22 dB

Recycled content 67%

CE EN 14041

Reaction to fire EN 13501-1 B_{fl}-s1



BREEAM ratings
Tessera Diffusion – Carpet Tiles (EN1307)

Commercial	Education	Health	Domestic	Retail (Durability)	Retail (Fashion)	Meets Ska criteria
A	A	A	A	A	A+	✓



RANDOM LAY. BATCHLESS CARPET TILES

Random lay

A random lay tile is cleverly designed so that it may be laid in any direction to produce a totally individual installation. Using this method also reduces installation waste to less than 2%.

Batchless

Different production consignments of 'batchless' tiles can be used together without the usual risk of visible batch variation. An additional benefit is that spare stocks do not have to be carried.

Tessera's random lay, batchless tile range has been made possible through the use of advanced CMC Infinity tufting technology.



Tessera Mix 963 | obsidian

tessera® mix



26



An innovative random lay, batchless carpet tile, Tessera Mix delivers a seamless installation appearance every time. Its soft geometric shapes cleverly disguise the tile edges and fitting direction and create its classic modern appearance.

Mix combines tone and shade within an angular framework through the controlled use of multi-pile height construction creating a distinctive, attractive and highly complementary flooring solution.

Designed for use in commercial, hospitality and public interiors, Mix is available in 15 contemporary colourways.

Random lay & batchless

Random lay for speed, reduced wastage and convenience

Mix is a multi-directional tile designed to be laid in a completely random fashion. Installation time is minimised as there are

no direction rules to follow. There is no need to check the pile direction as any tile of the correct size can be used, minimising fitting waste to less than 2%.

The overall Mix aesthetic is created at installation as geometric shapes are broken and joined randomly creating the final seamless design.
















Batchless for economy and flexibility

Effective batchless Mix tiles can be ordered as required in quantities as low as a single box, removing the need to order and store spares.

For large installations there is no need to calculate batch sized areas, simply request the quantity required for the project thereby minimising the amount of batch waste.

Mix is ideal for offices and public spaces that may need to adapt in the future, as partitions are moved around, new tiles can be added as required prolonging the life cycle of the flooring.




	952 bone LRV 12		964 stone LRV 9		970 jade LRV 7	<table border="1"> <tr> <td>Description</td> <td colspan="2">Tufted multi-height loop pile carpet tile, Random lay, batchless</td> </tr> <tr> <td>Dimensions</td> <td colspan="2">50cm x 50cm</td> </tr> <tr> <td>Total thickness</td> <td colspan="2">5.9mm ± 0.5mm</td> </tr> <tr> <td>Pile height</td> <td colspan="2">3.0mm ± 0.5mm</td> </tr> <tr> <td>Pile weight</td> <td colspan="2">650gsm ± 10%</td> </tr> <tr> <td>Yarn</td> <td colspan="2">100% Invista Antron® Lumena polyamide 6.6</td> </tr> <tr> <td>Dye method</td> <td colspan="2">100% solution dyed</td> </tr> <tr> <td>Collection size</td> <td colspan="2">15 (5m² per box)</td> </tr> <tr> <td>Application</td> <td>EN 1307</td> <td>Class 33</td> </tr> <tr> <td>Impact sound reduction</td> <td>ISO 10140-3</td> <td>ΔL_w = 24 dB</td> </tr> <tr> <td>Recycled content</td> <td colspan="2">61%</td> </tr> <tr> <td>CE</td> <td colspan="2">EN 14041</td> </tr> <tr> <td>Reaction to fire</td> <td>EN 13501-1</td> <td>B_s-s1</td> </tr> </table>	Description	Tufted multi-height loop pile carpet tile, Random lay, batchless		Dimensions	50cm x 50cm		Total thickness	5.9mm ± 0.5mm		Pile height	3.0mm ± 0.5mm		Pile weight	650gsm ± 10%		Yarn	100% Invista Antron® Lumena polyamide 6.6		Dye method	100% solution dyed		Collection size	15 (5m ² per box)		Application	EN 1307	Class 33	Impact sound reduction	ISO 10140-3	ΔL _w = 24 dB	Recycled content	61%		CE	EN 14041		Reaction to fire	EN 13501-1	B _s -s1
Description	Tufted multi-height loop pile carpet tile, Random lay, batchless																																												
Dimensions	50cm x 50cm																																												
Total thickness	5.9mm ± 0.5mm																																												
Pile height	3.0mm ± 0.5mm																																												
Pile weight	650gsm ± 10%																																												
Yarn	100% Invista Antron® Lumena polyamide 6.6																																												
Dye method	100% solution dyed																																												
Collection size	15 (5m ² per box)																																												
Application	EN 1307	Class 33																																											
Impact sound reduction	ISO 10140-3	ΔL _w = 24 dB																																											
Recycled content	61%																																												
CE	EN 14041																																												
Reaction to fire	EN 13501-1	B _s -s1																																											
	961 gravel LRV 10		953 canyon LRV 9		969 glacier LRV 7																																								
	955 grit LRV 6		954 woodash LRV 7		960 iron LRV 10																																								
	963 obsidian LRV 3		958 lazuli LRV 5		967 husk LRV 9																																								
	968 amethyst LRV 4		966 sahara LRV 6		965 ruby LRV 4																																								



BREEAM ratings
Tessera Mix – Carpet Tiles (EN1307)

Commercial	Education	Health	Domestic	Retail (Durability)	Retail (Fashion)	Meets Ska criteria
A	A	A	B	A	A+	✓



Tessera In-touch 3304 | collage + 3302 | scribe

LOOP PILE PLANK CARPET TILES



Planks

Plank formats allow for maximum flexibility when creating stand out designs. Eyecatching floor designs can be created by using planks on their own or in combination with regular 50cm x 50cm carpet tiles.

tessera® in-touch



tessera® seagrass



tessera® layout & outline planks



tessera® layout & outline



Following on from the success of our Tessera Layout and Outline carpet tile collection, the Layout and Outline planks range also provides a contemporary and co-ordinated colour palette with the added benefit of a plank format.

We've introduced a total of 18 carpet tiles in a new 100cm x 25cm plank format, which provides the maximum flexibility for creating stunning floor designs. Available in 14 sophisticated and bright colourways, Layout planks are offered in a very versatile palette.


A contemporary two-colour striped pattern, Outline planks combine flexibility with design over 4 engaging colourways.

Contains 62% recycled content by weight.

All colours also available in tile format – see page 12.



Layout 2112PL | frosting
LRV 28



Outline 3102PL | soda
LRV 21



Layout 2107PL | brulee
LRV 7



Layout 2122PL | drench
LRV 7



Layout 2120PL | apple
LRV 20



Layout 2123PL | candy
LRV 23



Tessera Layout 2100PL | mono + 2104PL | alloy
+ 2112PL | frosting + 2120PL | apple + Outline 3100PL | plasmatron




Tessera Layout 2119PL | maraschino + 2100PL | mono
+ 2104PL | alloy + Tessera Outline 3100PL | plasmatron



Layout 2104PL | alloy
LRV 9



Layout 2108PL | calcium
LRV 13




Layout 2103PL | balsamic
LRV 13



Layout 2118PL | oceanis
LRV 5



Layout 2129PL | menthe
LRV 16




Layout 2131PL | mango
LRV 18




Tessera Layout 2112PL frosting + 2130PL icepop + 2118PL oceanis


Description	Tufted low loop pile carpet tile
Dimensions	100cm x 25cm
Total thickness	5.8mm ± 10%
Pile height	2.9mm ± 0.5mm
Pile weight	580gsm ± 10%
Yarn	100% polyamide 6
Dye method	100% solution dyed
Collection size	Layout 14 Outline 4 4.5m ² per box
Application	EN 1307 Class 33
Impact sound reduction	ISO 10140-3 $\Delta L_w = 27$ dB
Recycled content	62%
CE	EN 14041
Reaction to fire	EN 13501-1 B _{fl} -s1



Layout 2100PL | mono
LRV 4




Outline 3100PL | plasmatron
LRV 6



Outline 3101PL | colabottle
LRV 9



Outline 3107PL | bubblegum
LRV 6



Layout 2130PL | icepop
LRV 12



Layout 2119PL | maraschino
LRV 7



BREEAM ratings
Tessera Layout & Outline Planks – Carpet Tiles (EN1307)

Commercial	Education	Health	Domestic	Retail (Durability)	Retail (Fashion)	Meets Ska criteria
A	A	A	A	A	A+	✓

tessera[®] contour

Influenced by lines in architecture and relieved by softer more natural elements, Contour offers a geometric framework across a palette of 13 naturally inspired colourways.

The cut and loop pile construction provides the gentle, striated form and with 67% recycled content, Contour also offers a low environmental impact. The yarn is solution dyed Refresh™ by Universal fibres ensuring premium quality and improved cleanability and longevity.



Tessera Contour 1908 | classic cloud



1904 | lava core LRV 2




Non-directional

Monolithic




Tessellated

Half drop



Description	Tufted multi-height cut and loop pile carpet tile	
Dimensions	50cm x 50cm	
Total thickness	6.3mm ± 10%	
Pile height	3.5mm ± 0.5mm	
Pile weight (after shearing)	580gsm ± 10%	
Yarn	Refresh™ by Universal Fibres™ 100% polyamide 6.6	
Dye method	100% solution dyed	
Collection size	13 (4m ² per box)	
Application	EN 1307	Class 33
Impact sound reduction	ISO 10140-3	ΔL _w = 23 dB
Recycled content	67%	
CE	EN 14041	
Reaction to fire	EN 13501-1	B _{fl} -s1



BREEAM ratings
Tessera Contour – Carpet Tiles (EN1307)

Commercial	Education	Health	Domestic	Retail (Durability)	Retail (Fashion)	Meets Ska criteria
A	A	A	A	A	A+	✓



PROJECT:
New Bridewell Student Accommodation
LOCATION:
Bristol

DESIGNER: **Jasper Sanders and Partners**
FLOORING MATERIAL:
Tessera Layout and Outline 2117 | surf + 2125 | tonic + 2015 | aniseed + 2128 | custard
See page 12 for the full Layout & Outline range.



PROJECT:
University of Cumbria
LOCATION:
Cumbria

COMMISSIONED BY: **University of Cumbria**
FLOORING MATERIAL:
Tessera Cloudscape 3413 | monsoon cloud + 3400 | nimbus grey
See page 6 for the full Tessera Cloudscape range.



PROJECT:
Zebra Technologies
LOCATION:
Bourne End, Buckinghamshire

DESIGNER: **Oktra**
FLOORING MATERIAL: Tessera Layout & Outline 2117 | surf + 2125 | tonic + Tessera Clarity 7910115 | Peacock + Allura Flex 60187 | natural weathered oak + 60387 | charcoal solid oak
See page 12 for the full Layout & Outline range.



akdeio

Forest Products Ground Materials Import Export Marketing Industry and Trade
LIMITED COMPANY

Mobile: +90 532 500 51 52 Mobile Company: +90 532 250 65 29

Phone: +90 212 111 11 11

Address: Atakent Mah. 243. Sk. No:6 Tema İstanbul Sitesi 7/B No:1 Halkalı / K.çekmece İstanbul / TÜRKİYE

Address: Khelvachauri, Akhalshehis Meurneoba Mah. 3-CU Sk. No: 26 Batumi / GEORGIA

Akdeio Orman Ürünleri Zemin Malzemeleri İthalat İhracat Pazarlama San. ve Tic. LTD. ŞTİ.



www.akdeio.com.tr

info@akdeio.com.tr

onder@akdeio.com.tr



akdeio

akdeioorman